



NORLUX®

Lighting Solutions

GLOBAL TRACKS

1-CIRCUIT • 3-CIRCUIT • 3-CIRCUIT DALI
CONNECTORS • ACCESSORIES


GLOBAL TRAC BASE

ONE-CIRCUIT BASIC TRACK

Global Trac Base is a compact, elegant looking one-circuit basic track. The compact track is light to handle and simple to install. Diverse installation options are part of the package. Quick and easy installation results in overall cost savings.

Wide area of use from homes to exhibition stands

GLOBAL Trac Base is for places where the discrete and elegant appearance of the one-circuit track is most useful: homes, shop windows and exhibition structures.




Global Trac Base


Power Conductor Cross-Section: 2,5mm²

CONNECTION


230 V AC, 16 A, 3.7 kW



GB SURFACE



GBF RECESSED



TRACKS


GLOBAL TRAC BASE

Available colours: -1 Global grey, -2 black (RAL 9005), -3 white (RAL 9016).

Surface Mounted / Pendant Tracks

GB 2100-2300 Surface


Artikel nr	Length MM	Color	PCS/Package
GB2100-1*	1000	Grey	8/480
GB2100-2	1000	Black	8/481
GB2100-3	1000	White	8/482
GB2200-1*	2000	Grey	8/483
GB2200-2	2000	Black	8/484
GB2200-3	2000	White	8/485
GB2300-1*	3000	Grey	8/486
GB2300-2	3000	Black	8/487
GB2300-3	3000	White	8/488



Recessed Tracks

GBF 2100-2300 Recessed



Artikel nr	Length MM	Color	PCS/Package
GBF2200-1*	2000	Grey	6/180
GBF2200-2*	2000	Black	6/180
GBF2200-3*	2000	White	6/180



Recessed Track Accessories

Outlet cover plate

Artikel nr	Color	PCS/Package
GBF10-2*	Black	1/100
GBF10-3*	White	1/100
GBF30-2*	Black	1/100
GBF30-3*	White	1/100



GBF 10

GBF 30


CONNECTORS

GLOBAL TRAC BASE

All materials are halogen free and V0 self-extinguishing. Available colours: -1 grey (RAL 7040), -2 black (RAL 9005), -3 white (RAL 9016).


Polarity in Base Trac

Use of L-, T- and X- Feed. Red line indicates polarity ridge




End feeds

Artikel nr	Polarity Ridge	Color	PCS/Package
GB11-1*		Grey	1/100
GB11-2		Black	1/100
GB11-3		White	1/100
GB12-1*		Grey	1/100
GB12-2		Black	1/100
GB12-3		White	1/100




L-feeds

Artikel nr	Polarity Ridge	Color	PCS/Package
GB34-1*		Grey	1/25
GB34-2		Black	1/25
GB34-3		White	1/25
GB35-1*		Grey	1/25
GB35-2		Black	1/25
GB35-3		White	1/25




T-feeds

Artikel nr	Polarity Ridge	Color	PCS/Package
GB36-1*		Grey	25/1
GB36-2		Black	25/1
GB36-3		White	25/1
GB37-1*		Grey	25/1
GB37-2*		Black	25/1
GB37-3*		White	25/1
GB39-1*		Grey	25/1
GB39-2*		Black	25/1
GB39-3*		White	25/1
GB40-1*		Grey	25/1
GB40-2*		Black	25/1
GB40-3*		White	25/1




X-feed

Artikkel nr	Polarity Ridge	Color	PCS/Package
GB38-1*		Grey	1/25
GB38-2*		Black	1/25
GB38-3*		White	1/25




Middle feed

Artikkel nr	Color	PCS/Package
GB14-1*	Grey	1/50
GB14-2	Black	1/50
GB14-3	White	1/50




Straight Connector

Artikkel nr	Color	PCS/Package
GB21-1*	Grey	1/100
GB21-2	Black	1/100
GB21-3	White	1/100




Adjustable Connector

Artikkel nr	Color	PCS/Package
GB24-1*	Grey	1/25
GB24-2	Black	1/25
GB24-3	White	1/25



End cap

Artikkel nr	Color	PCS/Package
GB41-1*	Grey	1/100
GB41-2	Black	1/100
GB41-3	White	1/100




ACCESSORIES

GLOBAL TRAC BASE


Suspension from track

Artikkel nr	Description	Color	Max Load	PCS/Package
GBA14-1	Hook base 2mm	Grey	100N	50/250
GBA14-2	Hook base 2mm	Black	100N	50/250
GBA14-3	Hook base 2mm	White	100N	50/250



Hook Base GBA 14

Artikkel nr	Description	Color	Max Load	PCS/Package
XTAK11-1	Hook 2mm	Steel	100N	100/1000




Hook XTAK 11

Artikkel nr	Description	Color	Max Load	PCS/Package
GBS33-9*	Clamp Short M6	Alu	200N	10/200



Clamp Short GBS33-9


Artikkel nr	Description	Color	Max Load	PCS/Package
GBS33/65-2	Suspension clamp + cup + wire 1500mm	Black	150N	?
GBS33/65-3	Suspension clamp + cup + wire 1500mm	White	150N	?



Suspension Kit GBS33/65

Adapter

Artikkel nr	Description	Color	Current	Max Load
GB66-1*	Adapter 1-circuit	Grey	6A	30N
GB66-2	Adapter 1-circuit	Black	6A	30N
GB66-3	Adapter 1-circuit	White	6A	30N




GB 66 Wiring Options:

- To be used with stranded 0.5 ... 1.0mm² wire
- Slot Connection. The conductors are pressed into the connectors by the connector lid or by the cable mounting tool. GB 66CT.

Adapter 1-circuit GB 66

1. 16 mm, 2. 10 mm, 3. 78 mm, 4. 19 mm

Slot Connection Tool



Slot Connection Tool GB66CT

Nipples

Artikkel nr	Description	Color	Ø ID mm	PCS/Package
GB510-1	Fixed Nipple / Strain Relief Ø7MM	Grey	7mm	100/500
GB510-2	Fixed Nipple / Strain Relief Ø7MM	Black	7mm	100/500
GB510-3	Fixed Nipple / Strain Relief Ø7MM	White	7mm	100/500



Nipple GB510

GLOBAL TRAC PRO

THREE-CIRCUIT TRACK

Global Trac Pro is the most sold threecircuit lighting track system in the world. It is the quality choice of professionals and lighting manufacturers. Long experience and 100% quality assurance ensure problem-free operation.

GLOBAL Trac Pro's high load capacity and circuit-specific control option can be used in various spaces, including shops, department stores, public buildings, restaurants, airports and offices.

Easy to extend

The modular structure of the system makes it easy to extend and adapt to various needs. Modular dimensions help designers fit the system into the appropriate space and also make on-site mounting easier. Reliable connectors ensure fast and easy installation resulting in overall cost savings.



TRACKS


GLOBAL TRAC PRO

Available colours: -1 Global grey, -2 black (RAL 9005), -3 white (RAL 9016).


Surface Mounted / Pendant Tracks

XTS 4100-4400 Surface


Artikel nr	Length MM	Color	PCS/Package
XTS4200-1*	2000	Grey	4/240
XTS4200-2	2000	Black	4/240
XTS4200-3	2000	White	4/240
XTS4300-1	2000	Grey	4/240
XTS4300-2	3000	Black	4/240
XTS4300-3	3000	White	4/240
XTS4400-1	4000	Grey	4/240
XTS4400-2	4000	Black	4/240
XTS4400-3	4000	White	4/240



XTS SURFACE




XTSF RECESSED



GLOBAL TRAC PRO


Power Conductor Cross-Section: 4,0mm²



Recessed Tracks


XTSF 4100-4300 Recessed

Artikel nr	Length MM	Color	PCS/Package
XTSF4200-1*	2000	Grey	6/180
XTSF4200-2*	2000	Black	6/180
XTSF4200-3*	2000	White	6/180
XTSF4300-1*	3000	Grey	6/180
XTSF4300-2*	3000	Black	6/180
XTSF4300-3*	3000	White	6/180
XTSF4400-1*	4000	Grey	6/180
XTSF4400-2*	4000	Black	6/180
XTSF4400-3*	4000	White	6/180




Cover Plates

Artikel nr	Description	Color
XTSF10-2*	Global Pro Cover Plate for XTS11-14	Black
XTSF10-3*	Global Pro Cover Plate for XTS11-14	White
XTSF30-2*	Global Pro Cover Plate for XTS11-14	Black
XTSF30-3*	Global Pro Cover Plate for XTS11-14	White



Cover Plate XTSF 10



Cover Plate XTSF 30


CONNECTORS

GLOBAL TRAC PRO

All materials are halogen free and V0 self-extinguishing. Available colours: -1 grey (RAL 7040), -2 black (RAL 9005), -3 white (RAL 9016).


Polarity in Trac Pro

Use of L-, T- and X- Feed. Red line indicates polarity ridge



End feeds


Artikel nr	Polarity Ridge	Color	PCS/Package
XTS11-1		Grey	1/100
XTS11-2		Black	1/100
XTS11-3		White	1/100
XTS12-1		Grey	1/100
XTS12-2		Black	1/100
XTS12-3		White	1/100



End feed XTS 11, 12
1. 105 mm, 2. 66 mm

L-feeds


Artikel nr	Polarity Ridge	Color	PCS/Package
XTS34-1		Grey	1/25
XTS34-2		Black	1/25
XTS34-3		White	1/25
XTS35-1		Grey	1/25
XTS35-2		Black	1/25
XTS35-3		White	1/25



L-feed XTS 34, 35
1. 99 mm, 2. 66 mm

T-feeds


Artikel nr	Polarity Ridge	Color	PCS/Package
XTS36-1		Grey	1/25
XTS36-2		Black	1/25
XTS36-3		White	1/25
XTS37-1*		Grey	1/25
XTS37-2		Black	1/25
XTS37-3		White	1/25
XTS39-1		Grey	1/25
XTS39-2		Black	1/25
XTS39-3		White	1/25
XTS40-1*		Grey	1/25
XTS40-2		Black	1/25
XTS40-3		White	1/25



T-feed XTS 36, 37, 39, 40
1. 166 mm, 2. 100 mm, 3. 34 mm,
4. 67 mm, 5. 66 mm, 6. 99 mm


X-feed

Artikkel nr	Polarity Ridge	Color	PCS/Package
XTS38-1		Grey	1/25
XTS38-2		Black	1/25
XTS38-3		White	1/25



Adjustable Connector


Artikkel nr	Color	PCS/Package
XTS24-1*	Grey	1/25
XTS24-2	Black	1/25
XTS24-3	White	1/25



Adjustable Connector XTS 24
1. 226 mm, 2. 160 mm, 3. 60 mm, 4. 50 mm


Middle feed

Artikkel nr	Color	PCS/Package
XTS14-1	Grey	1/50
XTS14-2	Black	1/50
XTS14-3	White	1/50



Flexible Connector


Artikkel nr	Color	PCS/Package
XTS23-1	Grey	1/100
XTS23-2	Black	1/100
XTS23-3	White	1/100



Flexible Connector XTS 23
1. 248 mm, 2. 182 mm, 3. 82 mm, 4. 50 mm


Straight Connector

Artikkel nr	Color	PCS/Package
XTS21-1	Grey	1/50
XTS21-2	Black	1/50
XTS21-3	White	1/50



End cap

Artikkel nr	Color	PCS/Package
XTS41-1	Grey	1/100
XTS41-2	Black	1/100
XTS41-3	White	1/100




ACCESSORIES

GLOBAL TRAC PRO

Cover Strip

Artikkel nr	Description	Color
XTSP11-2	Global Cover Strip Pro/ Pulse 3m	Black
XTSP11-3	Global Cover Strip Pro/ Pulse 3m	White




Bracket for T-profile ceiling

Artikkel nr	Description	Color
SKB10T-2*	Global Bracket for T-profile ceiling	Black


Bending Tool

Artikkel nr	Description
XTSV12	Global Bending tool for power wires




Hook Base

Artikkel nr	Description	Color	Max Load	PCS/Package
XTAK142-2	Global Pro/Pulse Hook Base for 2mm wire/ hook 15kg BK	Black	100N	50/250
XTAK142-3	Global Pro/Pulse Hook Base for 2mm wire/ hook 15kg WH	White	100N	50/250
XTAK146-2	Global Pro/Pulse Hook Base for M6 Nut/Rod 15kg BK	Black	100N	50/250
XTAK146-3	Global Pro/Pulse Hook Base for M6 Nut/Rod 15kg WH	White	100N	50/250




Hook

Artikkel nr	Description	Color	Max Load	PCS/Package
XTAK11-1	Hook 2mm	Steel	100N	100/1000




3-Circuit Multi Adapter 6A

Artikkel nr	Description	Color	Current	Max Load	PCS/Package
GA69-1	Global Pro Adapter 3-circuit 6A 5kg GR	Grey	6A	50N	100
GA69-2	Global Pro Adapter 3-circuit 6A 5kg BK	Black	6A	50N	100
GA69-3	Global Pro Adapter 3-circuit 6A 5kg WH	White	6A	50N	100




Artikkel nr	Description	Color	Current	Max Load	PCS/Package
GA69SET-1*	Global Pro Adapter Set GA69-1 External Strain Relief Ø7mm GR	Grey	6A	50N	1
GA69SET-2	Global Pro Adapter Set GA69-2 External Strain Relief Ø7mm BK	Black	6A	50N	1
GA69SET-3	Global Pro Adapter Set GA69-3 External Strain Relief Ø7mm WH	White	6A	50N	1

Artikkel nr	Description	PCS/Package
CG69	Global Strain Relief Internal (GA69/GAC69)	100/1000




Artikkel nr	Description	PCS/Package
GA69CT	Global Slot Connection Tool (GA69/GAC69)	1/50




3-Circuit Multi Adapter 10A


Artikkel nr	Description	Color	Current	Max Load	PCS/Package
GA100-2*	Global Pro Adapter 3-circuit 10A 10kg BK	Black	10A	100N	1/100
GA100-3*	Global Pro Adapter 3-circuit 10A 10kg WH	White	10A	100N	1/100



Artikkel nr	Description	PCS/Package
CG100	Global Strain Relief Internal (GA100/GA300/GAC600)	100/1000




Artikkel nr	Description	PCS/Package
GB66CT	Global Slot Connection Tool (GA100/GAC600/GB66)	1/50



3-Circuit Adapter 3A



Artikkel nr	Description	Color	Current	Max Load	PCS/Package
GA300-1*	Global Pro Adapter 3-circuit 3A 5kg GR	Grey	3A	50N	1/100
GA300-2*	Global Pro Adapter 3-circuit 3A 5kg BK	Black	3A	50N	1/100
GA300-3*	Global Pro Adapter 3-circuit 3A 5kg WH	White	3A	50N	1/100



GA 300
1. 32 mm, 2. 44 mm, 3. 36 mm, 4. 62 mm, 5. 27 mm


3-Circuit Adapter 16A

Artikkel nr	Description	Color	Current	Max Load
XTSA67-2	Global Pro Adapter 3-circuit 16A 10kg Global Track Only	Black	16A	100N
XTSA67-3	Global Pro Adapter 3-circuit 16A 10kg Global Track Only	White	16A	100N
XTSA67S-2	Global Pro/Pulse Schuko Socket 16A Global Track Only	Black	16A	100N
XTSA67S-3	Global Pro/Pulse Schuko Socket 16A Global Track Only	White	16A	100N



3-Circuit Multi Adapter 10A Screw Connection

Artikkel nr	Description	Color	Current	Max Load
XTSA68-1*	Global Pro Adapter 3-circuit 10A 10kg	Grey	10A	100N
XTSA68-2	Global Pro Adapter 3-circuit 10A 10kg	Black	10A	100N
XTSA68-3*	Global Pro Adapter 3-circuit 10A 10kg	White	10A	100N




Artikkel nr	Description	Color	Current	Max Load
XTSA68-1 SET*	Global Pro Adapter Set XTSA68 External Strain Relief \varnothing 7mm	Grey	10A	100N
XTSA68-2 SET	Global Pro Adapter Set XTSA68 External Strain Relief \varnothing 7mm	Black	10A	100N

Artikkel nr	Description	PCS/Package
CG75	Global Strain Relief Internal (XTSA68)	100/1000



Accessories Adapter

Artikkel nr	Description	Color	PCS/Package
XTS56/8.6-9	Global Fixed Nipple M13 (GA69/GAC69/GA100/GAC600/XTSA67-68)	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
GA510-2	Global Fixed Strain Relief GA69/GAC69/GA100/GAC600/XTSA67	Alu	100/500
GA510-3	Global Fixed Strain Relief GA69/GAC69/GA100/GAC600/XTSA67	Alu	100/500




Artikkel nr	Description	Color	PCS/Package
GAM13-9*	Global M13 Nut	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
XTSA57/8-9	Global Rotating Nipple M10i GA69/GAC69/GA100/GAC600/XTSA6768	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
XTSA63-9	Global Rotating Nipple M13 GA69/GAC69/GA100/GAC600/XTSA67-68	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
XTSA55/12-9*	Global Strain Relief External M10 \varnothing i=7mm	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
XTSA510-1*	Global Strain Relief External M10 \varnothing i=7mm	Grey	100/500
XTSA510-2	Global Strain Relief External M10 \varnothing i=7mm	Black	100/500
XTSA510-3	Global Strain Relief External M10 \varnothing i=7mm	White	100/500




Artikkel nr	Description	Color	PCS/Package
XTSA513-2	Global Strain Relief External M13 \varnothing i=9,2mm	Black	100/500
XTSA513-3	Global Strain Relief External M13 \varnothing i=9,2mm	White	100/500




Mounting


Artikkel nr	Description	Color	Max Load
MST1372-1	Wirekit 4m complete w/snap-on for Global Pro/Pulse 10pk	Grey	15N
MST1372-2	Wirekit 4m complete w/snap-on for Global Pro/Pulse 10pk	Black	15N
MST1372-3	Wirekit 4m complete w/snap-on for Global Pro/Pulse 10pk	White	15N




Artikkel nr	Description	Color	Max Load
MST1378-2	Wirekit 8m complete w/snap-on for Global Pro/Pulse 10pk	Black	15N
MST1378-3	Wirekit 8m complete w/snap-on for Global Pro/Pulse 10pk	White	15N




Artikkel nr	Description	Color	Max Load
MST270-2	T-profile bracket (clips) for Global Pro/Pulse track	Black	10N
MST270-3	T-profile bracket (clips) for Global Pro/Pulse track	White	10N




Artikkel nr	Description	Color	Max Load
MST377-1	Extension bracket for Global Pro/Pulse track	Grey	30N
MST377-2	Extension bracket for Global Pro/Pulse track	Black	30N
MST377-3	Extension bracket for Global Pro/Pulse track	White	30N



Artikkel nr	Description	Color	Max Load
MST802-2	Mounting bracket for Global Pro/Pulse track (2 pcs)	Black	15N
MST802-3	Mounting bracket for Global Pro/Pulse track (2 pcs)	White	15N




Artikkel nr	Description	Color	Max Load
SKB10-1*	Global Pro/Pulse Ceiling Fast Mounting Clamp	Grey	10N




Artikkel nr	Description	Color	Max Load
SKB10T-2*	Global Pro/Pulse Bracket for T-profile 24mm (T-24)	Black	10N


Artikkel nr	Description	Color	Max Load	PCS/Package
SKB12-1	Global Pro/Pulse Clamp for Rod and Wire	Grey	200N	20/200
SKB12-2	Global Pro/Pulse Clamp for Rod and Wire	Black	200N	20/200
SKB12-3	Global Pro/Pulse Clamp for Rod and Wire	White	200N	20/200




Artikkel nr	Description	Color	Max Load	PCS/Package
SKB12H-1*	Global Pro/Pulse Clamp for Rod and Wire High h=29mm	Grey	200N	100
SKB12H-2*	Global Pro/Pulse Clamp for Rod and Wire High h=29mm	Black	200N	100
SKB12H-3*	Global Pro/Pulse Clamp for Rod and Wire High h=29mm	White	200N	100




Artikkel nr	Description	Color	Max Load	PCS/Package
SKB16-2*	Global Pro/Pulse Suspension Clamp	Black	200N	20/200
SKB16-3	Global Pro/Pulse Suspension Clamp	White	200N	20/200



Artikkel nr	Description	Color	Max Load	PCS/Package
SKB21-1*	Global Pro/Pulse Wall Clamp	Grey	200N	20/200



Artikkel nr	Description	Color	Max Load	PCS/Package
SPW11SK-2/3M	Global Pro/Pulse Snap-on Wire Suspension Kit 3m	Black	150N	1/100
SPW11SK-3/3M	Global Pro/Pulse Snap-on Wire Suspension Kit 3m	White	150N	1/100




Artikkel nr	Description	Color	Max Load	PCS/Package
SPW1-2/3M*	Global Pro/Pulse Wire Suspension Kit 3m	Black	150N	1/100




Fix Point

Artikkel nr	Description	Color	PCS/Package
GA70-2	Global Pro Fix Point Surface (GA69/GA100/XTSA68/XTSA67)	Black	1/50
GA70-3	Global Pro Fix Point Surface (GA69/GA100/XTSA68/XTSA67)	White	1/50



GA 70
1. 100 mm, 2. 32 mm

Artikkel nr	Description	Color
XTSA71-2*	Global Pro Recessed Box for FIX Point GA70	Black
XTSA71-3*	Global Pro Recessed Box for FIX Point GA70	White



XTSA 71
1. 130 mm, 2. 105 mm, 3. 58 mm, 4. 60 mm

GLOBAL TRAC PULSE

THREE-CIRCUIT CONTROL TRACK

Global Trac Pulse control is a lighting track system that includes both normal input voltage and wires for transmitting the control signal to the lights.

This makes it possible to use smart control systems like DALI, KNX, LON, and EIB without central units. Various manufacturers provide control units, detectors and fixtures for the control systems which all share the same goal: to transmit the control signal to individual lights using the GLOBAL Trac Pulse control's wires and to create dynamic lighting.

Needs-based lighting

Dynamic lighting means that the lighting changes according to the situation and need. Lights can be turned on and off, brightened or dimmed flexibly as separate groups. This also saves energy, because lights are only turned on where necessary.



TRACKS


GLOBAL TRAC PULSE CONTROL

Available colours: -1 Global grey, -2 black (RAL 9005), -3 white (RAL 9016).


Surface Mounted / Pendant Tracks

XTS 4100-4400 Surface


Artikel nr	Length MM	Color
XTSC6200-1*	2000	Grey
XTSC6200-2*	2000	Black
XTSC6200-3*	2000	White
XTSC6300-1*	3000	Grey
XTSC6300-2	3000	Black
XTSC6300-3	3000	White
XTSC6400-1*	4000	Grey
XTSC6400-2*	4000	Black
XTSC6400-3*	4000	White



XTSC SURFACE




XTSCF RECESSED



GLOBAL TRAC PULSE CONTROL


Power Conductor Cross-Section: 4,0mm²
Control Conductor Cross-Section: 1,5mm²



Recessed Tracks


XTSF 4100-4300 Recessed

Artikel nr	Length MM	Color
XTSCF6300-1*	3000	Grey
XTSCF6300-2*	3000	Black
XTSCF6300-3*	3000	White




Cover Plates

Artikel nr	Description	Color
XTSF610-2*	Global Pulse Cover Plate for XTSC611-614	Black
XTSF610-3*	Global Pulse Cover Plate for XTSC611-614	White
XTSF630-2*	Global Pulse Cover Plate for XTSC634-640	Black
XTSF630-3*	Global Pulse Cover Plate for XTSC634-640	White



Cover Plate XTSF 610



Cover Plate XTSF 630


CONNECTORS

GLOBAL TRAC PULSE CONTROL

All materials are halogen free and V0 self-extinguishing. Available colours: -1 grey (RAL 7040), -2 black (RAL 9005), -3 white (RAL 9016).

Polarity in Trac Pulse Control


Use of L-, T- and X- Feed. Red line indicates polarity ridge



— Polarity line


End feeds

Artikkel nr	Polarity Ridge	Color	PCS/Package
XTSC611-1		Grey	1/50
XTSC611-2		Black	1/50
XTSC611-3		White	1/50
XTSC612-1		Grey	1/50
XTSC612-2		Black	1/50
XTSC612-3		White	1/50




L-feeds

Artikkel nr	Polarity Ridge	Color	PCS/Package
XTSC634-1*		Grey	1/25
XTSC634-2*		Black	1/25
XTSC634-3*		White	1/25
XTSC635-1*		Grey	1/25
XTSC635-2*		Black	1/25
XTSC635-3*		White	1/25




T-feeds

Artikkel nr	Polarity Ridge	Color	PCS/Package
XTSC636-1*		Grey	1/20
XTSC636-2*		Black	1/20
XTSC636-3*		White	1/20
XTSC637-1*		Grey	1/20
XTSC637-2*		Black	1/20
XTSC637-3*		White	1/20
XTSC639-1*		Grey	1/20
XTSC639-2*		Black	1/20
XTSC639-3*		White	1/20
XTSC640-1*		Grey	1/20
XTSC640-2*		Black	1/20
XTSC640-3*		White	1/20




X-feed

Artikkel nr	Polarity Ridge	Color	PCS/Package
XTSC638-1*		Grey	1/25
XTSC638-2*		Black	1/25
XTSC638-3*		White	1/25




Flexible Corner Connector

Artikkel nr	Color	PCS/Package
XTSC623-1*	Grey	1/25
XTSC623-2*	Black	1/25
XTSC623-3*	White	1/25




Middle feed

Artikkel nr	Color	PCS/Package
XTSC614-1*	Grey	1/25
XTSC614-2*	Black	1/25
XTSC614-3*	White	1/25




End cap

Artikkel nr	Color	PCS/Package
XTS41-1	Grey	1/100
XTS41-2	Black	1/100
XTS41-3	White	1/100



Straight Connector

Artikkel nr	Color	PCS/Package
XTSC621-1	Grey	1/100
XTSC621-2	Black	1/100
XTSC621-3	White	1/100




ACCESSORIES

GLOBAL TRAC PULSE CONTROL

Cover Strip

Artikkel nr	Description	Color
XTSP11-2	Global Cover Strip Pro/ Pulse 3m	Black
XTSP11-3	Global Cover Strip Pro/ Pulse 3m	White




Bracket for T-profile ceiling

Artikkel nr	Description	Color
SKB10T-2*	Global Bracket for T-profile ceiling	Black


Bending Tool

Artikkel nr	Description
XTSV12	Global Bending tool for power wires




Hook Base

Artikkel nr	Description	Color	Max Load	PCS/Package
XTAK142-2	Global Pro/Pulse Hook Base for 2mm wire/ hook 15kg BK	Black	100N	50/250
XTAK142-3	Global Pro/Pulse Hook Base for 2mm wire/ hook 15kg WH	White	100N	50/250
XTAK146-2	Global Pro/Pulse Hook Base for M6 Nut/Rod 15kg BK	Black	100N	50/250
XTAK146-3	Global Pro/Pulse Hook Base for M6 Nut/Rod 15kg WH	White	100N	50/250




Hook

Artikkel nr	Description	Color	Max Load	PCS/Package
XTAK11-1	Hook 2mm	Steel	100N	100/1000




Pulse DALI 3-Circuit Adapters

Artikkel nr	Color	Current	Max Load	PCS/Package
GAC69-1	Grey	6A	50N	1/50
GAC69-2	Black	6A	50N	1/50
GAC69-3	White	6A	50N	1/50




GAC 69
1. 40 mm, 2. 26 mm, 3. 103 mm, 4. 32 mm

Artikkel nr	Color	Current	Max Load	PCS/Package
GAC600-1*	Grey	10A	50N	1/50
GAC600-2*	Black	10A	50N	1/50
GAC600-3*	White	10A	50N	1/50



GAC 600
1. 53 mm, 2. 26 mm, 3. 104 mm, 4. 32 mm

Pulse DALI 3-Circuit Adapter-Drivers




GAC 616
1. 43 mm, 2. 29 mm, 3. 253 mm, 4. 32 mm



Artikkel nr	Description	Color	Current	Max Load	PCS/Package
GAC616-1*	Global Pulse Adapter Driver 3-circuit+DALI 300-1050mA 12,6-40W	Grey	3A	50N	1/100
GAC616-2*	Global Pulse Adapter Driver 3-circuit+DALI 300-1050mA 12,6-40W	Black	3A	50N	1/100
GAC616-3*	Global Pulse Adapter Driver 3-circuit+DALI 300-1050mA 12,6-40W	White	3A	50N	1/100

Accessories Adapter

Artikkel nr	Description	Color	PCS/Package
XTS56/8.6-9	Global Fixed Nipple M13 (GA69/GAC69/GA100/GAC600/XTSA67-68)	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
GA510-2	Global Fixed Strain Relief GA69/GAC69/GA100/GAC600/XTSA67	Alu	100/500
GA510-3	Global Fixed Strain Relief GA69/GAC69/GA100/GAC600/XTSA67	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
GAM13-9*	Global M13 Nut	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
XTSA57/8-9	Global Rotating Nipple M10i GA69/GAC69/GA100/GAC600/XTSA6768	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
XTSA63-9	Global Rotating Nipple M13 GA69/GAC69/GA100/GAC600/XTSA67-68	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
XTSA55/12-9*	Global Strain Relief External M10 Øi=7mm	Alu	100/500



Artikkel nr	Description	Color	PCS/Package
XTSA510-1*	Global Strain Relief External M10 Øi=7mm	Grey	100/500
XTSA510-2	Global Strain Relief External M10 Øi=7mm	Black	100/500
XTSA510-3	Global Strain Relief External M10 Øi=7mm	White	100/500




Artikkel nr	Description	Color	PCS/Package
XTSA513-2	Global Strain Relief External M13 Øi=9,2mm	Black	100/500
XTSA513-3	Global Strain Relief External M13 Øi=9,2mm	White	100/500




Mounting


Artikkel nr	Description	Color	Max Load
MST1372-1	Wirekit 4m complete w/snap-on for Global Pro/Pulse 10pk	Grey	15N
MST1372-2	Wirekit 4m complete w/snap-on for Global Pro/Pulse 10pk	Black	15N
MST1372-3	Wirekit 4m complete w/snap-on for Global Pro/Pulse 10pk	White	15N




Artikkel nr	Description	Color	Max Load
MST1378-2	Wirekit 8m complete w/snap-on for Global Pro/Pulse 10pk	Black	15N
MST1378-3	Wirekit 8m complete w/snap-on for Global Pro/Pulse 10pk	White	15N




Artikkel nr	Description	Color	Max Load
MST270-2	T-profile bracket (clips) for Global Pro/Pulse track	Black	10N
MST270-3	T-profile bracket (clips) for Global Pro/Pulse track	White	10N




Artikkel nr	Description	Color	Max Load
MST377-1	Extension bracket for Global Pro/Pulse track	Grey	30N
MST377-2	Extension bracket for Global Pro/Pulse track	Black	30N
MST377-3	Extension bracket for Global Pro/Pulse track	White	30N



Artikkel nr	Description	Color	Max Load
MST802-2	Mounting bracket for Global Pro/Pulse track (2 pcs)	Black	15N
MST802-3	Mounting bracket for Global Pro/Pulse track (2 pcs)	White	15N




Artikkel nr	Description	Color	Max Load
SKB10-1*	Global Pro/Pulse Ceiling Fast Mounting Clamp	Grey	10N




Artikkel nr	Description	Color	Max Load
SKB10T-2*	Global Pro/Pulse Bracket for T-profile 24mm (T-24)	Black	10N


Artikkel nr	Description	Color	Max Load	PCS/Package
SKB12-1	Global Pro/Pulse Clamp for Rod and Wire	Grey	200N	20/200
SKB12-2	Global Pro/Pulse Clamp for Rod and Wire	Black	200N	20/200
SKB12-3	Global Pro/Pulse Clamp for Rod and Wire	White	200N	20/200




Artikkel nr	Description	Color	Max Load	PCS/Package
SKB12H-1*	Global Pro/Pulse Clamp for Rod and Wire High h=29mm	Grey	200N	100
SKB12H-2*	Global Pro/Pulse Clamp for Rod and Wire High h=29mm	Black	200N	100
SKB12H-3*	Global Pro/Pulse Clamp for Rod and Wire High h=29mm	White	200N	100




Artikkel nr	Description	Color	Max Load	PCS/Package
SKB16-2*	Global Pro/Pulse Suspension Clamp	Black	200N	20/200
SKB16-3	Global Pro/Pulse Suspension Clamp	White	200N	20/200



Artikkel nr	Description	Color	Max Load	PCS/Package
SKB21-1*	Global Pro/Pulse Wall Clamp	Grey	200N	20/200



Artikkel nr	Description	Color	Max Load	PCS/Package
SPW11SK-2/3M	Global Pro/Pulse Snap-on Wire Suspension Kit 3m	Black	150N	1/100
SPW11SK-3/3M	Global Pro/Pulse Snap-on Wire Suspension Kit 3m	White	150N	1/100




Artikkel nr	Description	Color	Max Load	PCS/Package
SPW1-2/3M*	Global Pro/Pulse Wire Suspension Kit 3m	Black	150N	1/100




Fix Point

Artikkel nr	Description	Color	PCS/Package
GA70-2	Global Pro Fix Point Surface (GA69/GA100/XTSA68/XTSA67)	Black	1/50
GA70-3	Global Pro Fix Point Surface (GA69/GA100/XTSA68/XTSA67)	White	1/50




GA 70
1. 100 mm, 2. 32 mm

Artikkel nr	Description	Color
XTSA71-2*	Global Pro Recessed Box for FIX Point GA70	Black
XTSA71-3*	Global Pro Recessed Box for FIX Point GA70	White




XTSA 71
1. 130 mm, 2. 105 mm, 3. 58 mm, 4. 60 mm



LET'S TALK LIGHT

NORLUX.COM



NORLUX

Borgeskogen 32

3160 Stokke

+47 33 30 10 80

post@norlux.com

www.norlux.com

NORLUX[®]

Lighting Solutions