


Artemide[®]

2025 • PRICE LIST - NOK



NORLUX[®]

Lighting Solutions

INTEGRALIS® A UNIVERSAL LIGHT TO STAY SAFE TOGETHER

INTEGRALIS® combines sanitizing efficacy with luminous performance and design beauty.

INTEGRALIS® also integrates itself in both the environments and moments of life by interpreting the rhythms and needs of humankind.

INTEGRALIS® was born from Artemide's scientific and technological research and humanistic and social vision.

INTEGRALIS® is an innovative and a sustainable light platform aimed at a conscious and responsible use towards the environment.

PATENT PENDING

DIMMER TECHNICAL SPECIFICATION

Dimmer: dimmable fixture by means of a switch situated on the lamp structure or on cable (infrared, microswitch, push button, slider control, touch).

Dimmable: dimmable fixture by means of a remote switch (not included) able to manage dimmable sources (halogens, fluorescents, LED Retrofit).

Dimmable (Push): dimmable fixture by means of a remote switch able to manage Push Drivers.

Dimmable (1-10V): dimmable fixture by means of a remote switch able to manage 1-10V Drivers.

Dimmable (APP): dimmable fixture by means of smart devices compatible with Artemide APP – Google Play or Apple Store free download.

Dimmable (DALI): dimmable fixture by means of command points suitable for handling DALI drivers type.

Dimmable (DALI DT8): dimmable fixture by means of command points suitable for handling DALI DT8 drivers type.

Dimmable (Push /DALI): dimmable fixture by means of remote switch suitable for handling Push drivers type or, alternatively, by means of command points suitable for handling DALI drivers type. During the fixture dimming, the Push command excludes the DALI command use and vice/versa.

Dimmable (Push/APP): dimmable fixture by means both of remote switch suitable for handling Push drivers and of Artemide APP compatible smart devices - Google Play or Apple Store free download. During the fixture dimming, the Push command can coexist with APP command.

Dimmable (Push/1-10/DALI): dimmable fixture by means remote switch suitable for handling Push drivers, or, as alternative, by means command points handling 1-10 drivers or, as alternate, by means command points handling DALI drivers.

5 YEARS WARRANTY

Artemide has always provided high quality products. As a result, we are glad to inform you that from April 1st 2015 we will offer to all our end users worldwide (private consumers only) a free 5-year extended warranty, valid only if the product is successfully registered online within two months from the date of purchase.

Conditions for the 5-year extended warranty are as follows:

- Being an end user (private consumer);
- Purchasing the Artemide product after April 1st 2015;
- Registering the product online within 2 months from the date of purchase;
- The product must be new (not second-hand);
- Being the first owner of the product (the warranty is not transferable).






Following successful online activation and claim, the extended warranty will entitle the private customer to a free repair or replacement when the product is determined to be faulty due to manufacturing defect, as stated on its terms and conditions. For further information please go to: cloud.artemide.com/5-years-warranty



TPOLOGY

PAGES

TABLE LAMPS	5
FLOOR LAMPS	19
SUSPENSION LAMPS	31
WALL / CEILING LAMPS	64
ARTEMIDE OUTDOOR	92

TABLE LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 ALFA Sergio Mazza Table lamp IP 20 LED DIM 2xMAX 6W (E14)  Dimmer Materials: glass, steel, marble	0026010A	13 675	17 094	
 AMAMI Naoto Fukasawa Table lamp IP 20 LED 1xMAX 12W (E27)  Materials: ABS	DX0110A00	2 587	3 234	white
 ARRIVAL TABLE Ludovica+Roberto Palomba Table lamp IP 20 LED Strip 3000K, 17W, 555lm, CRI=90 Dimmer Materials: aluminum, silicone, steel	1550010A	14 309	17 886	gold
	1550030A	14 309	17 886	black matt
 BOALUM LED Livio Castiglioni, Gianfranco Frattini Table lamp IP 20 LED 2700K, 20W, 780lm, CRI=90 Materials: PVC	0027110A	14 256	17 820	white flexible structure
 BONTA' (lamp + plate) Davide Oldani, Attila Veress Mobile table lamp IP 20 LED 2700K, 2,4W, 242lm, CRI=80 USB recharge Materials: blown glass, zamak	0150140A	10 138	12 673	lamp + red glass plate
	0150150A	10 138	12 673	lamp + topaz glass plate
	0150160A	10 138	12 673	lamp + turquoise glass plate
	0150170A	10 138	12 673	lamp + grey glass plate
				three light intensities
 BONTA' (lamp + bowl) Davide Oldani, Attila Veress Mobile table lamp IP 20 LED 2700K, 2,4W, 242lm, CRI=80 USB recharge Materials: blown glass, zamak	0150240A	9 451	11 814	lamp + red glass bowl
	0150250A	9 451	11 814	lamp + topaz glass bowl
	0150260A	9 451	11 814	lamp + turquoise glass bowl
	0150270A	9 451	11 814	lamp + grey glass bowl
				three light intensities






		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	Artemide
TABLE LAMPS					
	BONTA' (accessories)	0150340A	3 854	4 818	accessory: wood base + red glass plate
	Davide Oldani, Attila Veress Mobile table lamp	0150350A	3 854	4 818	accessory: wood base + topaz glass plate
		0150360A	3 854	4 818	accessory: wood base + turquoise glass plate
		0150370A	3 854	4 818	accessory: wood base + grey glass plate
	Materials: blown glass, elm wood	0150440A	3 379	4 224	accessory: wood base + red glass bowl
		0150450A	3 379	4 224	accessory: wood base + topaz glass bowl
		0150460A	3 379	4 224	accessory: wood base + turquoise glass bowl
		0150470A	3 379	4 224	accessory: wood base + grey glass bowl
	CASTORE 14 TABLE	1044110A	2 534	3 168	white
	Michele De Lucchi, Huub Ubbens Table lamp IP 20 LED 1xMAX 6W (E14)  Materials: blown glass, polycarbonate, zamac				
	CASTORE 25 TABLE	1050010A	5 280	6 600	white
	Michele De Lucchi, Huub Ubbens Table lamp IP 20 LED DIM 1xMAX 12W (E27)  Dimmer Materials: blown glass, polycarbonate, zamac				
	CASTORE 35 TABLE	1049010A	7 603	9 504	white
	Michele De Lucchi, Huub Ubbens Table lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmer Materials: blown glass, polycarbonate, zamac				
	CHOOSE TABLE	1128020A	5 438	6 798	parchment paper diffuser, structure anthracite grey
	Matteo Thun Table lamp	1128110A	6 653	8 316	diffuser white, structure chrome
		1128120A	6 653	8 316	parchment paper diffuser, structure chrome
	IP 20 LED 1xMAX 12W (E27)  Materials: polycarbonate, parchment paper, steel, zamac				
 	COME TOGETHER	0165W10A	2 851	3 564	2700K: white
	Carlotta de Bevilacqua Mobile table lamp	0165W20A	3 379	4 224	2700K: aluminium
		0165W30A	3 379	4 224	2700K: copper
	IP 20 LED 2700K, 2,4W, 282lm, CRI=80 USB recharge				three light intensities
	LED 2700K, 2,4W, 280lm, CRI=80 USB recharge LED 2700K, 2,4W, 272lm, CRI=80 USB recharge Materials: methacrylate				

 Not replaceable integrated LED source

 Included source

 Excluded source

TABLE LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
  CURIOSITY 36 Davide Oppizzi Table lamp IP 20 LED 3000K, 1,7W, 163lm, CRI=90 USB recharge Materials: aluminum	0174010A	4 171	5 214	36: black
				three light intensities
  CURIOSITY 36 / FOCUS Davide Oppizzi Table lamp IP 20 LED 3000K, 1,7W, 148lm, CRI=90 USB recharge Materials: aluminum	0174110A	4 171	5 214	36 FOCUS: black
				three light intensities
  CURIOSITY 36 sphere Davide Oppizzi Table lamp IP 20 LED 3000K, 1,7W, 142lm, CRI=90 USB recharge Materials: aluminum	0175010A	4 910	6 138	black structure with white sphere Ø 100mm
				three light intensities
  CURIOSITY 45 Davide Oppizzi Table lamp IP 20 LED 3000K, 2,5W, 234lm, CRI=90 USB recharge Materials: aluminum	0176010A	5 544	6 930	45: black
				three light intensities
  CURIOSITY 45 / FOCUS Davide Oppizzi Table lamp IP 20 LED 3000K, 2,5W, 214lm, CRI=90 USB recharge Materials: aluminum	0176110A	5 544	6 930	45 FOCUS: black
				three light intensities
 DALU' Vico Magistretti Table lamp IP 20 LED 1xMAX 6W (E14)  Materials: polycarbonate	1466000A	1 373	1 716	white
	1466030A	1 373	1 716	black
	1466070A	1 373	1 716	orange
 DECOMPOSE' LIGHT TABLE Atelier Oi Table lamp IP 20 LED 1xMAX 8W (E27)  Materials: aluminum	DOI4600C03	4 594	5 743	orange
	DOI4600C80	4 594	5 743	smoked
	DOI4600C02	4 594	5 743	gold
	DOI4600C16	4 594	5 743	red

LED Not replaceable integrated LED source

 Included source

 Excluded source

TABLE LAMPS


	DEMETRA TABLE	1734W10A	4 330	5 413	body lamp 2700K anthracite grey
	Naoto Fukasawa Table lamp	1734010A	4 330	5 413	body lamp 3000K anthracite grey
		1734W20A	4 330	5 413	body lamp 2700K white
	IP 20	1734020A	4 330	5 413	body lamp 3000K white
	LED 2700K, 8W, 360lm, CRI=90	1734W50A	4 330	5 413	body lamp 2700K opaque black
	Dimmer	1734050A	4 330	5 413	body lamp 3000K opaque black
		1735010A	4 752	5 940	body 3000K w/presence detector, anthracite grey
	LED 3000K, 8W, 385lm, CRI=90	1735020A	4 752	5 940	body 3000K w/presence detector, white
	Dimmer	1735050A	4 752	5 940	body 3000K w/presence detector, opaque black
	Materials: aluminum, technopolymer, steel	1733010A	1 162	1 453	table base anthracite grey
		1733020A	1 162	1 453	table base white
		1733050A	1 162	1 453	table base opaque black
		1743010A	475	594	desk fixed support anthracite grey
		1743020A	475	594	desk fixed support white
		1743050A	475	594	desk fixed support opaque black
		1744010A	528	660	table clamp anthracite grey
		1744020A	528	660	table clamp white
		1744050A	528	660	table clamp opaque black
					Complete lamp consists of 2 items.
	DEMETRA PROFESSIONAL TABLE	1739010A	5 597	6 996	body lamp, anthracite grey
	Naoto Fukasawa Table lamp	1739020A	5 597	6 996	body lamp, white
		1739050A	5 597	6 996	body lamp, opaque black
	IP 20	1740010A	6 230	7 788	body w/presence detector, anthracite grey
	LED 3000K, 12W, 960lm, CRI=90	1740020A	6 230	7 788	body w/presence detector, white
	Dimmer	1740050A	6 230	7 788	body w/presence detector, opaque black
	Materials: aluminum, technopolymer, steel	1733010A	1 162	1 453	table base anthracite grey
		1733020A	1 162	1 453	table base white
		1733050A	1 162	1 453	table base opaque black
		1744010A	528	660	table clamp anthracite grey
		1744020A	528	660	table clamp white
		1744050A	528	660	table clamp opaque black
		1743010A	475	594	desk fixed support anthracite grey
		1743020A	475	594	desk fixed support white
		1743050A	475	594	desk fixed support opaque black
					Complete lamp consists of 2 items.
	DEMETRA MICRO TABLE	1747W10A	3 379	4 224	body lamp 2700K and base anthracite grey
	Naoto Fukasawa Table lamp	1747010A	3 379	4 224	body lamp 3000K and base anthracite grey
		1747W20A	3 379	4 224	body lamp 2700K and base white
	IP 20	1747020A	3 379	4 224	body lamp 3000K and base white
	LED 2700K, 6W, 241lm, CRI=90	1747W50A	3 379	4 224	body lamp 2700K and base opaque black
	Dimmer	1747050A	3 379	4 224	body lamp 3000K and base opaque black
	LED 3000K, 6W, 257lm, CRI=90				
	Dimmer				
	DIOSCURI 14 TABLE	1034110A	2 059	2 574	white
	Michele De Lucchi Table lamp				
	IP 20				
	LED 1xMAX 6W (E14) ✕				
	Materials: blown glass, polycarbonate, steel				

TABLE LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 DIOSCURI 25 TABLE Michele De Lucchi Table lamp IP 20 LED DIM 1xMAX 12W (E27)  Dimmer Materials: blown glass, polycarbonate, steel	0146010A	3 749	4 686	white
 DIOSCURI 35 TABLE Michele De Lucchi Table lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmer Materials: blown glass, polycarbonate, steel	0147010A	4 699	5 874	white
 DIOSCURI 42 TABLE Michele De Lucchi Table lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmer Materials: blown glass, polycarbonate, steel	0254010A	6 389	7 986	white
 ECLISSE Vico Magistretti Table/wall lamp IP 20 LED 1xMAX 5W (E14)  Materials: steel, technopolymer	0028010A	2 429	3 036	white
	0028050A	2 429	3 036	orange
	0028030A	2 429	3 036	red
	0028040A	2 429	3 036	yellow
	0028130A	2 746	3 433	black PVD
	0028140A	2 746	3 433	mirror PVD
	0028150A	2 746	3 433	gold PVD
	0028170A	2 746	3 433	copper PVD
 EMPATIA 16 TABLE Carlotta de Bevilacqua, Paola di Arianello Table lamp IP 20 LED 3000K, 11W, 567lm, CRI=90 Dimmer Materials: blown glass, methacrylate, aluminum	1813010A	8 923	11 154	transparent smoked diffuser, white structure
 EMPATIA 26 TABLE Carlotta de Bevilacqua, Paola di Arianello Table lamp IP 20 LED 3000K, 20W, 710lm, CRI=90 Dimmer Materials: blown glass, methacrylate, aluminum	1817010A	12 778	15 973	transparent smoked diffuser, white structure

TABLE LAMPS










	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 EMPATIA 36 TABLE Carlotta de Bevilacqua, Paola di Arianello Table lamp IP 20 LED 3000K, 26W, 1273lm, CRI=90 Dimmer Materials: blown glass, methacrylate, aluminum	1821010A	16 421	20 526	transparent smoked diffuser, white structure
 EQUILIBRIST Jean Nouvel Table lamp IP 20 LED 3000K, 12W, 620lm, CRI=90 240lm round head, 380lm square head Dimmer Materials: aluminum, zamac	1442010A	9 504	11 880	black
 FATO Gio Ponti Table/wall lamp IP 20 LED 2xMAX 4W (E14) ⚡ Materials: steel	0048010A	5 069	6 336	white
	0048050A	5 438	6 798	gold
 GOPLE TABLE BIG Table lamp IP 20 LED DIM 1xMAX 20W (E27) ⚡ Dimmer Materials: aluminum, white blown glass with nuances or blown glass with PVD treatment	1408010A	11 352	14 190	structure and diffuser silver PVD
	1408020A	9 979	12 474	silver structure and nuanced white diffuser
	1408040A	11 352	14 190	silver structure and copper diffuser PVD
	1408050A	11 352	14 190	silver structure and blue sapphire diffuser PVD
	1408060A	11 352	14 190	silver structure and bronze diffuser PVD
	1408220A	9 768	12 210	white structure and nuanced white diffuser
	1408340A	11 246	14 058	black structure and copper diffuser PVD
	1408350A	11 246	14 058	black structure and blue sapphire diffuser PVD
	1408360A	11 246	14 058	black structure and bronze diffuser PVD
 GOPLE MINI TABLE BIG Table lamp IP 20 LED 1xMAX 6W (E14) ⚡ Materials: aluminum, white blown glass with nuances or blown glass with PVD treatment	1409010A	6 758	8 448	structure and diffuser silver PVD
	1409020A	6 072	7 590	silver structure and nuanced white diffuser
	1409040A	6 758	8 448	silver structure and copper diffuser PVD
	1409050A	6 758	8 448	silver structure and blue sapphire diffuser PVD
	1409060A	6 758	8 448	silver structure and bronze diffuser PVD
	1409220A	5 914	7 393	white structure and nuanced white diffuser
	1409340A	6 600	8 250	black structure and copper diffuser PVD
	1409350A	6 600	8 250	black structure and blue sapphire diffuser PVD
	1409360A	6 600	8 250	black structure and bronze diffuser PVD
 GOPLE PORTABLE BIG Mobile table lamp IP 20 LED 2700K, 2,4W, 212lm, CRI=80 USB recharge Materials: methacrylate	0181020A	3 485	4 356	white diffuser
				three light intensities

TABLE LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 GOPLE PLUG BIG Table lamp IP 20 LED 1xMAX 5,5W (E14)  Materials: methacrylate	0180020A	2 059	2 574	white diffuser
 HUARA Elemental Table lamp IP 20 LED 3000K, 47W, 161lm, CRI=80 Dimmer Materials: methacrylate	0160010APP	68 165	85 206	black
 IXA Foster + Partners Table lamp IP20 LED 3000K, 9W, 465lm, CRI=90 Dimmer Materials: aluminum, steel, technopolymer	1110010A	6 389	7 986	anthracite
	1110020A	6 389	7 986	white/grey
	1110030A	6 389	7 986	blue
	1110040A	6 389	7 986	yellow
	1110050A	6 230	7 788	red
 LAGUNA 16 TABLE Matteo Thun, Antonio Rodriguez Table lamp IP 20 LED 1xMAX 8W (E14)  Materials: blown glass, aluminum	1800140A	4 277	5 346	transparent smoked diffuser, brass satinised structure
	1800160A	4 277	5 346	transparent smoked diffuser, bronze satinised structure
 LAGUNA 26 TABLE Matteo Thun, Antonio Rodriguez Table lamp IP 20 LED DIM 1xMAX 20W (E27)  Dimmer Materials: blown glass, aluminum	1805140A	6 494	8 118	transparent smoked diffuser, brass satinised structure
	1805160A	6 494	8 118	transparent smoked diffuser, bronze satinised structure
 LAGUNA 37 TABLE Matteo Thun, Antonio Rodriguez Table lamp IP 20 LED DIM 1xMAX 20W (E27)  Dimmer Materials: blown glass, aluminum	1809140A	9 398	11 748	transparent smoked diffuser, brass satinised structure
	1809160A	9 398	11 748	transparent smoked diffuser, bronze satinised structure
 LA PETITE Andrea Quaglio, Manuela Simonelli Table lamp IP 20 LED 1xMAX 6W (E14)  Materials: polycarbonate, aluminum, methacrylate	1751020A	2 693	3 366	white
	1751030A	2 693	3 366	black






	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
TABLE LAMPS				
 LESBO Angelo Mangiarotti Table lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmer Materials: blown glass, aluminum	0054010A	15 840	19 800	smoked white diffuser
 MELAMPO TABLE Adrien Gardère Table lamp IP 20 LED 2xMAX 17W (E27)  Dimmer Materials: technopolymer, silk satin, aluminum, zamac	0315010A	5 544	6 930	structure and diffuser grey
	0315020A	5 544	6 930	structure bronze, diffuser neutral
 MELAMPO NOTTE Adrien Gardère Table lamp IP 20 LED 1xMAX 6W (E14)  Dimmer Materials: technopolymer, silk satin, aluminum, zamac	0710010A	3 221	4 026	structure and diffuser grey
	0710020A	3 221	4 026	structure bronze, diffuser neutral
 MENDORI Issey Miyake + Reality Lab IN-EI table lamp IP 20 LED 3000K, 8W, 425lm, CRI=90 Dimmer Materials: recycled PET, methacrylate, aluminum, steel	1692010A	12 038	15 048	white
 METEORITE 15 TABLE Pio e Tito Toso Table lamp IP 20 LED 1xMAX 6W (E14)  Dimmer Materials: blown glass, technopolymer, steel	1703110A	2 534	3 168	white
 METEORITE 35 TABLE Pio e Tito Toso Table lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmer Materials: blown glass, technopolymer, steel	1700010A	5 333	6 666	white

TABLE LAMPS











	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 METEORITE 48 TABLE Pio e Tito Toso Table lamp IP 20 LED DIM 1xMAX 21W (E27) ⚡ Dimmer Materials: blown glass, technopolymer, steel	1711010A	8 870	11 088	white
 METEORITE 15 TABLE STEM Pio e Tito Toso Table lamp IP 20 LED 1xMAX 6W (E14) ⚡ Materials: blown glass, technopolymer, aluminum, steel	1709110A	4 330	5 413	diffuser white, structure chrome
 METEORITE 35 TABLE STEM Pio e Tito Toso Table lamp IP 20 LED DIM 1xMAX 21W (E27) ⚡ Dimmer Materials: blown glass, technopolymer, steel	1705010A	9 821	12 276	diffuser white, structure chrome
 MEZZACHIMERA Vico Magistretti Table/floor lamp IP 20 LED 3xMAX 13W (E27) ⚡ Materials: methacrylate, aluminum	0055010A	8 765	10 956	white
 NESSO Giancarlo Mattioli, Gruppo Architetti Urbanisti Città Nuova Table lamp IP 20 LED 4xMAX 6W (E14) ⚡ Materials: polycarbonate	0056010A	4 277	5 346	white
	0056050A	4 277	5 346	orange
 NESSINO Giancarlo Mattioli, Gruppo Architetti Urbanisti Città Nuova Table lamp IP 20 LED 4xMAX 6W (E14) ⚡ Materials: polycarbonate	0039060A	2 323	2 904	white
	0039070A	2 323	2 904	orange
	0039080A	2 323	2 904	red
	S0039060A05	2 323	2 904	black
	S0039060A06	2 323	2 904	blue
	S0039060A07	2 323	2 904	light blue
	S0039060A08	2 323	2 904	green
	S0039060A09	2 323	2 904	yellow
				NEW

TABLE LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 nh 1217 Neri&Hu Table lamp IP 20 LED 1xMAX 5W (E14)  Materials: blown glass, brass	1217010A	2 746	3 433	white diffuser, brushed brass base
 ONFALE GRANDE Luciano Vistosi Table lamp IP 20 LED 1xMAX 13W (E27)  + LED 1xMAX 5W (E14)  Materials: blown glass	A006300	11 194	13 993	white
				switched separately on/off
 ONFALE MEDIO Luciano Vistosi Table lamp IP 20 LED 1xMAX 6W (E14)  + LED 1xMAX 5W (E14)  Materials: blown glass	A006500	8 342	10 428	white
				switched separately on/off
 ONFALE PICCOLO Luciano Vistosi Table lamp IP 20 LED 1xMAX 6W (E14)  Materials: blown glass	A006400	4 752	5 940	white
 PATROCLO Gae Aulenti Table lamp IP 20 LED DIM 1xMAX 12W (E27)  Dimmer Materials: blown glass, steel	0060010A	15 629	19 536	fumé transparent
 PAUSANIA TW Ettore Sottsass Table lamp IP 20 LED 2700-6500K, 14W, 690lm, CRI=80 Dimmer Materials: methacrylate, brass	1081010A	14 731	18 414	diffuser green/black, chromed stems, black base
 SHOGUN Mario Botta Table lamp IP 20 LED 1xMAX 12W (E27)  Materials: aluminum, steel	A000300	9 926	12 408	white diffuser, white/black base

LED Not replaceable integrated LED source

 Included source

 Excluded source

TABLE LAMPS







	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 SISIFO Scott Wilson Table lamp IP 20 LED 3000K, 14W, 646lm, CRI=80 Dimmer Materials: aluminum, methacrylate	1732020A	10 243	12 804	white diffuser, chromed stem, white base
 STELLAR NEBULA BIG Table lamp IP20 LED 3000K, 8W, 650lm, CRI=90 Dimmer Materials: blown glass with PVD treatment, aluminum	0152320A	22 070	27 588	transparent diffuser with dichroic PVD treatment
 TAKKU Foster + Partners Table lamp IP 20 LED 3000K, 2,5W, 120lm, CRI=90 USB recharge Materials: aluminum, methacrylate	0151030A	4 277	5 346	anodized red
	0151050A	4 277	5 346	anodized blu
	0151060A	4 277	5 346	anodized green
	0151020A	4 277	5 346	anodized grey
	0151040A	3 854	4 818	painted black
	0151010A	3 854	4 818	painted white
				3 light intensities
 TALAK PROFESSIONAL TABLE Neil Poulton Table lamp IP 20 LED 3000K, 12W, 1065lm, CRI=90 Dimmer Materials: aluminum, technopolymer, steel	0687510A	7 339	9 174	body white, chromed stem, white base
	0678510A	6 442	8 053	white body, chromed stem, polished aluminium clamp
 TEMPIO Atelier Oi Table lamp IP 20 LED 3000K, 14W, 524lm, CRI=90 Dimmer Materials: aluminum, steel	0052010A	7 762	9 703	bronze
 TIZIO Richard Sapper Table lamp IP 20 LED 3,3W (GY6,35) ⚡ Materials: aluminum, technopolymer	A009010	4 910	6 138	black
	A009030	4 910	6 138	white
 TIZIO LED Richard Sapper Table lamp IP 20 LED 3000K, 8W, 468lm, CRI=90 Dimmer Materials: aluminum, technopolymer	A009210	7 022	8 778	3000K, black

TABLE LAMPS





 TIZIO 35 Richard Sapper Table lamp IP 20 LED 3,3W (GY6,35)  Materials: aluminum, technopolymer	A005010	4 330	5 413	black
 TIZIO MICRO Richard Sapper Table lamp IP 20 LED 2,4W (G4)  Materials: aluminum	A008100	4 171	5 214	black
 TOLOMEO Michele De Lucchi, Giancarlo Fossina Table lamp IP 20 LED 1xMAX 12W (E27)  Materials: aluminum, steel	A001000	2 693	3 366	body lamp aluminium
	A004420	2 693	3 366	body lamp white
	A004430	2 693	3 366	body lamp black
	A004030	1 584	1 980	table base ø cm. 23: aluminium
	A005320	1 637	2 046	table base ø cm. 23: white
	A005330	1 637	2 046	table base ø cm. 23: black
	A004200	686	858	desk fixed support aluminium
	A004100	686	858	table clamp aluminium
				Complete lamp consists of 2 items.
 TOLOMEO LED Michele De Lucchi, Giancarlo Fossina Table lamp IP 20 LED 2700K, 8W, 737lm, CRI=90 Dimmer LED 3000K, 8W, 761lm, CRI=90 Dimmer LED TW 2200/6500K, 11W , 560lm/716lm, CRI=90 Dimmer Materials: aluminum, steel	A0048W00	3 854	4 818	2700K: body lamp aluminium
	A004800	3 854	4 818	3000K: body lamp aluminium
	A0054W00	4 277	5 346	2700K: with presence detector, body lamp aluminium
	A005400	4 277	5 346	3000K: with presence detector, body lamp aluminium
	1530050A	5 544	6 930	LED TW: body lamp aluminium
	A004030	1 584	1 980	table base ø cm. 23: aluminium
	A004200	686	858	desk fixed support aluminium
	A004100	686	858	table clamp aluminium
				Complete lamp consists of 2 items.
 TOLOMEO LED PURE INTEGRALIS Michele De Lucchi, Giancarlo Fossina Table lamp IP20 LED Integralis: 3600K, 7W, 483lm, CRI=80 Dimmer Materials: aluminum, steel	A004800IN2	4 330	5 413	body lamp
	A004030	1 584	1 980	table base ø cm. 23: aluminium
	A004200	686	858	desk fixed support aluminium
	A004100	686	858	table clamp aluminium
				Complete lamp consists of 2 items.
 TOLOMEO BASCULANTE TABLE Michele De Lucchi, Giancarlo Fossina Table lamp IP 20 LED 1xMAX 8W (E27)  Materials: parchment paper or silk satin, aluminum, steel	0947010A	3 696	4 620	body lamp with parchment diffuser ø mm. 180
	0947020A	3 696	4 620	body lamp with silk diffuser ø mm. 180
	A004030	1 584	1 980	table base ø cm. 23: aluminium
	A004200	686	858	desk fixed support aluminium
	A004100	686	858	table clamp aluminium
				Complete lamp consists of 2 items.

TABLE LAMPS











	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 min 540 - max 1080 Ø200 min 680 - max 1020	TOLOMEO MINI			
	Michele De Lucchi, Giancarlo Fassina Table lamp			
	IP 20 LED 1xMAX 8W (E27) 			
	Materials: aluminum, steel			
	A005910	2 640	3 300	body lamp aluminium
	A005920	2 640	3 300	body lamp white
	A005940	2 640	3 300	body lamp black
	A008600	1 531	1 914	table base ø cm. 20: aluminium
	A008610	1 584	1 980	table base ø cm. 20: black
 min 540 - max 1080 Ø200 min 680 - max 1020	TOLOMEO MINI LED			
	Michele De Lucchi, Giancarlo Fassina Table lamp			
	IP 20 LED 2700K, 8W, 737lm, CRI=90 Dimmer			
	LED 3000K, 8W, 761lm, CRI=90 Dimmer			
	Materials: aluminum, steel			
	A0056W00	3 854	4 818	2700K, body lamp aluminium
	A005600	3 854	4 818	3000K, body lamp aluminium
	A0055W00	4 224	5 280	2700K, with presence detector, body lamp aluminium
	A005500	4 224	5 280	3000K, with presence detector, body lamp aluminium
 min 500 - max 1000 Ø185 min 600 - max 960	TOLOMEO MIDI LED			
	Michele De Lucchi, Giancarlo Fassina Table lamp			
	IP 20 LED 2700K, 7W, 620lm, CRI=90 Dimmer			
	LED 3000K, 7W, 648lm, CRI=90 Dimmer			
	Materials: aluminum, steel			
	A0151W00	3 326	4 158	2700K, body lamp aluminium
	A015100	3 379	4 224	3000K, body lamp aluminium
	A003900	1 056	1 320	base aluminium
	A004200	686	858	desk fixed support aluminium
 min 370 - max 730 Ø170 min 450 - max 690	TOLOMEO MICRO			
	Michele De Lucchi, Giancarlo Fassina Table lamp			
	IP 20 LED 1xMAX 6W (E14) 			
	Materials: aluminum, steel			
	A011800	3 326	4 158	body lamp and base: aluminium
	A011810	3 379	4 224	body lamp and base: anodized red
	A011830	3 326	4 158	body lamp and base: black
	A011860	3 379	4 224	body lamp and base: anodized orange
	A011850	3 379	4 224	body lamp and base: anodized bluee
 min 370 - max 730 Ø170 min 450 - max 690	TOLOMEO MICRO LED			
	Michele De Lucchi, Giancarlo Fassina Table lamp			
	IP 20 LED 2700K, 7W, 620lm, CRI=90 Dimmer			
	LED 3000K, 7W, 648lm, CRI=90 Dimmer			
	Materials: aluminum, steel			
	A001300	3 379	4 224	body lamp and base: polished aluminium
	0011860A	3 379	4 224	body lamp and base: gold
	0011820A	3 274	4 093	body lamp and base: polished white
	A010900	2 482	3 103	body lamp only: aluminium
 min 370 - max 730 Ø170 min 450 - max 690	TOLOMEO MICRO LED			
	Michele De Lucchi, Giancarlo Fassina Table lamp			
	IP 20 LED 2700K, 7W, 620lm, CRI=90 Dimmer			
	LED 3000K, 7W, 648lm, CRI=90 Dimmer			
	Materials: aluminum, steel			
	A0119W00	4 277	5 346	2700K, body lamp and base: aluminium
	A011900	4 330	5 413	3000K, body lamp and base: aluminium
	A0103W00	3 379	4 224	2700K, body lamp only: aluminium
	A010300	3 379	4 224	3000K, body lamp only: aluminium
 min 370 - max 730 Ø170 min 450 - max 690	TOLOMEO MICRO LED			
	Michele De Lucchi, Giancarlo Fassina Table lamp			
	IP 20 LED 2700K, 7W, 620lm, CRI=90 Dimmer			
	LED 3000K, 7W, 648lm, CRI=90 Dimmer			
	Materials: aluminum, steel			
	A004200	686	858	desk fixed support aluminium
	A004100	686	858	table clamp aluminium

TABLE LAMPS





 TOLOMEO MEGA TABLE Michele De Lucchi, Giancarlo Fassina Table lamp with clamp or fixed table IP 20 Ø 320: LED / LED DIM* 1xMAX 21W (E27) ✕ Ø 360, 420: LED / LED DIM* 1xMAX 21W (E27) ✕ Materials: textile fabric or silk satin or parchment paper, aluminum, steel	0564010A	4 382	5 478	body lamp with switch ON-OFF: aluminium
	0564030A	4 382	5 478	body lamp with switch ON-OFF: black
	0778010A	4 858	6 073	body lamp with dimmer: aluminium *
	0778030A	4 858	6 073	body lamp with dimmer: black *
	0780010A	1 848	2 310	parchment paper diffuser ø 320 mm
	0780020A	1 954	2 443	parchment paper diffuser ø 360 mm
	0780030A	2 059	2 574	parchment paper diffuser ø 420 mm
	0781010A	2 006	2 508	silk diffuser ø 320 mm
	0781020A	2 534	3 168	silk diffuser ø 360 mm
	0781030A	2 693	3 366	silk diffuser ø 420 mm
	0772010A	2 006	2 508	black satin diffuser ø 320 mm
	0772020A	2 587	3 234	black satin diffuser ø 360 mm
	0772030A	2 851	3 564	black satin diffuser ø 420 mm
	A004200	686	858	desk fixed support aluminium
	A004100	686	858	table clamp aluminium
				Complete lamp consists of 3 items.
 TOLOMEO MEGA LED TABLE Michele De Lucchi, Giancarlo Fassina Table lamp with clamp or fixed table IP 20 LED 2700K*, 31W, CRI=90* Dimmer LED 3000K**, 31W, CRI=90** Dimmer Materials: textile fabric or silk satin or parchment paper, aluminum, steel	0762W10A	7 286	9 108	2700K, body lamp with dimmer on cable: aluminium
	0762010A	7 286	9 108	3000K, body lamp with dimmer on cable: aluminium
	0762W30A	7 286	9 108	2700K, body lamp with dimmer on cable: black
	0762030A	7 286	9 108	3000K, body lamp with dimmer on cable: black
	0761W10A	6 389	7 986	2700K, body lamp with microswitch dimmer: aluminium
	0761010A	6 389	7 986	3000K, body lamp with microswitch dimmer: aluminium
	0761W30A	6 389	7 986	2700K, body lamp with microswitch dimmer: black
	0761030A	6 389	7 986	3000K, body lamp with microswitch dimmer: black
	0780010A	1 848	2 310	parchment paper diffuser ø 320 mm, 1868lm*/1999lm**
	0780020A	1 954	2 443	parchment paper diffuser ø 360 mm, 1871lm*/2002lm**
	0780030A	2 059	2 574	parchment paper diffuser ø 420 mm, 1884lm*/2016lm**
	0781010A	2 006	2 508	silk diffuser ø 320 mm, 1770lm*/1894lm**
	0781020A	2 534	3 168	silk diffuser ø 360 mm, 1786lm*/1912lm**
	0781030A	2 693	3 366	silk diffuser ø 420 mm, 1789lm*/1914lm**
	0772010A	2 006	2 508	black satin diffuser ø 320 mm, 1579lm*/ 1690lm**
	0772020A	2 587	3 234	black satin diffuser ø 360 mm, 1571lm*/1681lm**
	0772030A	2 851	3 564	black satin diffuser ø 420 mm, 1582lm*/1693lm**
	A004200	686	858	desk fixed support aluminium
	A004100	686	858	table clamp aluminium
				Complete lamp consists of 3 items.
 UNTERLINDEN TABLE Herzog & de Meuron Table lamp IP 20 LED 2700K, 9W, 398lm, CRI=90 Dimmer LED 3000K, 9W, 349lm, CRI=90 Dimmer Materials: brass or aluminum	1945W10A	6 864	8 580	2700K, antique aluminium
	1945010A	6 864	8 580	3000K, antique aluminium
	1946W10A	7 339	9 174	2700K, antique brass
	1946010A	7 339	9 174	3000K, antique brass
 VINE LIGHT BIG Table lamp IP20 LED 3000K, 8W, 602lm, CRI=90 Dimmer Materials: aluminum, zamac, technopolymer	1564030A	5 914	7 393	black

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
TABLE LAMPS				
 VINE LIGHT FIXED BIG Table lamp IP20 LED 3000K, 8W, 602lm, CRI=90 Dimmer Materials: aluminum, zamac, technopolymer	1565030A	5 650	7 063	black
 VINE LIGHT PURE INTEGRALIS BIG Table lamp IP20 LED Integralis: 3600K, 10,5W, 549lm, CRI= 80 Dimmer Materials: aluminum, zamac, technopolymer	1564030IN2A	6 494	8 118	black
 YANZI TABLE Neri&Hu Table lamp IP 20 LED 3000K, 9,5W, 623lm, CRI=90 Dimmer Materials: blown glass, aluminum, zamac	1101010A	5 597	6 996	white diffuser, brushed brass body, black base
FLOOR LAMPS				
 ARRIVAL FLOOR Ludovica+Roberto Palomba Floor lamp IP 20 LED Strip 3000K, 77W, 2422lm, CRI=90 Dimmer Materials: aluminum, silicone, steel	1552010APP	34 531	43 164	gold, Artemide APP
	1552030APP	34 531	43 164	black matt, Artemide APP
 ATHENA Naoto Fukasawa Floor lamp IP 20 LED 2700K, 44W, 3266lm, CRI=90 Dimmer LED 3000K, 44W, 3492lm, CRI=90 Dimmer Materials: aluminum, steel	1833W20A	12 778	15 973	2700K, white
	1833020A	12 778	15 973	3000K, white
	1833W30A	12 778	15 973	2700K, black
	1833030A	12 778	15 973	3000K, black
 ATHENA WHITE INTEGRALIS Naoto Fukasawa Floor lamp IP 20 LED Integralis: 5000K, 44W, 4106lm, CRI= 90 Dimmer Materials: aluminum, steel	1833030IN0A	12 778	15 973	black
	1833020IN0A	12 778	15 973	white

FLOOR LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
	CABILDO LED FLOOR	1180W10A	12 778	15 973
	Eric Solé Floor lamp	1180010A	12 778	15 973
	IP 20 LED 2700K, 44W, 2641lm, CRI=90 Dimmer			
	LED 3000K, 44W, 2824lm, CRI=90 Dimmer Materials: aluminum, steel			
	CADMO LED	1361W10A	24 235	30 294
	Karim Rashid Floor lamp	1361010A	24 235	30 294
	IP 20 indirect: LED 2700K, 44W, 3831lm, CRI=90 + direct: LED 2700K, 10W (GU10) 	1361W20A	22 598	28 248
	Dimmer/direct not dimmable indirect: LED 3000K, 44W, 4003lm, CRI=90 + direct: LED 2700K, 10W (GU10)  Dimmer/direct not dimmable Materials: steel	1361020A	22 598	28 248
	CALLIMACO LED	A0111W00	18 902	23 628
	Ettore Sottsass Floor lamp			
	CASTORE 35 FLOOR	1055010A	11 246	14 058
	Michele De Lucchi, Hubb Ubbens Floor lamp			
	CHIMERA LED	0084110APP	32 208	40 260
	Vico Magistretti Floor lamp			
	IP 20 LED DIM 1xMAX 21W (E27)  Dimmer			
	Materials: blown glass, polycarbonate, zamac			
	Materials: methacrylate, aluminium, zamac			

FLOOR LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 CHOOSE FLOOR Matteo Thun Floor lamp IP 20 LED 2xMAX 12W (E27) ✕ Materials: polycarbonate, parchment paper, steel, zamac	1136020A	6 864	8 580	parchment paper diffuser, structure anthracite grey
	1136110A	8 342	8 342	diffuser white, structure chrome
	1136120A	8 342	8 342	parchment paper diffuser, structure chrome
 CHOOSE MEGA FLOOR Matteo Thun Floor lamp IP 20 direct: LED 3xMAX 12W (E27) ✕ + indirect: LED 1xMAX 8W (E27) ✕ Materials: polycarbonate, parchment paper, steel, zamac	1135020A	12 144	15 180	parchment paper diffuser, structure anthracite grey
	1135110A	14 626	18 283	diffuser white, structure chrome
	1135120A	14 626	18 283	parchment paper diffuser, structure chrome
 COSMIC LEAF FLOOR Ross Lovegrove Floor lamp IP 20 LED 1xMAX 20W (G53) ✕ Materials: methacrylate, steel	1504010A	14 256	17 820	transparent diffuser, grey structure
 DECOMPOSE' LIGHT FLOOR Atelier Oi Floor lamp IP 20 LED 3000K, 45W, 3564lm, CRI=90 Dimmer Materials: aluminum	DOI4600D02	17 160	21 450	gold
	DOI4600D03	17 160	21 450	orange
	DOI4600D16	17 160	21 450	red
	DOI4600D80	17 160	21 450	smoked
 DEMETRA READING FLOOR Naoto Fukasawa Floor lamp IP 20 LED 2700K, 8W, 360lm, CRI=90 Dimmer LED 3000K, 8W, 385lm, CRI=90 Dimmer Materials: aluminum, technopolymer, steel	1734W10A	4 330	5 413	body lamp 2700K anthracite grey
	1734010A	4 330	5 413	body lamp 3000K anthracite grey
	1734W20A	4 330	5 413	body lamp 2700K white
	1734020A	4 330	5 413	body lamp 3000K white
	1734W50A	4 330	5 413	body lamp 2700K opaque black
	1734050A	4 330	5 413	body lamp 3000K opaque black
	1735010A	4 752	5 940	body 3000K w/presence detector, anthracite grey
	1735020A	4 752	5 940	body 3000K w/presence detector, white
	1735050A	4 752	5 940	body 3000K w/presence detector, opaque black
	1741010A	2 851	3 564	floor support anthracite grey
	1741020A	2 851	3 564	floor support white
	1741050A	2 851	3 564	floor support opaque black
				Complete lamp consists of 2 items.

FLOOR LAMPS


**DEMETRA PROFESSIONAL
READING FLOOR**

Naoto Fukasawa
Floor lamp

IP 20

LED 3000K, 12W, 960lm, CRI=90

Dimmer

Materials: aluminum, technopolymer, steel

1739010A

5 597

6 996

body lamp, anthracite grey

1739020A

5 597

6 996

body lamp, white

1739050A

5 597

6 996

body lamp, opaque black

1740010A

6 230

7 788

body w/presence detector, anthracite grey

1740020A

6 230

7 788

body w/presence detector, white

1740050A

6 230

7 788

body w/presence detector, opaque black

1741010A

2 851

3 564

floor support anthracite grey

1741020A

2 851

3 564

floor support white


1741050A

2 851

3 564

floor support opaque black

Complete lamp consists of 2 items.


DISCOVERY FLOOR TW

Ernesto Gismondi
Floor lamp

IP 20

LED 2700/6500K, 61W, 3805lm/4054lm,
CRI=80

Dimmer

Materials: technopolymer, aluminum

2040030APP

24 869

31 086

black, Artemide APP


DISCOVERY FLOOR RGBW

Ernesto Gismondi
Floor lamp

IP 20

LED 56W, RGB 1036lm White 1817lm,
CRI=90

Dimmer


Materials: technopolymer, aluminum

2041030APP

25 502

31 878

black, Artemide APP


**DISCOVERY FLOOR WHITE VIOLET
INTEGRALIS**

Ernesto Gismondi
Floor lamp

IP 20

LED Day mode
2700K, 67W, 2972lm, CRI= 80

LED Night mode

67W

Dimmer


Materials: technopolymer, aluminum

2040030IN1APP

25 502

31 878

black, Artemide APP


DULCINEA

Mimmo Paladino
Floor lamp

IP 20

LED

Dimmer

Materials: ABS, aluminum

DMP9910A10



26 770

33 463

white

NEW






FLOOR LAMPS

		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 FALKLAND FLOOR Bruno Munari Floor lamp IP 20 LED 1xMAX 8W (E27)  Materials: elastic fabric, steel		DS2040BAR00	3 168	3 960	aluminium grey structure
		DS2040BB00	1 478	1 848	aluminium grey base lamp
		DS2040CRC	1 742	2 178	fabric 165 + inox hoops
		DS2040CRCI	1 795	2 244	fireproof fabric 165 + inox hoops
					Complete lamp consists of 3 items.
 GOPLE FLOOR BIG Floor lamp IP 20 LED DIM 1xMAX 20W (E27)  Dimmer Materials: aluminium, white blown glass with nuances or blown glass with PVD treatment		1410010A	13 622	17 028	silver structure and diffuser PVD
		1410020A	12 144	15 180	silver structure and nuanced white diffuser
		1410040A	13 622	17 028	silver structure and copper diffuser PVD
		1410050A	13 622	17 028	silver structure and blue sapphire diffuser PVD
		1410060A	13 622	17 028	silver structure and bronze diffuser PVD
		1410220A	11 827	14 784	white structure and nuanced white diffuser
		1410340A	13 306	16 633	black structure and copper diffuser PVD
		1410350A	13 306	16 633	black structure and blue sapphire diffuser PVD
		1410360A	13 306	16 633	black structure and bronze diffuser PVD
 ILIO 10th YEAR Ernesto Gismondi Floor lamp IP 20 LED 2700K, 45W, 3332lm, CRI=90 Dimmer Materials: aluminum with PVD treatment, steel		1640W00APP	16 262	20 328	2700K, limited edition of 2000 pieces, signed and numbered, Artemide APP
 ILIO Ernesto Gismondi Floor lamp IP 20 LED 2700K, 45W, 3332lm, CRI=90 Dimmer LED 3000K, 45W, 3564lm, CRI=90 Dimmer Materials: aluminum, steel		1640W10APP	11 616	14 520	2700K, rubin red, Artemide APP
		1640010APP	11 616	14 520	3000K, rubin red, Artemide APP
		1640W20APP	11 616	14 520	2700K, glossy white, Artemide APP
		1640020APP	11 616	14 520	3000K, glossy white, Artemide APP
		1640W30APP	11 616	14 520	2700K, glossy black, Artemide APP
		1640030APP	11 616	14 520	3000K, glossy black, Artemide APP
		1640W80APP	11 616	14 520	2700K, black opaque, Artemide APP
		1640080APP	11 616	14 520	3000K, black opaque, Artemide APP
 ILIO WHITE INTEGRALIS Ernesto Gismondi Floor lamp IP 20 LED Integralis: 5000K, 45W, 3920lm, CRI=90 Dimmer Materials: aluminum, steel		1640010INOAPP	11 616	14 520	rubin red, Artemide APP
		1640020INOAPP	11 616	14 520	glossy white, Artemide APP
		1640030INOAPP	11 616	14 520	glossy black, Artemide APP
		1640080INOAPP	11 616	14 520	matt black, Artemide APP
 ILIO MINI Ernesto Gismondi Floor lamp IP 20 LED 3000K, 23W, 1528lm, CRI=90 Dimmer LED 2700K, 23W, 1462lm, CRI=90 Dimmer Materials: aluminum, steel		1645080APP	8 818	11 023	3000K, matt black, Artemide APP
		1645090APP	8 818	11 023	3000K, matt white, Artemide APP
		1645W80APP	8 818	11 023	2700K, matt black, Artemide APP
		1645W90APP	8 818	11 023	2700K, matt white, Artemide APP




LED Not replaceable integrated LED source

 Included source

 Excluded source

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
FLOOR LAMPS				
 IXA FLOOR Foster + Partners Floor lamp IP20 LED 3000K, 9W, 465lm, CRI=90 Dimmer Materials: aluminum, steel, technopolymer	1111010A	13 886	17 358	anthracite
	1111020A	13 886	17 358	white/grey
	1111030A	13 886	17 358	blue
	1111040A	13 886	17 358	yellow
	1111050A	13 517	16 896	red
 IXA READING FLOOR Foster + Partners Floor lamp IP20 LED 3000K, 9W, 465lm, CRI=90 Dimmer Materials: aluminum, steel, technopolymer	1112010A	7 286	9 108	anthracite
	1112020A	7 286	9 108	white/grey
	1112030A	7 286	9 108	blue
	1112040A	7 286	9 108	yellow
	1112050A	7 286	9 108	red
 LA PETITE FLOOR Andrea Quaglio, Manuela Simonelli Floor lamp IP 20 LED 1xMAX 12W (E27)  Materials: polycarbonate, aluminum, methacrylate	1753020A	8 870	11 088	white
	1753030A	8 870	11 088	black
 MEGARON LED Gianfranco Frattini Floor lamp IP 20 LED 2700K, 45W, 3480lm, CRI=90 Dimmer LED 3000K, 45W, 3697lm, CRI=90 Dimmer Materials: aluminum, steel, technopolymer	A0160W00	15 629	19 536	2700K, polished anodised aluminium
	A016000	15 629	19 536	3000K, polished anodised aluminium
	A0160W50	14 784	18 480	2700K, black
	A016050	14 784	18 480	3000K, black
 MELAMPO FLOOR Adrien Gardère Floor lamp IP 20 LED 2xMAX 17W (E27)  Materials: technopolymer, silk satin, aluminum, zamac	0123010A	6 864	8 580	structure and diffuser grey
	0123020A	6 864	8 580	structure bronze, diffuser neutral
 MELAMPO MEGA FLOOR Adrien Gardère Floor lamp IP 20 LED DIM 2xMAX 21W (E27)  Dimmer Materials: technopolymer, silk satin, aluminum, zamac	0577010A	14 362	17 953	structure and diffuser grey
	0577020A	14 362	17 953	structure bronze, diffuser neutral

FLOOR LAMPS







		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
	METACOLOR LED Ernesto Gismondi Floor lamp IP 20 LED 3000K, 40W, 2500lm, CRI=90 + LED 86W RGB Dimmer Materials: methacrylate, steel	0473110APP	37 435	46 794	white / Artemide APP
	MIMESI Carlotta de Bevilacqua Floor lamp IP 20 indirect: LED 3000K, 42W, 3733lm, CRI=90 + diffused: LED 6000K, 3W, 100lm, CRI=80 Dimmer Materials: technopolymer , aluminum, steel	1835010APP	25 027	31 284	transparent structure, Artemide APP
	MIMESI WHITE INTEGRALIS Carlotta de Bevilacqua Floor lamp IP 20 LED Integralis: 5000K, 42W, 3887lm, CRI=90 Dimmer Materials: technopolymer , aluminum, steel	1835010INOAPP	25 027	31 284	transparent structure, Artemide APP
	MINOMUSHI FLOOR Issey Miyake + Reality Lab Floor lamp IP 20 LED 3000K, 28W, 2527lm, CRI=90 Dimmer Materials: PET, methacrylate, steel, polycarbonate	1698010A	25 978	32 473	white
	MONTJUIC Santiago Calatrava Floor lamp IP 20 LED DIM 1x11W (R7s) ✕ Dimmer Materials: methacrylate, technopolymer	A014400	30 202	37 753	diffuser white, black structure
	NEW NATURE Ross Lovegrove Floor lamp IP 20 indirect: LED 2700K, 43W, 3132lm, CRI=90+ direct: LED 3000K, 10W, 260lm, CRI=80 Dimmer Materials: technopolymer, aluminum, steel	1157W10APP	37 699	47 124	2700K, glossy white, Artemide APP

LED Not replaceable integrated LED source



 Included source

✕ Excluded source



FLOOR LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 nh 22 FLOOR Neri&Hu Floor lamp IP 20 LED DIM 1xMAX 15W (E27)  Dimmer Materials: blown glass, brass, steel	1271010A	11 616	14 520	white diffuser, brass body, black structure
 "O" IN Elemental Floor lamp IP 44 LED 3000K, 43W, 1830lm, CRI=90 Materials: aluminum, silicone	T073030	16 368	20 460	black
	T073030APP	19 602	24 503	black, Artemide APP
 "O" 150 IN Elemental Floor lamp IP 44 LED 3000K 60W, 3126lm, CRI=90 Materials: aluminum, silicone	T073130APP	40 194	50 243	black, Artemide APP
 PIPE LED FLOOR Herzog & de Meuron Floor lamp IP 20 LED 2700K, 27W, 1763lm, CRI=90 Dimmer Materials: polycarbonate, steel, silicone	0670W10A	21 490	26 863	translucent white body lamp, black base
 PIPE LED FLOOR WHITE INTEGRALIS Herzog & de Meuron Floor lamp IP 20 LED Integralis: 5000K, 27W, 2143lm, CRI=90 Dimmer Materials: polycarbonate, steel, silicone	0670010IN0A	21 490	26 863	translucent white body lamp, black base
 SE ES FLOOR Carolina Gismondi dB, Daniele Moioli Floor lamp IP 67 LED 3000K, 35W, 1138lm, CRI=90 Dimmable (Push & APP) Materials: steel, aluminum, optical silicone	T070410	23 760	29 700	mirrored

FLOOR LAMPS

	SE ES FLOOR 180 Carolina Gismondi dB, Daniele Moioli Floor lamp IP 67 LED 3000K, 35W, 1138lm, CRI=90 Dimmable (Push & APP) Materials: steel, aluminum, optical silicone	T070510	26 400	33 000	mirrored
	STELLAR NEBULA FLOOR BIG Floor lamp IP20 LED 3000K, 20W, 1890lm, CRI=90 Dimmer Materials: blown glass with PVD treatment, aluminium, steel	0152220A	23 549	29 436	transparent diffuser with dichroic PVD treatment
	TIZIO, TIZIO LED FLOOR SUPPORT Richard Sapper Floor support for Tizio Materials: aluminum, steel	A087700	2 693	3 366	black
	TIZIO 35 FLOOR SUPPORT Richard Sapper Floor support for Tizio 35 Materials: aluminum, steel	A088000	2 640	3 300	black
	TOLOMEO FLOOR Michele De Lucchi, Giancarlo Fassina Floor lamp IP 20 LED 1xMAX 12W (E27) ⚡ Materials: aluminum, steel	A001000	2 693	3 366	body lamp aluminium
		A004420	2 693	3 366	body lamp white
		A004430	2 693	3 366	body lamp black
		A012820	4 330	5 413	floor support aluminium-mandatory to compose the lamp
		A014000	739	924	aluminium sliding support - accessory
					Complete lamp consists of 2 items.
	TOLOMEO LED FLOOR Michele De Lucchi, Giancarlo Fassina Floor lamp IP 20 LED 2700K, 8W, 737lm, CRI=90 Dimmer LED 3000K, 8W, 761lm, CRI=90 Dimmer LED TW 2200/6500K, 11W, 560lm/716lm, CRI=90 Dimmer LED Integralis: LED 3600K, 7W, 483lm, CRI=80 Dimmer Materials: aluminum, steel	A0048W00	3 854	4 818	2700K: body lamp aluminium
		A004800	3 854	4 818	3000K: body lamp aluminium
		1530050A	5 544	6 930	LED TW: body lamp aluminium
		A004800IN2	4 330	5 413	Integralis: body lamp
		A012820	4 330	5 413	floor support aluminium-mandatory to compose the lamp
		A014000	739	924	aluminium sliding support - accessory
					Complete lamp consists of 2 items.

FLOOR LAMPS

		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	Artemide
FLOOR LAMPS					
	TOLEMOE READING FLOOR	A013900	3 432	4 290	body lamp aluminium
	Michele De Lucchi, Giancarlo Fassina Floor lamp	A013930	3 379	4 224	body lamp black
	IP 20	A014900	2 006	2 508	base aluminium
	LED 1xMAX 12W (E27) 	A014930	2 059	2 574	base black
	Materials: aluminum, steel				Complete lamp consists of 2 items.
	TOLEMOE READING LED FLOOR	A0131W00	4 382	5 478	2700K, body lamp aluminium
	Michele De Lucchi, Giancarlo Fassina Floor lamp	A013100	4 382	5 478	3000K, body lamp aluminium
	IP 20	A014900	2 006	2 508	base aluminium
	LED 2700K, 8W, 737lm, CRI=90 Dimmer				Complete lamp consists of 2 items.
	LED 3000K, 8W, 761lm, CRI=90 Dimmer				
Materials: aluminum, steel					
	TOLEMOE MAXI	0510010A	27 086	33 858	aluminium body, parchment paper diffuser included
	Michele De Lucchi, Giancarlo Fassina Floor lamp				
	IP 20				
	LED DIM 1xMAX 21W (E27) 				
	Dimmer				
	Materials: parchment paper, aluminum, steel				
	TOLEMOE BASCULANTE FLOOR	0947010A	3 696	4 620	body lamp with parchment diffuser ø mm. 180
	Michele De Lucchi, Giancarlo Fassina Floor lamp	0947020A	3 696	4 620	body lamp with silk diffuser ø mm. 180
	IP 20	A012820	4 330	5 413	floor support aluminium-mandatory to compose the lamp
	LED 1xMAX 8W (E27) 	A014000	739	924	aluminium sliding support - accessory
	Materials: parchment paper or silk satin, aluminum, steel				Complete lamp consists of 2 items.
	TOLEMOE BASCULANTE READING FLOOR	A014600	4 330	5 413	body lamp with parchment diffuser ø mm. 180
	Michele De Lucchi, Giancarlo Fassina Floor lamp	A014610	4 330	5 413	body lamp with silk diffuser ø mm. 180
	IP 20	A014900	2 006	2 508	base aluminium
	LED 1xMAX 8W (E27) 				Complete lamp consists of 2 items.
	Materials: parchment paper or silk satin, aluminum, steel				

FLOOR LAMPS



TOLOMEO MEGA FLOOR
Michele De Lucchi, Giancarlo Fassina
Floor lamp

IP 20
Ø 320:
LED / LED DIM* 1xMAX 21W (E27) ✕

Ø 360, 420:
LED / LED DIM* 1xMAX 21W (E27) ✕

Materials: textile fabric or silk satin or parchment paper, aluminum, steel

0564010A	4 382	5 478	body lamp with switch ON-OFF: aluminium
0564030A	4 382	5 478	body lamp with switch ON-OFF: black
0778010A	4 858	6 073	body lamp with dimmer: aluminium *
0778030A	4 858	6 073	body lamp with dimmer: black *
0780010A	1 848	2 310	parchment paper diffuser ø 320 mm
0780020A	1 954	2 443	parchment paper diffuser ø 360 mm
0780030A	2 059	2 574	parchment paper diffuser ø 420 mm
0781010A	2 006	2 508	silk diffuser ø 320 mm
0781020A	2 534	3 168	silk diffuser ø 360 mm
0781030A	2 693	3 366	silk diffuser ø 420 mm
0772010A	2 006	2 508	black satin diffuser ø 320 mm
0772020A	2 587	3 234	black satin diffuser ø 360 mm
0772030A	2 851	3 564	black satin diffuser ø 420 mm
0779010A	5 808	7 260	base + stem aluminium
0779030A	5 280	6 600	base + stem black
			Complete lamp consists of 3 items.




TOLOMEO MEGA LED FLOOR
Michele De Lucchi, Giancarlo Fassina
Floor lamp

IP 20
LED 2700K*, 31W, CRI=90
Dimmer

LED 3000K**, 31W, CRI=90
Dimmer

Materials: textile fabric or silk satin or parchment paper, aluminum, steel

0762W10A	7 286	9 108	2700K, body lamp with dimmer on cable: aluminium
0762010A	7 286	9 108	3000K, body lamp with dimmer on cable: aluminium
0762W30A	7 286	9 108	2700K, body lamp with dimmer on cable: black
0762030A	7 286	9 108	3000K, body lamp with dimmer on cable: black
0761W10A	6 389	7 986	2700K, body lamp with microswitch dimmer: aluminium
0761010A	6 389	7 986	3000K, body lamp with microswitch dimmer: aluminium
0761W30A	6 389	7 986	2700K, body lamp with microswitch dimmer: black
0761030A	6 389	7 986	3000K, body lamp with microswitch dimmer: black
0780010A	1 848	2 310	parchment paper diffuser ø 320 mm, 1868lm*/1999lm**
0780020A	1 954	2 443	parchment paper diffuser ø 360 mm, 1871lm*/2002lm**
0780030A	2 059	2 574	parchment paper diffuser ø 420 mm, 1884lm*/2016lm**
0781010A	2 006	2 508	silk diffuser ø 320 mm, 1770lm*/1894lm**
0781020A	2 534	3 168	silk diffuser ø 360 mm, 1786lm*/1912lm**
0781030A	2 693	3 366	silk diffuser ø 420 mm, 1789lm*/1914lm**
0772010A	2 006	2 508	black satin diffuser ø 320 mm, 1579lm*/ 1690lm**
0772020A	2 587	3 234	black satin diffuser ø 360 mm, 1571lm*/1681lm**
0772030A	2 851	3 564	black satin diffuser ø 420 mm, 1582lm*/1693lm**
0763010A	6 178	7 723	base+aluminium stem (different code vs halo version)
0763030A	5 650	7 063	base+black stem (different code vs halo version)
			Complete lamp consists of 3 items.




TOLOMEO MICRO FLOOR
Michele De Lucchi, Giancarlo Fassina
Floor lamp

IP 20
LED 1xMAX 6W (E14) ✕

Materials: aluminum, steel

A010900	2 482	3 103	body lamp only: aluminium
A043900	2 851	3 564	floor support aluminium
A014000	739	924	aluminium sliding support - accessory
			Complete lamp consists of 2 items.



TOLOMEO MICRO LED FLOOR
Michele De Lucchi, Giancarlo Fassina
Floor lamp





IP 20
LED 2700K, 7W, 620lm, CRI=90
Dimmer

LED 3000K, 7W, 648lm, CRI=90
Dimmer

Materials: aluminum, steel







A0103W00	3 379	4 224	2700K, body lamp only: aluminium
A010300	3 379	4 224	3000K, body lamp only: aluminium
A043900	2 851	3 564	floor support aluminium
A014000	739	924	aluminium sliding support - accessory
			Complete lamp consists of 2 items.







FLOOR LAMPS

	UNTELINDEN FLOOR	1095W10A	13 200	16 500	2700K, antique aluminum
	Herzog & de Meuron Floor lamp	1095010A	13 200	16 500	3000K, antique aluminum
	IP20 LED 2700K, 8W, 398lm, CRI=90	1096W10A	13 886	17 358	2700K, antique brass
	LED 3000K, 8W, 416lm, CRI=90	1096010A	13 886	17 358	3000K, antique brass
	Materials: aluminum or brass, steel, technopolymer				
	VINE LIGHT FLOOR	1568030APP	29 568	36 960	black
	BIG Floor lamp				
	VITRUVIO FLOOR	1262010A	19 378	24 223	brass structure, transparent glass diffuser
	Atelier Oi Floor lamp	1262030A	19 378	24 223	black structure, smoked glass diffuser
	IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmer				
	YANG LED	0324010APP	35 746	44 683	Artemide APP
	Carlotta de Bevilacqua Floor/table lamp				
	YANZI FLOOR	1102010A	18 691	23 364	white diffusers, brushed brass bodies, black structure
	Neri&Hu Floor lamp				
	AGGREGATO SUSPENSION	A033200	2 059	2 574	structure
	Enzo Mari, Giancarlo Fassina Suspension lamp	A086000	950	1 188	kit for decentralized suspension
	IP 20 LED DIM 1xMAX 12W (E27) ✕ Dimmable	A089700	1 690	2 113	cone Ø380 opaline white
	Materials: technopolymer, methacrylate or steel	A089860	2 165	2 706	cone Ø380 metal anthracite grey
		A089400	2 165	2 706	cone Ø530 opaline white
		A089960	2 746	3 433	cone Ø530 metal anthracite grey
		A089410	1 742	2 178	sphere Ø250 opaline white
		A089412	3 115	3 894	sphere Ø400 opaline white
					Complete lamp consists of 2 items. (+kit for decentralized suspension as optional)





SUSPENSION LAMPS

SUSPENSION LAMPS


	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 AGGREGATO SALISCENDI Enzo Mari, Giancarlo Fassina Suspension lamp IP 20 LED DIM 1xMAX 12W (E27)  Dimmable Materials: technopolymer, methacrylate or steel	A033100	2 851	3 564	structure
	A086000	950	1 188	kit for decentralized suspension
	A089700	1 690	2 113	cone Ø380 opaline white
	A089860	2 165	2 706	cone Ø380 metal anthracite grey
	A089400	2 165	2 706	cone Ø530 opaline white
	A089960	2 746	3 433	cone Ø530 metal anthracite grey
	A089410	1 742	2 178	sphere Ø250 opaline white
	A089412	3 115	3 894	sphere Ø400 opaline white
				Complete lamp consists of 2 items. (*kit for decentralized suspension as optional)
 ALPHABET OF LIGHT LINEAR 120 BIG Suspension lamp IP 20 LED 3000K, 26W, 3484lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 26W, 3484lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1204000A	11 194	13 993	white / Push/DALI
	1204000APP	11 194	13 993	white / Push & Artemide APP
 ALPHABET OF LIGHT LINEAR 180 BIG Suspension lamp IP 20 LED 3000K, 39W, 5226lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 39W, 5226lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1205000A	13 253	16 566	white / Push/DALI
	1205000APP	13 253	16 566	white / Push & Artemide APP
 ALPHABET OF LIGHT LINEAR 240 BIG Suspension lamp IP 20 LED 3000K, 52W, 6968lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 52W, 6968lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1208000A	15 312	19 140	white / Push/DALI
	1208000APP	15 312	19 140	white / Push & Artemide APP
 ALPHABET OF LIGHT CIRCULAR Ø90 BIG Suspension lamp IP 20 LED 3000K, 44W, 5783lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 44W, 5783lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1206000A	20 486	25 608	white / Push/DALI
	1206000APP	20 486	25 608	white / Push & Artemide APP
 ALPHABET OF LIGHT CIRCULAR Ø155 BIG Suspension lamp IP 20 LED 3000K, 78W, 10280lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 78W, 10280lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1207000A	31 997	39 996	white / Push/DALI
	1207000APP	31 997	39 996	white / Push & Artemide APP

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 ALPHABET OF LIGHT CIRCULAR Ø350 BIG Suspension lamp IP 20 LED 3000K, 156W, 20953lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 156W, 20953lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1213000A	77 405	96 756	white / Push/DALI
	1213000APP	77 405	96 756	white / Push & Artemide APP
				NEW
 ALPHABET OF LIGHT SQUARE 120 BIG Suspension lamp IP 20 LED 3000K, 100W, 9488lm, CRI=90 Dimmable(Push/DALI) LED 3000K, 100W, 9488lm, CRI=90 Dimmable (APP) Materials: methacrylate, aluminium	1430010A	39 019	48 774	white, Push/DALI
	1430010APP	39 019	48 774	white, Artemide APP
 ALPHABET OF LIGHT SQUARE 180 BIG Suspension lamp IP 20 LED 3000K, 145W, 14020lm, CRI=90 Dimmable(Push/DALI) LED 3000K, 145W, 14020lm, CRI=90 Dimmable (APP) Materials: methacrylate, aluminium	1430020A	48 312	60 390	white, Push/DALI
	1430020APP	48 312	60 390	white, Artemide APP
 ALPHABET OF LIGHT RECTANGULAR BIG Suspension lamp IP 20 LED 3000K, 120W, 11754lm, CRI=90 Dimmable(Push/DALI) LED 3000K, 125W, 11754lm, CRI=90 Dimmable (APP) Materials: methacrylate, aluminium	1430030A	44 352	55 440	white, Push/DALI
	1430030APP	44 352	55 440	white, Artemide APP
 ALTROVE LED SUSPENSION DIRECT/INDIRECT LIGHT Carlotta de Bevilacqua Suspension lamp IP 20 LED 3000K, 82W, 4699lm, CRI=90 + LED 56W, 735lm (RGB) Dimmable (Push & APP) Materials: methacrylate, aluminium	1340150APP	45 830	57 288	Artemide APP
 AMELUNA Mercedes-Benz Style Suspension lamp IP 20 LED 3000K, 41W, 4231lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate	1401010APP	32 102	40 128	transparent, Push & Artemide APP






SUSPENSION LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 AMELUNA RGB Mercedes-Benz Style Suspension lamp IP 20 diffused: LED 3000K, 41W, 4231lm + direct spot: LED 4W RGB Dimmable (Push & APP) Materials: methacrylate	1402010APP	40 234	50 293	transparent, RGB / Push & Artemide APP
 CABILDO LED SUSPENSION Eric Solé Suspension lamp IP 20 LED 2700K, 44W, 2641lm, CRI=90 Dimmable (Push) LED 3000K, 44W, 2824lm, CRI=90 Dimmable (Push) Materials: aluminum	1182W10A	7 075	8 844	2700K, white
	1182010A	7 075	8 844	3000K, white
 CALIPSO SUSPENSION Neil Poulton Suspension lamp IP 20 LED 2700K, 50W, 4038lm, CRI=90 Dimmable (Push) LED 2700K, 50W, 4038lm, CRI=90 Dimmable (Push & APP) LED 3000K, 50W, 4099lm, CRI=90 Dimmable (Push) LED 3000K, 50W, 4099lm, CRI=90 Dimmable (Push & APP) Materials: technopolymer	0213W10A	14 150	17 688	2700K, white, Push
	0213W10APP	14 150	17 688	2700K, white, Push & Artemide APP
	0213010A	14 150	17 688	3000K, white, Push
	0213010APP	14 150	17 688	3000K, bianco, Push & Artemide APP
 CALIPSO LINEAR 120 STAND-ALONE Neil Poulton Suspension lamp IP 20 LED 3000K, 43W, 2985lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 43W, 2985lm, CRI=90 Dimmable (Push & APP) Materials: technopolymer	0223010A	11 933	14 916	white, Push/DALI
	0223010APP	14 150	17 688	white, Push & Artemide APP
 CALIPSO LINEAR 180 STAND-ALONE Neil Poulton Suspension lamp IP 20 LED 3000K, 63W, 4477lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 63W, 4477lm, CRI=90 Dimmable (Push & APP) Materials: technopolymer	0224010A	15 470	19 338	white, Push/DALI
	0224010APP	18 058	22 573	white, Push & Artemide APP





SUSPENSION LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 CALIPSO LINEAR SYSTEM SUSPENSION Neil Poulton Suspension system IP 20 Module 588mm: LED 3000K, 22W, 1492lm, CRI=90 Dimmable (Push/DALI) Module 1210mm: LED 3000K, 43W, 2985lm, CRI=90 Dimmable (Push/DALI) Module APP 1210mm: LED 3000K, 43W, 2985lm, CRI=90 Dimmable (APP) Module 1785mm: LED 3000K, 63W, 4477lm, CRI=90 Dimmable (Push/DALI) Module APP 1785mm: LED 3000K, 63W, 4477lm, CRI=90 Dimmable (APP) Materials: technopolymer	2013010A	7 920	9 900	module 588mm, white, Push/DALI
	2014010A	11 299	14 124	module 1210mm, white, Push/DALI
	2014010APP	12 778	15 973	module 1210mm, white, Artemide APP-Master
	2015010A	15 418	19 273	module 1785mm, white, Push/DALI
	2015010APP	16 790	20 988	module 1785mm, white, Artemide APP-Master
	2022010A	1 056	1 320	kit end caps (2pcs)
	2023010A	1 214	1 518	joint 90° kit (right+left)
	2021010A	422	528	intermediate joint
	2024010A	422	528	connection cable
	2020010A	1 584	1 980	ceiling rose feeding kit (1 susp.cable+1 feed cable)
	2266010A	317	396	suspension cable (1 piece)
				The system, in APP operation, consists of a single APP Master module; subsequent modules, completing the system, must be DALI.
 CASTORE 14 SUSPENSION Michele De Lucchi, Huub Ubbens Suspension lamp IP 20 LED DIM 1xMAX 6W (E14) ✕ Dimmable Materials: blown glass, polycarbonate	1045110A	2 693	3 366	white
 CASTORE 25 SUSPENSION Michele De Lucchi, Huub Ubbens Suspension lamp IP 20 LED DIM 1xMAX 12W (E27) ✕ Dimmable Materials: blown glass, polycarbonate	1053010A	4 805	6 006	white
 CASTORE 35 SUSPENSION Michele De Lucchi, Huub Ubbens Suspension lamp IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmable Materials: blown glass, polycarbonate	1052010A	5 914	7 393	white
 CASTORE 42 SUSPENSION Michele De Lucchi, Huub Ubbens Suspension lamp IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmable Materials: blown glass, polycarbonate	1051010A	6 758	8 448	white




SUSPENSION LAMPS






	CHLOROPHILIA Ross Lovegrove Suspension lamp	1628010APP	13 253	16 566	transparent, Push & Artemide APP
	IP 20 LED 3000K, 44W, 3146lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate				
	CHLOROPHILIA 2 Ross Lovegrove Suspension lamp	1628110APP	17 582	21 978	transparent, Push & Artemide APP
	IP 20 LED 3000K, 44W, 3146lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate				
	CHOOSE SUSPENSION Matteo Thun Suspension lamp	1123020A	4 277	5 346	parchment paper diffuser
	IP 20 LED DIM 1xMAX 12W (E27)  Dimmable Materials: polycarbonate, parchment paper	1123110A	4 277	5 346	white diffuser
	CHOOSE MEGA SUSPENSION Matteo Thun Suspension lamp	1124020A	7 128	8 910	parchment paper diffuser
	IP 20 LED DIM 3xMAX 12W (E27)  Dimmable Materials: polycarbonate, parchment paper	1124110A	7 128	8 910	white diffuser
	COPERNICO SUSPENSION Carlotta de Bevilacqua, Paolo Dell'Elce Suspension lamp	1623010A	39 125	48 906	aluminium
	IP 20 LED 3000K, 30W, 3686lm, CRI=90 Dimmable (Push) Materials: aluminum	1623020A	40 867	51 084	black
	COSMIC ANGEL SUSPENSION Ross Lovegrove Suspension lamp	1513010A	31 363	39 204	polished chrome lighting units, aluminium reflector
	IP 20 LED DIM 2x11W (R7s)  Dimmable Materials: ABS, aluminum				

SUSPENSION LAMPS






	DECOMPOSE' LIGHT SUSPENSION Atelier Oi Suspension lamp	DOI4600A02	4 805	6 006	gold
	IP 20 LED 2xMAX 8W (E27) 	DOI4600A03	4 805	6 006	orange
		DOI4600A16	4 805	6 006	red
	Materials: aluminum	DOI4600A80	4 805	6 006	smoked
	DISCOVERY SUSPENSION Ernesto Gismondi Suspension lamp	1999110A	18 374	22 968	satinsed aluminium, Push
	IP 20 LED 3000K, 40W, 2857lm, CRI=90 Dimmable (Push)	1999130A	18 374	22 968	black, Push
		1999160A	18 374	22 968	bronze, Push
	LED 3000K, 40W, 2857lm, CRI=90 Dimmable (Push & APP)	1999110APP	18 374	22 968	satinsed aluminium, Push & Artemide APP
		1999130APP	18 374	22 968	black, Push & Artemide APP
	Materials: technopolymer, aluminum	1999160APP	18 374	22 968	bronze, Push & Artemide APP
	DISCOVERY DIALOGUE Ernesto Gismondi Suspension lamp	2032010APP	27 192	33 990	satinsed aluminium, Push & Artemide APP
	IP 20 LED Strip RGB+W, 36W, 1117lm Dimmable (Push & APP)	2032030APP	27 826	34 783	black, Push & Artemide APP
		2032060APP	27 826	34 783	bronze, Push & Artemide APP
	Materials: technopolymer, aluminum				NEW
	DISCOVERY VERTICAL 70 SUSPENSION Ernesto Gismondi Suspension lamp	1992010A	18 374	22 968	satinsed aluminium, Push/DALI
	IP 20 LED 3000K, 40W, 2857lm, CRI=90 Dimmable (Push/DALI)	1992030A	18 374	22 968	black, Push/DALI
		1992060A	18 374	22 968	bronze, Push/DALI
	LED 3000K, 40W, 2857lm, CRI=90 Dimmable (Push & APP)	1992010APP	18 374	22 968	satinsed aluminium, Push & Artemide APP
		1992030APP	18 374	22 968	black, Push & Artemide APP
	Materials: technopolymer, aluminum	1992060APP	18 374	22 968	bronze, Push & Artemide APP
	DISCOVERY VERTICAL 70 TW SUSPENSION Ernesto Gismondi Suspension lamp	1992210A	25 819	32 274	TW: satinsed aluminium, DALI DT8
	IP 20 LED Strip 2700-6500K, 50W, warm 3246lm - cold 3343lm, CRI=80 Dimmable (DALI DT8)	1992230A	25 819	32 274	TW: black, DALI DT8
		1992260A	25 819	32 274	TW: bronze, DALI DT8
	LED Strip 2700-6500K, 50W, warm 3246lm - cold 3343lm, CRI=80 Dimmable (APP)	1992210APP	25 819	32 274	TW: satinsed aluminium, Artemide APP
		1992230APP	25 819	32 274	TW: black, Artemide APP
	Materials: technopolymer, aluminum	1992260APP	25 819	32 274	TW: bronze, Artemide APP

SUSPENSION LAMPS






	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 DISCOVERY VERTICAL 70 RGBW SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED Strip RGB+W, 42W, RGB 871lm + W 1600lm, CRI=80 Dimmable (DALI) LED Strip RGB+W, 42W, RGB 871lm + W 1600lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	1992310A	25 819	32 274	RGBW: satinised aluminium, DALI
	1992330A	25 819	32 274	RGBW: black, DALI
	1992360A	25 819	32 274	RGBW: bronze, DALI
	1992310APP	25 819	32 274	RGBW: satinised aluminium, Artemide APP
	1992330APP	25 819	32 274	RGBW: black, Artemide APP
	1992360APP	25 819	32 274	RGBW: bronze, Artemide APP
 DISCOVERY VERTICAL 70 WHITE VIOLET INTEGRALIS SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED Day mode 2700K, 42W, 1852lm, CRI= 80 LED Night mode 42W Dimmable (APP) Materials: technopolymer, aluminum	1992210IN1APP	28 934	36 168	satinised aluminium, Artemide APP
	1992230IN1APP	28 934	36 168	black, Artemide APP
	1992260IN1APP	28 934	36 168	bronze, Artemide APP
 DISCOVERY VERTICAL 100 SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED 3000K, 60W, 4859lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 60W, 4859lm, CRI=90 Dimmable (Push & APP) Materials: technopolymer, aluminum	1993010A	25 555	31 944	satinised aluminium, Push/DALI
	1993030A	25 555	31 944	black, Push/DALI
	1993060A	25 555	31 944	bronze, Push/DALI
	1993010APP	25 555	31 944	satinised aluminium, Push & Artemide APP
	1993030APP	25 555	31 944	black, Push & Artemide APP
	1993060APP	25 555	31 944	bronze, Push & Artemide APP
 DISCOVERY VERTICAL 100 TW SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED Strip 2700-6500K, 71W, warm 4637lm - cold 4775lm, CRI=80 Dimmable (DALI DT8) LED Strip 2700-6500K, 71W, warm 4637lm - cold 4775lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	1993210A	35 904	44 880	TW: satinised aluminium, DALI DT8
	1993230A	35 904	44 880	TW: black, DALI DT8
	1993260A	35 904	44 880	TW: bronze, DALI DT8
	1993210APP	35 904	44 880	TW: satinised aluminium, Artemide APP
	1993230APP	35 904	44 880	TW: black, Artemide APP
	1993260APP	35 904	44 880	TW: bronze, Artemide APP
 DISCOVERY VERTICAL 100 RGBW SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED Strip RGB+W, 59W, RGB 1106lm + W 2033lm, CRI=80 Dimmable (DALI) LED Strip RGB+W, 59W, RGB 1106lm + W 2033lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	1993310A	35 904	44 880	RGBW: satinised aluminium, DALI
	1993330A	35 904	44 880	RGBW: black, DALI
	1993360A	35 904	44 880	RGBW: bronze, DALI
	1993310APP	35 904	44 880	RGBW: satinised aluminium, Artemide APP
	1993330APP	35 904	44 880	RGBW: black, Artemide APP
	1993360APP	35 904	44 880	RGBW: bronze, Artemide APP






	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 DISCOVERY VERTICAL 100 WHITE VIOLET INTEGRALIS SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED Day mode 2700K, 60W, 2646lm, CRI= 80 LED Night mode 60W Dimmable (APP) Materials: technopolymer, aluminum	1993210IN1APP	40 234	50 293	satinised aluminium, Artemide APP
	1993230IN1APP	40 234	50 293	black, Artemide APP
	1993260IN1APP	40 234	50 293	bronze, Artemide APP
 DISCOVERY VERTICAL 140 SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED 3000K, 80W, 6762lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 80W, 6762lm, CRI=90 Dimmable (Push & APP) Materials: technopolymer, aluminum	1994010A	36 432	45 540	satinised aluminium, Push/DALI
	1994030A	36 432	45 540	black, Push/DALI
	1994060A	36 432	45 540	bronze, Push/DALI
	1994010APP	36 432	45 540	satinised aluminium, Push & Artemide APP
	1994030APP	36 432	45 540	black, Push & Artemide APP
	1994060APP	36 432	45 540	bronze, Push & Artemide APP
 DISCOVERY VERTICAL 140 TW SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED Strip 2700-6500K, 84W, warm 5487lm - cold 5650lm, CRI=80 Dimmable (DALI DT8) LED Strip 2700-6500K, 84W, warm 5487lm - cold 5650lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	1994210A	40 867	51 084	TW: satinised aluminium, DALI DT8
	1994230A	40 867	51 084	TW: black, DALI DT8
	1994260A	40 867	51 084	TW: bronze, DALI DT8
	1994210APP	40 867	51 084	TW: satinised aluminium, Artemide APP
	1994230APP	40 867	51 084	TW: black, Artemide APP
	1994260APP	40 867	51 084	TW: bronze, Artemide APP
 DISCOVERY VERTICAL 140 RGBW SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED Strip RGB+W, 79W, RGB 1453lm + W 2670lm, CRI=80 Dimmable (DALI) LED Strip RGB+W, 79W, RGB 1453lm + W 2670lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	1994310A	40 867	51 084	RGBW: satinised aluminium, DALI
	1994330A	40 867	51 084	RGBW: black, DALI
	1994360A	40 867	51 084	RGBW: bronze, DALI
	1994310APP	40 867	51 084	RGBW: satinised aluminium, Artemide APP
	1994330APP	40 867	51 084	RGBW: black, Artemide APP
	1994360APP	40 867	51 084	RGBW: bronze, Artemide APP
 DISCOVERY VERTICAL 140 WHITE VIOLET INTEGRALIS SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED Day mode 2700K, 84W, 3704lm, CRI= 80 LED Night mode 84W Dimmable (APP) Materials: technopolymer, aluminum	1994210IN1APP	45 830	57 288	satinised aluminium, Artemide APP
	1994230IN1APP	45 830	57 288	black, Artemide APP
	1994260IN1APP	45 830	57 288	bronze, Artemide APP






SUSPENSION LAMPS




	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 DISCOVERY SPACE SQUARE Ernesto Gismondi Suspension lamp IP 20 LED Strip, 3000K, 34W, 1955lm, CRI=90 Dimmable (Push/DALI) LED Strip, 3000K, 34W, 1955lm, CRI=90 Dimmable (Push & APP) Materials: technopolymer, aluminum	2004010A	24 394	30 493	Square white: satinised aluminium, Push/DALI
	2004030A	24 394	30 493	Square white: black, Push/DALI
	2004060A	24 394	30 493	Square white: bronze, Push/DALI
	2004010APP	24 394	30 493	Square white: satinised aluminium, Push & Artemide APP
	2004030APP	24 394	30 493	Square white: black, Push & Artemide APP
	2004060APP	24 394	30 493	Square white: bronze, Push & Artemide APP
 DISCOVERY SPACE SQUARE TW Ernesto Gismondi Suspension lamp IP 20 LED Strip 2700-6500K 44W, warm 2579lm - cold 2739lm, CRI=80 Dimmable (DALI DT8) LED Strip 2700-6500K 44W, warm 2579lm - cold 2739lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	2000010A	35 904	44 880	Square TW: satinised aluminium, DALI DT8
	2000030A	35 904	44 880	Square TW: black, DALI DT8
	2000060A	35 904	44 880	Square TW: bronze; DALI DT8
	2000010APP	35 904	44 880	Square TW: satinised aluminium, Artemide APP
	2000030APP	35 904	44 880	Square TW: black, Artemide APP
	2000060APP	35 904	44 880	Square TW: bronze, Artemide APP
 DISCOVERY SPACE SQUARE SPOT TW Ernesto Gismondi Suspension lamp IP 20 LED Strip 2700-6500K 42W, warm 2580lm - cold 2749lm, CRI=80 + Spot: LED 3000K, 23W, 1703lm(16°), 1721lm (22°) Dimmable (APP) Materials: technopolymer, aluminum	2030030APP	28 512	35 640	black, Artemide APP
 DISCOVERY SPACE SQUARE RGBW Ernesto Gismondi Suspension lamp IP 20 LED Strip RGBW, 36W, RGB 621lm + 1087lm, CRI=80 Dimmable (DALI) LED Strip RGBW, 36W, RGB 621lm + 1087lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	2001010A	35 904	44 880	Square RGBW: satinised aluminium, DALI
	2001030A	35 904	44 880	Square RGBW: black, DALI
	2001060A	35 904	44 880	Square RGBW: bronze, DALI
	2001010APP	35 904	44 880	Square RGBW: satinised aluminium, Artemide APP
	2001030APP	35 904	44 880	Square RGBW: black, Artemide APP
	2001060APP	35 904	44 880	Square RGBW: bronze, Artemide APP
 DISCOVERY SPACE SQUARE WHITE VIOLET INTEGRALIS Ernesto Gismondi Suspension lamp IP 20 LED Day mode 2700K, 42W, 1852lm, CRI= 80 LED Night mode 42W Dimmable (APP) Materials: technopolymer, aluminum	2000010IN1APP	38 808	48 510	Square Integralis: satinised aluminium, Artemide APP
	2000030IN1APP	38 808	48 510	Square Integralis: black, Artemide APP
	2000060IN1APP	38 808	48 510	Square Integralis: bronze, Artemide APP






SUSPENSION LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 DISCOVERY SPACE RECTANGULAR Ernesto Gismondi Suspension lamp IP 20 LED Strip 3000K, 52W, 4003lm, CRI=90 Dimmable (Push/DALI) LED Strip 3000K, 52W, 4003lm, CRI=90 Dimmable (Push & APP) Materials: technopolymer, aluminum	2005010A	28 037	35 046	Rect. white: satinised aluminium, Push/DALI
	2005030A	28 037	35 046	Rect. white: black, Push/DALI
	2005060A	28 037	35 046	Rect. white: bronze, Push/DALI
	2005010APP	28 037	35 046	Rect. white: satinised aluminium, Push & Artemide APP
	2005030APP	28 037	35 046	Rect. white: black, Push & Artemide APP
	2005060APP	28 037	35 046	Rect. white: bronze, Push & Artemide APP
 DISCOVERY SPACE RECTANGULAR TW Ernesto Gismondi Suspension lamp IP 20 LED Strip 2700-6500K, 62W, warm 3555lm - cold 3775lm, CRI=80 Dimmable (DALI DT8) LED Strip 2700-6500K, 62W, warm 3555lm - cold 3775lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	2002010A	42 240	52 800	Rect. TW: satinised aluminium, DALI DT8
	2002030A	42 240	52 800	Rect. TW: black, DALI DT8
	2002060A	42 240	52 800	Rect. TW: bronze, DALI DT8
	2002010APP	42 240	52 800	Rect. TW: satinised aluminium, Artemide APP
	2002030APP	42 240	52 800	Rect. TW: black, Artemide APP
	2002060APP	42 240	52 800	Rect. TW: bronze, Artemide APP
 DISCOVERY SPACE RECTANGULAR SPOT TW Ernesto Gismondi Suspension lamp IP 20 LED Strip 2700-6500K 57W, warm 3557lm - cold 3789lm, CRI=80 + Spot: LED 3000K, 23W, 1703lm (16°), 1721lm (22°) Dimmable (APP) Materials: technopolymer, aluminum	2031030APP	34 848	43 560	black, Artemide APP
 DISCOVERY SPACE RECTANGULAR RGBW Ernesto Gismondi Suspension lamp IP 20 LED Strip RGBW, 54W, RGB 968lm + 1695lm, CRI=80 Dimmable (DALI) LED Strip RGBW, 54W, RGB 968lm + 1695lm, CRI=80 Dimmable (APP) Materials: technopolymer, aluminum	2003010A	39 442	49 303	Rect. RGBW: satinised aluminium, DALI
	2003030A	39 442	49 303	Rect. RGBW: black, DALI
	2003060A	39 442	49 303	Rect. RGBW: bronze, DALI
	2003010APP	39 442	49 303	Rect. RGBW: satinised aluminium, Artemide APP
	2003030APP	39 442	49 303	Rect. RGBW: black, Artemide APP
	2003060APP	39 442	49 303	Rect. RGBW: bronze, Artemide APP
 DISCOVERY SPACE RECTANGULAR WHITE VIOLET INTEGRALIS Ernesto Gismondi Suspension lamp IP 20 LED Day mode 2700K, 63W, 2778lm, CRI= 80 LED Night mode 63W Dimmable (APP) Materials: technopolymer, aluminum	2002010IN1APP	45 830	57 288	Rect. Integralis: satinised aluminium, Artemide APP
	2002030IN1APP	45 830	57 288	Rect. Integralis: black, Artemide APP
	2002060IN1APP	45 830	57 288	Rect. Integralis: bronze, Artemide APP


	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 DREISPITZ HORIZONTAL 120 - 3 DIFFUSED Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 42W, 4408/4931lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1850000A	21 754	27 193	silver
	1850010A	21 754	27 193	green
	1850030A	21 754	27 193	black
				NEW
 DREISPITZ HORIZONTAL 150 - 3 DIFFUSED Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 56W, 5610/6275lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1851000A	24 499	30 624	silver
	1851010A	24 499	30 624	green
	1851030A	24 499	30 624	black
				NEW
 DREISPITZ HORIZONTAL 120 - 2 DIFFUSED Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 29W, 2939/3287lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1852000A	16 738	20 923	silver
	1852010A	16 738	20 923	green
	1852030A	16 738	20 923	black
				NEW
 DREISPITZ HORIZONTAL 150 - 2 DIFFUSED Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 33W, 3740/4183lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1853000A	20 064	25 080	silver
	1853010A	20 064	25 080	green
	1853030A	20 064	25 080	black
				NEW
 DREISPITZ HORIZONTAL 120 - 1 CONTROLLED Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 19W, 1860lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1854000A	12 830	16 038	silver
	1854010A	12 830	16 038	green
	1854030A	12 830	16 038	black
				NEW
 DREISPITZ HORIZONTAL 150 - 1 CONTROLLED Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 23W, 2325lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1855000A	14 467	18 084	silver
	1855010A	14 467	18 084	green
	1855030A	14 467	18 084	black
				NEW

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 DREISPITZ HORIZONTAL 120 - 1 CONTROLLED + 2 DIFFUSED Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 47W, 4799/5147lm, CRI=90 Dimmable (DALI) LED 3000K, 55W, 6065/6508lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1856000A	22 282	27 853	silver
	1856010A	22 282	27 853	green
	1856030A	22 282	27 853	black
	1857000A	25 080	31 350	silver
	1857010A	25 080	31 350	green
	1857030A	25 080	31 350	black
				NEW
 DREISPITZ VERTICAL 90 Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 30W, 3206/3586lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1858000A	18 374	22 968	silver
	1858010A	18 374	22 968	green
	1858030A	18 374	22 968	black
				NEW
 DREISPITZ VERTICAL 120 Herzog & de Meuron Suspension lamp IP 20 LED 3000K, 40W, 4408/4931lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1859000A	22 282	27 853	silver
	1859010A	22 282	27 853	green
	1859030A	22 282	27 853	black
				NEW
 EL PORIS Herzog & de Meuron Suspension lamp IP 20 LED DIM 12X15W (E27)  Materials: steel, ABS	1085030A	43 771	54 714	black
 EL PORIS 80 Herzog & de Meuron Suspension lamp IP 20 LED DIM 8X15W (E27)  Materials: steel, ABS	1086030A	31 997	39 996	black
 EMPATIA 16 SUSPENSION Carlotta de Bevilacqua, Paola di Arianello Suspension lamp IP 20 LED 3000K, 11W, 567lm, CRI=90 Materials: blown glass, methacrylate, aluminum	1815010A	8 818	11 023	transparent smoked diffuser, white structure

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 EMPATIA 26 SUSPENSION Carlotta de Bevilacqua, Paola di Arianello Suspension lamp IP 20 LED 3000K, 16W, 710lm, CRI=90 Dimmable (Push) Materials: blown glass, methacrylate, aluminum	1819010A	12 672	15 840	transparent smoked diffuser, white structure
 EMPATIA 36 SUSPENSION Carlotta de Bevilacqua, Paola di Arianello Suspension lamp IP 20 LED 3000K, 24W, 1273lm, CRI=90 Dimmable (Push) Materials: blown glass, methacrylate, aluminum	1823010A	16 315	20 394	transparent smoked diffuser, white structure
 FALKLAND Bruno Munari Suspension lamp IP 20 LED DIM 1xMAX 8W (E27)  Dimmable Materials: elastic fabric, aluminum	DANESI MILANO DS2040RIF	1 795	2 244	aluminium grey structure
	DS2040CRC	1 742	2 178	fabric 165 + inox hoops
	DS2040CRCI	1 795	2 244	fireproof fabric 165 + inox hoops
				Complete lamp consists of 2 items.
 FALKLAND 85 Bruno Munari Suspension lamp IP 20 LED DIM 1xMAX 8W (E27)  Dimmable Materials: elastic fabric, aluminum	DANESI MILANO DS2040RIF	1 795	2 244	aluminium grey structure
	DS2040CCRC	1 056	1 320	fabric 85 + metal hoops inox
	DS2040CCRCI	1 162	1 453	fireproof fabric 85 + metal hoops inox
				Complete lamp consists of 2 items.
 FALKLAND 53 Bruno Munari Suspension lamp IP 20 LED DIM 1xMAX 8W (E27)  Dimmable Materials: elastic fabric, aluminum	DANESI MILANO DS2040RIF	1 795	2 244	aluminium grey structure
	DS2040DCRC	898	1 123	fabric 53 + metal hoops inox
	DS2040DCRCI	950	1 188	fireproof fabric 53 + metal hoops inox
				Complete lamp consists of 2 items.
 FEBE SUSPENSION Ernesto Gismondi, Daniele Moioli Suspension lamp IP 20 LED 2700K, 30W, 2182lm, CRI=90 Dimmable (Push) LED 3000K, 30W, 2260lm, CRI=90 Dimmable (Push) Materials: methacrylate, polycarbonate	0242W00A	10 877	13 596	2700K, white
	0242000A	10 877	13 596	3000K, white
	0242W20A	10 877	13 596	2700K, dove grey
	0242020A	10 877	13 596	3000K, dove grey

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 FLEXIA SUSPENSION Mario Cucinella Suspension lamp IP 20 LED 3000K, 65W, 6475lm, CRI=90 Dimmable (Push/1-10/DALI) LED 3000K, 65W, 6475lm, CRI=90 Dimmable (Push & APP) Materials: PMMA, aluminum, polyester	CC10000	27 984	34 980	green
	CC10300	27 984	34 980	light blue
	CC10400	27 984	34 980	orange
	CC90000	5 478	6 848	ceiling rose
	CC90000APP	5 478	6 848	ceiling rose, Artemide APP
 GIO LIGHT SUSPENSION Patrick Norguet Suspension lamp IP 20 LED 3000K, 9W, 425lm, CRI=90 Materials: aluminum, glass	0230510A	3 590	4 488	white
	0230520A	3 590	4 488	black
 GIO LIGHT DECENTRATA Patrick Norguet Suspension lamp IP 20 LED 3000K, 9W, 425lm, CRI=90 Materials: aluminum, glass	0231510A	4 171	5 214	white
	0231520A	4 171	5 214	black
 GIO LIGHT CLUSTER Patrick Norguet Suspension lamp IP 20 LED 3000K, 23W, 1274lm, CRI=90 Materials: aluminum, glass	0232510A	9 504	11 880	white
	0232520A	9 504	11 880	black
 GOPLE SUSPENSION BIG Suspension lamp IP 20 LED DIM 1xMAX 20W (E27)  Dimmable Materials: aluminum, white blown glass with nuances or blown glass with PVD treatment	1405010A	11 458	14 323	structure and diffuser silver PVD
	1405020A	9 398	11 748	silver structure and nuanced white diffuser
	1405040A	11 458	14 323	silver structure and copper diffuser PVD
	1405050A	11 458	14 323	silver structure and blue sapphire diffuser PVD
	1405060A	11 458	14 323	silver structure and bronze diffuser PVD
	1405220A	9 293	11 616	white structure and nuanced white diffuser
	1405340A	11 352	14 190	black structure and copper diffuser PVD
	1405350A	11 352	14 190	black structure and blue sapphire diffuser PVD
	1405360A	11 352	14 190	black structure and bronze diffuser PVD
 GOPLE MINI SUSPENSION BIG Suspension lamp IP 20 LED DIM 1xMAX 6W (E14)  Dimmable Materials: aluminum, white blown glass with nuances or blown glass with PVD treatment	1406010A	6 758	8 448	structure and diffuser silver PVD
	1406020A	5 650	7 063	silver structure and nuanced white diffuser
	1406040A	6 758	8 448	silver structure and copper diffuser PVD
	1406050A	6 758	8 448	silver structure and blue sapphire diffuser PVD
	1406060A	6 758	8 448	silver structure and bronze diffuser PVD
	1406220A	5 544	6 930	white structure and nuanced white diffuser
	1406340A	6 600	8 250	black structure and copper diffuser PVD
	1406350A	6 600	8 250	black structure and blue sapphire diffuser PVD
	1406360A	6 600	8 250	black structure and bronze diffuser PVD

SUSPENSION LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 GOPLE RWB SUSPENSION BIG Suspension lamp IP 20 direct: LED RWB, 21W, 1170lm + indirect: LED 3000K, 11W, 600lm, CRI=90 Dimmable (DALI) direct: LED RWB, 21W, 1170lm + indirect: LED 3000K, 11W, 600lm, CRI=90 Dimmable (APP) direct: LED RWB, 21W, 1170lm + indirect: LED 3000K, 11W, 600lm, CRI=90 Dimmable (DMX) Materials: aluminum, blown glass	1407010A	22 810	28 513	RWB/DALI: white diffuser
	1407010APP	21 701	27 126	RWB/APP: white diffuser, Artemide APP
	1407110A	22 493	28 116	RWB/DMX: white diffuser
 ILIO 36 SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED 2700K, 14W, 1366lm, CRI=90 LED 3000K, 14W, 1443lm, CRI=90 Materials: aluminum, technopolymer	1758W10A	7 762	9 703	2700K, rubin red, Push/DALI
	1758010A	7 762	9 703	3000K, rubin red, Push/DALI
	1758W10APP	9 240	11 550	2700K, rubin red, Push & Artemide APP
	1758010APP	9 240	11 550	3000K, rubin red, Push & Artemide APP
	1758W20A	7 762	9 703	2700K, glossy white, Push/DALI
	1758020A	7 762	9 703	3000K, glossy white, Push/DALI
	1758W20APP	9 240	11 550	2700K, glossy white, Push & Artemide APP
	1758020APP	9 240	11 550	3000K, glossy white, Push & Artemide APP
	1758W30A	7 762	9 703	2700K, glossy black, Push/DALI
	1758030A	7 762	9 703	3000K, glossy black, Push/DALI
	1758W30APP	9 240	11 550	2700K, glossy black, Push & Artemide APP
	1758030APP	9 240	11 550	3000K, glossy black, Push & Artemide APP
 ILIO 45 SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED 2700K, 14W, 1366lm, CRI=90 LED 3000K, 14W, 1443lm, CRI=90 Materials: aluminum, technopolymer	1759W10A	7 973	9 966	2700K, rubin red, Push/DALI
	1759010A	7 973	9 966	3000K, rubin red, Push/DALI
	1759W10APP	9 451	11 814	2700K, rubin red, Push & Artemide APP
	1759010APP	9 451	11 814	3000K, rubin red, Push & Artemide APP
	1759W20A	7 973	9 966	2700K, glossy white, Push/DALI
	1759020A	7 973	9 966	3000K, glossy white, Push/DALI
	1759W20APP	9 451	11 814	2700K, glossy white, Push & Artemide APP
	1759020APP	9 451	11 814	3000K, glossy white, Push & Artemide APP
	1759W30A	7 973	9 966	2700K, glossy black, Push/DALI
	1759030A	7 973	9 966	3000K, glossy black, Push/DALI
	1759W30APP	9 451	11 814	2700K, glossy black, Push & Artemide APP
	1759030APP	9 451	11 814	3000K, glossy black, Push & Artemide APP
 IPNO SUSPENSION Michele De Lucchi Suspension lamp IP 20 LED 3000K, 27W, 1163lm, CRI=90 Dimmable (Push) Materials: aluminum, methacrylate	1846030A	11 299	14 124	transparent optic, gold/black structure

NEW





NEW

LED Not replaceable integrated LED source

 Included source

 Excluded source








SUSPENSION LAMPS






		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 min 800 / max 2000 90 Ø200	ITKA 20 SUSPENSION Naoto Fukasawa Suspension lamp IP 20 LED 1xMAX 5,5W (Gx53)  Materials: blown glass, steel	 DX0060O10	4 224	5 280	white
 min 800 / max 2000 125 Ø350	ITKA 35 SUSPENSION Naoto Fukasawa Suspension lamp IP 20 LED 3xMAX 6W (E14)  Materials: blown glass, steel	 DX0060A10	6 706	8 383	white
 min 800 / max 2000 170 Ø500	ITKA 50 SUSPENSION Naoto Fukasawa Suspension lamp IP 20 LED 3xMAX 12W (E27)  Materials: blown glass, steel	 DX0060B10	8 976	11 220	white
 240 max 2000 450 520	LAMPADA ESAGONALE 52 Bruno Munari Suspension lamp IP 20 LED DIM 1xMAX 12W (E27)  Dimmable Materials: aluminum	 DM2004A00	7 339	9 174	aluminium
 300 max 2000 710 820	LAMPADA ESAGONALE 82 Bruno Munari Suspension lamp IP 20 LED DIM 1xMAX 12W (E27)  Dimmable Materials: aluminum	 DM2004B00	10 718	13 398	aluminium
 24 min 500 - max 2000 650	LED NET CIRCLE SUSPENSION Michele De Lucchi, Alberto Nason Suspension lamp IP 20 LED 3000K, 43W, 2502lm, CRI=80 Dimmable (Push & APP) Materials: aluminum, methacrylate	1575050APP	21 067	26 334	glossy white, Push & Artemide APP
 min 500 - max 2000 24 285 1256	LED NET LINE 125 SUSPENSION Michele De Lucchi, Alberto Nason Suspension lamp IP 20 LED 3000K, 45W, 2530lm, CRI=80 Dimmable (Push & APP) Materials: aluminum, methacrylate	1578050APP	21 859	27 324	glossy white, Push & Artemide APP






LED Not replaceable integrated LED source



 Included source








 Excluded source







		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS					
	LOGICO SUSPENSION	0453020A	11 563	14 454	glass with silk effect diffuser
	Michele De Lucchi, Gerhard Reichert Suspension lamp	0453010A	11 563	14 454	fumé glass diffuser
	IP 20 LED DIM 1xMAX 12W (E27)  Dimmable Materials: blown glass, aluminum				
	LOGICO SUSPENSION 3 in linea	0455020A	30 413	38 016	glass with silk effect diffusers
	Michele De Lucchi, Gerhard Reichert Suspension lamp	0455010A	30 413	38 016	smoked glass diffusers
	IP 20 LED DIM 3xMAX 12W (E27)  Dimmable Materials: blown glass, aluminum				
	LOGICO SUSPENSION 3x120°	0454020A	29 462	36 828	glass with silk effect diffusers
	Michele De Lucchi, Gerhard Reichert Suspension lamp	0454010A	29 462	36 828	smoked glass diffusers
	IP 20 LED DIM 3xMAX 12W (E27)  Dimmable Materials: blown glass, aluminum				
	LOGICO MINI SUSPENSION	0696020A	7 181	8 976	glass with silk effect diffusers
	Michele De Lucchi, Gerhard Reichert Suspension lamp				
	LOGICO MINI SUSPENSION 3 in linea	0697020A	17 741	22 176	glass with silk effect diffusers
	Michele De Lucchi, Gerhard Reichert Suspension lamp				
	LOGICO MINI SUSPENSION 3x120°	0698020A	17 107	21 384	glass with silk effect diffusers
	Michele De Lucchi, Gerhard Reichert Suspension lamp				
	IP 20 LED DIM 3xMAX 12W (E27)  Dimmable Materials: blown glass, aluminum				

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 LOOK AT ME 21 SUSPENSION Alida Catella & Silvio De Ponte Suspension lamp IP 20 LED 3000K, 20W, 478lm, CRI=90 Dimmable (Push) Materials: methacrylate, aluminium, steel	1450010A	8 342	10 428	black structure and diffuser, Push
 LOOK AT ME 21 CLUSTER Alida Catella & Silvio De Ponte Suspension lamp IP 20 LED 3000K, 50W, 1380lm, CRI=90 Dimmable (Push/APP) Materials: methacrylate, aluminium, steel	1452010APP	22 493	28 116	black structure and diffuser, Push & Artemide APP
 LOOK AT ME 35 SUSPENSION Alida Catella & Silvio De Ponte Suspension lamp IP 20 LED 3000K, 20W, 692lm, CRI=90 Dimmable (Push) Materials: methacrylate, aluminium, steel	1451010A	9 768	12 210	black structure and diffuser, Push
 LOOK AT ME 35 CLUSTER Alida Catella & Silvio De Ponte Suspension lamp IP 20 LED 3000K, 50W, 1905lm, CRI=90 Dimmable (Push/APP) Materials: methacrylate, aluminium, steel	1453010APP	23 813	29 766	black structure and diffuser, Push & Artemide APP
 LOOK AT ME 21 TRACK SUSPENSION SYSTEM Alida Catella & Silvio De Ponte	1459100A	2 640	3 300	track length 1mt.
	1459200A	4 541	5 676	track length 2mt.
	1459300A	6 389	7 986	track length 3mt.
	1458500A	9 768	12 210	accessory: ceiling rose, DALI/0-10/Push
	1458500APP	9 768	12 210	accessory: ceiling rose, Artemide APP
	1458200A	2 640	3 300	accessory: flexible powered joint
	1458300A	1 003	1 254	accessory: linear powered joint
	1458400A	898	1 123	accessory: suspension kit
	1458700A	1 056	1 320	accessory: ceiling fixing kit
	1458600A	9 768	12 210	accessory: recessed rose, DALI/0-10/Push
	1458600APP	9 768	12 210	accessory: recessed rose, Artemide APP
	1458800A	9 240	11 550	accessory: remote rose, DALI/0-10/Push
	1458800APP	9 240	11 550	accessory: remote rose, Artemide APP








	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 LOOK AT ME 21 TRACK Alida Catella & Silvio De Ponte Suspension lamp IP 20 LED 3000K, 20W, 478lm, CRI=90 Dimmable (DART) Materials: methacrylate, aluminium, steel	1454010A	8 026	10 033	black structure and diffuser, DART
 LOOK AT ME 21 TRACK SUSPENSION Alida Catella & Silvio De Ponte Track suspension system IP 20 LED 3000K, 20W, 478lm, CRI=90 Dimmable (DART) Materials: methacrylate, aluminium, steel	1456010A	9 029	11 286	black structure and diffuser, DART
 LOOK AT ME 35 TRACK Alida Catella & Silvio De Ponte Suspension lamp IP 20 LED 3000K, 20W, 692lm, CRI=90 Dimmable (DART) Materials: methacrylate, aluminium, steel	1455010A	9 398	11 748	black structure and diffuser, DART
 LOOK AT ME 35 TRACK SUSPENSION Alida Catella & Silvio De Ponte Track suspension system IP 20 LED 3000K, 20W, 692lm, CRI=90 Dimmable (DART) Materials: methacrylate, aluminium, steel	1457010A	10 560	13 200	black structure and diffuser, DART
 MERCURY LED SUSPENSION Ross Lovegrove Suspension lamp IP 20 LED 2700K, 2x29W, 2893lm, CRI=90 Dimmable (Push) LED 3000K, 2x29W, 3094lm, CRI=90 Dimmable (Push) Materials: aluminum, ABS, steel	1367W10A	39 917	49 896	2700K, polished chrome brilliant
	1367110A	39 917	49 896	3000K, polished chrome brilliant
 MERCURY MINI LED SUSPENSION Ross Lovegrove Suspension lamp IP 20 LED 2700K, 29W, 1447lm, CRI=90 Dimmable (Push) LED 3000K, 29W, 1547lm, CRI=90 Dimmable (Push) Materials: aluminum, ABS, steel	1477W10A	19 853	24 816	2700K, polished chrome brilliant
	1477110A	19 853	24 816	3000K, polished chrome brilliant

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
	METEORITE 15 SUSPENSION Pio & Tito Toso Suspension lamp IP 20 LED DIM 1xMAX 6W (E14) ✕ Dimmable Materials: blown glass, technopolymer	1710110A	3 590	4 488 (E14): white
	METEORITE 35 SUSPENSION Pio & Tito Toso Suspension lamp IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmable Materials: blown glass, technopolymer	1702010A	6 494	8 118 white
	METEORITE 48 SUSPENSION Pio & Tito Toso Suspension lamp IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmable Materials: blown glass, technopolymer	1713010A	10 190	12 738 white
	MICONOS SUSPENSION Ernesto Gismondi Suspension lamp IP 20 LED DIM 1xMAX 14W (E27) ✕ Dimmable Materials: blown glass, steel	A031000	6 706	8 383 crystal diffuser, polished chrome structure
		A031010	6 706	8 383 crystal diffuser, brass satinised structure
	MINOMUSHI SUSPENSION Issey Miyake + Reality Lab IN-EI suspension lamp IP 20 LED 3000K, 30W, 2527lm, CRI=90 Dimmable (Push) Materials: PET, methacrylate, steel, polycarbonate	1697010A	20 117	25 146 white
	nh S1 14 Neri&Hu Suspension lamp IP 20 LED DIM 1xMAX 5W (E14) ✕ Dimmable Materials: blown glass, brass, steel	1272010A	5 280	6 600 white diffuser, brushed brass body, black structure






	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 nh S2 14 Neri&Hu Suspension lamp IP 20 LED DIM 1xMAX 5W (E14) ✕ Dimmable Materials: blown glass, brass, steel	1274010A	5 438	6 798	white diffuser, brushed brass body, black structure
 nh S3 14 CLUSTER Neri&Hu Suspension lamp IP 20 LED DIM 3xMAX 5W (E14) ✕ Dimmable Materials: blown glass, brass, steel	1276010A	13 147	16 434	white diffuser, brushed brass body, black structure
 nh S1 22 Neri&Hu Suspension lamp IP 20 LED DIM 1xMAX 15W (E27) ✕ Dimmable Materials: blown glass, brass, steel	1273010A	5 597	6 996	white diffuser, brushed brass body, black structure
 nh S2 22 Neri&Hu Suspension lamp IP 20 LED DIM 1xMAX 15W (E27) ✕ Dimmable Materials: blown glass, brass, steel	1275010A	5 702	7 128	white diffuser, brushed brass body, black structure
 nh 14 SUSPENSION Neri&Hu Suspension lamp IP 20 LED DIM 1xMAX 5W (E14) ✕ Dimmable Materials: blown glass, steel	1280010A	4 805	6 006	white diffuser
 nh 22 SUSPENSION Neri&Hu Suspension lamp IP 20 LED DIM 1xMAX 15W (E27) ✕ Dimmable Materials: blown glass, steel	1281010A	5 702	7 128	white diffuser
 nh 35 SUSPENSION Neri&Hu Suspension lamp IP 20 LED DIM 1xMAX 20W (E27) ✕ Dimmable Materials: blown glass, steel	1283010A	6 653	8 316	white diffuser

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 nh S3 2 ARMS Neri&Hu Suspension lamp IP 20 LED DIM 2xMAX15W (E27) ✕ Dimmable Materials: blown glass, brass, steel	1282010A	8 501	10 626	white diffuser
 nh S4 CIRCULAIRE Neri&Hu Suspension lamp IP 20 LED DIM 2xMAX 5W (E14) + LED 1xMAX 15W (E27) ✕ Dimmable Materials: blown glass, brass, steel	1278010A	18 691	23 364	white diffuser, brushed brass body, black structure
 nh S5 ELLIPTIC Neri&Hu Suspension lamp IP 20 LED DIM 2xMAX 15W (E27) + LED 4xMAX 5W (E14) ✕ Dimmable Materials: blown glass, brass, steel	1279010A	28 987	36 234	white diffuser, brushed brass body, black structure
 NUR Ernesto Gismondi Suspension lamp IP 20 LED DIM 1xMAX 23W (E27) ✕ Dimmable Materials: aluminum, glass	A240600	9 398	11 748	anthracite grey
	A240610	7 181	8 976	aluminium grey
	A249300	2 482	3 103	accessory: coloured filter
	A249400	1 214	1 518	accessory: anti-dazzle dome
 NUR LED Ernesto Gismondi Suspension lamp IP 20 LED 2700K, 45W, 1882lm, CRI=90 Dimmable (Push & APP) Materials: aluminum, methacrylate, glass	A243300APP	11 510	14 388	anthracite grey, Artemide APP
	A243310APP	11 510	14 388	aluminium grey, Artemide APP
 NUR LED WHITE INTEGRALIS Ernesto Gismondi Suspension lamp IP 20 LED 5000K, 45W, 2423lm, CRI=90 Dimmable(APP) Materials: aluminum, methacrylate, glass	A243300INQAPP	11 510	14 388	anthracite grey, Artemide APP
	A243310INQAPP	11 510	14 388	aluminium grey, Artemide APP



SUSPENSION LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 NUR GLOSS Ernesto Gismondi Suspension lamp IP 20 LED DIM 1xMAX 23W (E27)  Dimmable Materials: aluminum, methacrylate, glass	A242100	8 290	10 363	gloss white
	A242110	10 296	12 870	gloss black
 NUR GLOSS LED Ernesto Gismondi Suspension lamp IP 20 LED 2700K, 45W, 2006lm, CRI=90 Dimmable (Push & APP) Materials: aluminum, methacrylate, glass	A243400APP	12 514	15 643	gloss white, Artemide APP
	A243410APP	14 678	18 348	gloss black, Artemide APP
 NUR 1618 Ernesto Gismondi Suspension lamp IP 20 LED DIM 2x11W (R7s)  Dimmable Materials: aluminum, methacrylate, glass	A242900	20 909	26 136	anthracite grey
	A242910	19 325	24 156	aluminium grey
 NUR 1618 LED Ernesto Gismondi Suspension lamp IP 20 LED 3000K, 80W, 4308lm, CRI=90 Dimmable (Push) Materials: aluminum, methacrylate, glass	A243200	26 347	32 934	anthracite grey
	A243210	24 922	31 153	aluminium grey
 NUR 1618 WHITE INTEGRALIS Ernesto Gismondi Suspension lamp IP 20 LED Integralis: 5000K, 80W, 4739lm, CRI=90 Dimmable (Push) Materials: aluminum, methacrylate, glass	A243200INO	26 347	32 934	anthracite grey
	A243210INO	24 922	31 153	aluminium grey
 NUR 1618 ACOUSTIC Ernesto Gismondi Suspension lamp IP 20 LED 3000K, 80W, 6151lm, CRI=90 Dimmable (Push) Materials: PET, methacrylate, glass	A243700	33 475	41 844	grey/inside white
	A243720	33 475	41 844	white/inside white
 NUR 1618 ACOUSTIC WHITE INTEGRALIS Ernesto Gismondi Suspension lamp IP 20 LED Integralis: 5000K, 80W, 6733lm, CRI=90 Dimmable (Push) Materials: PET, methacrylate, glass	A243700INO	33 475	41 844	grey/inside white
	A243720INO	33 475	41 844	white/inside white



SUSPENSION LAMPS






	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 NUR MINI Ernesto Gismondi Suspension lamp IP 20 LED DIM 1x11W (R7s)  Dimmable Materials: aluminum, glass	A244000	7 234	9 043	anthracite grey
	A244010	6 389	7 986	aluminium grey
	A247900	2 006	2 508	accessory: coloured filter
 NUR MINI LED Ernesto Gismondi Suspension lamp IP 20 LED 2700K, 30W, 1501lm, CRI=90 Dimmable (Push) Materials: aluminum, methacrylate, glass	A246300	9 398	11 748	anthracite grey
	A246310	8 712	10 890	aluminium grey
 NUR MINI GLOSS Ernesto Gismondi Suspension lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmable Materials: aluminum, polycarbonate, glass	A244900	6 864	8 580	gloss white
	A244910	7 814	9 768	gloss black
 NUR MINI GLOSS LED Ernesto Gismondi Suspension lamp IP 20 LED 2700K, 30W, 1287lm, CRI=90 Dimmable (Push) Materials: aluminum, methacrylate, glass	A246400	8 870	11 088	gloss white
	A246410	9 874	12 343	gloss black
 ORSA 21 Foster + Partners Suspension lamp IP 20 LED 3000K, 8,5W, 562lm, CRI=90 Materials: methacrylate, aluminum, steel	0351030A	5 544	6 930	transparent diffuser, black structure
 ORSA 35 Foster + Partners Suspension lamp IP 20 LED 3000K, 20W, 1861lm, CRI=90 Dimmable (Push) Materials: methacrylate, aluminum, steel	0352030A	7 762	9 703	transparent diffuser, black structure

SUSPENSION LAMPS





	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 ORSA CLUSTER 3 Foster + Partners Suspension lamp IP 20 LED 3000K, 22W, 1686lm, CRI=90 Dimmable (Push) Materials: methacrylate, aluminum, steel	0353030A	15 734	19 668	transparent diffuser, black structure, chrome ceiling rose
 ORSA CLUSTER 5 Foster + Partners Suspension lamp IP 20 LED 3000K, 37W, 2810lm, CRI=90 Dimmable (Push) Materials: methacrylate, aluminum, steel	0355030A	25 238	31 548	transparent diffuser, black structure, chrome ceiling rose
 PIPE LED SUSPENSION Herzog & de Meuron Suspension lamp IP 20 LED 2700K, 27W, 1763lm, CRI=90 Dimmable (Push) Materials: polycarbonate, steel, silicone	0672W10A	14 309	17 886	white translucent
 PIPE LED SUSPENSION WHITE INTEGRALIS Herzog & de Meuron Suspension lamp IP 20 LED Integralis: 5000K, 27W, 2143lm, CRI=90 Dimmable (Push) Materials: polycarbonate, steel, silicone	0672010IN0A	14 256	17 820	white translucent
 PIRCE SUSPENSION Giuseppe Maurizio Scutellà Suspension lamp IP 20 LED DIM 1x11W (R7s)  Dimmable Materials: aluminum	1239010A	11 880	14 850	white
 PIRCE LED SUSPENSION Giuseppe Maurizio Scutellà Suspension lamp IP 20 LED 2700K, 44W, 3097lm, CRI=90 Dimmable (Push) LED 3000K, 44W, 3313lm, CRI=90 Dimmable (Push) Materials: aluminum	1254W10A	16 685	20 856	2700K, white
	1254110A	16 685	20 856	3000K, white
	1254120A	16 685	20 856	3000K, gold

SUSPENSION LAMPS


	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 PIRCE MINI SUSPENSION Giuseppe Maurizio Scutellà Suspension lamp IP 20 LED DIM 1x11W (R7s)  Dimmable Materials: aluminum	1237010A	8 290	10 363	white
 PIRCE MINI LED SUSPENSION Giuseppe Maurizio Scutellà Suspension lamp IP 20 LED 2700K, 44W, 3097lm, CRI=90 Dimmable (Push) LED 3000K, 44W, 3313lm, CRI=90 Dimmable (Push) Materials: aluminum	1256W10A	12 936	16 170	2700K, white
	1256110A	12 936	16 170	3000K, white
	1256120A	12 936	16 170	3000K, gold
 PIRCE MICRO LED SUSPENSION Giuseppe Maurizio Scutellà Suspension lamp IP 20 LED 2700K, 27W, 2573lm, CRI=90 Dimmable (Push) LED 3000K, 27W, 2753lm, CRI=90 Dimmable (Push) Materials: aluminum	1249W10A	8 078	10 098	2700K, white
	1249010A	8 078	10 098	3000K, white
	1249020A	8 078	10 098	3000K, gold
 RIPPLE 50 SUSPENSION BIG Suspension lamp IP 20 LED 3000K, 50W, 3089lm, CRI=90 Dimmable (Push/1-10/DALI) LED 3000K, 50W, 3089lm, CRI=90 Dimmable (Push & APP) Materials: aluminum, technopolymer	2060010A	18 480	23 100	Ripple 50: white, Push/1-10/DALI
	2060010APP	19 219	24 024	Ripple 50: white, Push & Artemide APP
	2072120A	2 904	3 630	Ripple 50: diffuser with acoustic absorption h20cm
	2072020A	3 590	4 488	Ripple 50: diffuser with acoustic absorption h40cm
	2072220A	4 277	5 346	Ripple 50: diffuser with acoustic absorption h60cm
 RIPPLE 70 SUSPENSION BIG Suspension lamp IP 20 LED 3000K, 50W, 3339lm, CRI=90 Dimmable (Push/1-10/DALI) LED 3000K, 50W, 3339lm, CRI=90 Dimmable (Push & APP) Materials: aluminum, technopolymer	2061010A	21 226	26 533	Ripple 70: white, Push/1-10/DALI
	2061010APP	21 912	27 390	Ripple 70: white, Push & Artemide APP
	2073120A	3 485	4 356	Ripple 70: diffuser with acoustic absorption h20cm
	2073020A	4 435	5 544	Ripple 70: diffuser with acoustic absorption h40cm
	2073220A	5 174	6 468	Ripple 70: diffuser with acoustic absorption h60cm
 RIPPLE 90 SUSPENSION BIG Suspension lamp IP 20 LED 3000K, 50W, 3378lm, CRI=90 Dimmable (Push/1-10/DALI) LED 3000K, 50W, 3378lm, CRI=90 Dimmable (Push & APP) Materials: aluminum, technopolymer	2062010A	23 654	29 568	Ripple 90: white, Push/1-10/DALI
	2062010APP	24 446	30 558	Ripple 90: white, Push & Artemide APP
	2074120A	4 066	5 083	Ripple 90: diffuser with acoustic absorption h20cm
	2074020A	5 227	6 534	Ripple 90: diffuser with acoustic absorption h40cm
	2074220A	6 178	7 723	Ripple 90: diffuser with acoustic absorption h60cm

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
SUSPENSION LAMPS				
 RIPPLE CLUSTER 3 SUSPENSION BIG Suspension lamp IP 20 LED 3000K, 89W, 5806lm, CRI=90 Dimmable (Push/1-10/DALI) LED 3000K, 89W, 5806lm, CRI=90 Dimmable (Push & APP) Materials: aluminum, technopolymer	2063010A	56 179	70 224	Ripple Cluster 3 elements: white, Push/1-10/DALI
	2063010APP	56 179	70 224	Ripple Cluster 3 elements: white, Push & Artemide APP
	2072120A	2 904	3 630	Ripple 50: diffuser with acoustic absorption h20cm
	2072020A	3 590	4 488	Ripple 50: diffuser with acoustic absorption h40cm
	2072220A	4 277	5 346	Ripple 50: diffuser with acoustic absorption h60cm
	2073120A	3 485	4 356	Ripple 70: diffuser with acoustic absorption h20cm
	2073020A	4 435	5 544	Ripple 70: diffuser with acoustic absorption h40cm
	2073220A	5 174	6 468	Ripple 70: diffuser with acoustic absorption h60cm
	2074120A	4 066	5 083	Ripple 90: diffuser with acoustic absorption h20cm
	2074020A	5 227	6 534	Ripple 90: diffuser with acoustic absorption h40cm
	2074220A	6 178	7 723	Ripple 90: diffuser with acoustic absorption h60cm
 SCOPAS Neil Poulton Suspension lamp IP 20 LED 3000K, 80W, 2826lm, CRI=80 Dimmable (Push & APP) Materials: aluminum, methacrylate, ABS	1529010APP	44 458	55 573	white/black, Artemide APP
 SE ES SUSPENSION Carolina Gismondi dB, Daniele Moioli Suspension lamp IP 67 LED 3000K, 35W, 1138lm, CRI=90 Dimmable (Push & APP) Materials: steel, aluminum, optical silicone	T070310	24 420	30 525	mirrored
 SILENT FIELD 2.0 DIRECT+INDIRECT LIGHT Carlotta de Bevilacqua, Laura Pessoni Suspension lamp IP 20 direct: LED 3000K, 35W, 2085lm, CRI=90 + indirect: LED 3000K, 40W, 3191lm, CRI=90 Dimmable (Push & APP) Materials: PET, technopolymer	1013020APP	34 267	42 834	body white, Artemide APP
	1013040APP	34 267	42 834	body orange, Artemide APP
	1013030APP	34 267	42 834	body black, Artemide APP
 SLICING SUSPENSION 21 BIG Suspension lamp IP 65 LED 3000K, 14W, 418lm, CRI=90 Materials: aluminum, steel	T250310	13 134	16 418	
 SLICING SUSPENSION 42 BIG Suspension lamp IP 65 LED 3000K, 28W, 2149lm, CRI=90 Materials: aluminum, steel	T250410	20 130	25 163	





SUSPENSION LAMPS

 Ø206 46 286 max 2000 Ø630	SLICING SUSPENSION 63	T250510	24 618	30 773	
	BIG Suspension lamp IP 65 LED 3000K, 28W, 2149lm, CRI=90 Materials: aluminum, steel				
 Ø400 376 min 970 - max 1370 Ø550	SPECTRAL LIGHT	0341010A	105 758	132 198	transparent diffuser, chrome structure
	Philippe Rahm Suspension lamp IP 20 indirect: LED 3000K, 40W, 3027lm, CRI=90 + direct: LED 20W (emotional light) Dimmable (Push) Materials: blown glass, methacrylate, aluminum, steel				
 Ø98 130 max 2130 Ø135	STABLIGHT "A"	DAL0027M14	4 330	5 413	acquamarine diffuser, black structure
	Arik Levy Suspension lamp	DAL0027M80	4 330	5 413	brown diffuser, black structure
		DAL0027M12	4 330	5 413	green/amber diffuser, black structure
	IP 20 LED DIM 1xMAX 6,8W 36° PAR (GU10)  Dimmable Materials: blown glass, aluminum				
 Ø98 270 max 2270 Ø100	STABLIGHT "B"	DAL0027N14	5 227	6 534	acquamarine diffuser, black structure
	Arik Levy Suspension lamp	DAL0027N80	5 227	6 534	brown diffuser, black structure
		DAL0027N12	5 227	6 534	green/amber diffuser, black structure
	IP 20 LED DIM 1xMAX 6,8W 36° PAR (GU10)  Dimmable Materials: blown glass, aluminum				
 Ø98 170 max 2170 Ø210	STABLIGHT "C"	DAL0027O14	5 491	6 864	acquamarine diffuser, black structure
	Arik Levy Suspension lamp	DAL0027O80	5 491	6 864	brown diffuser, black structure
		DAL0027O12	5 491	6 864	green/amber diffuser, black structure
	IP 20 LED DIM 1xMAX 6,8W 36° PAR (GU10)  Dimmable Materials: blown glass, aluminum				
 730 Ø120 385 Ø135 Ø100 Ø210	STABLIGHT	DAL0027L14	14 256	17 820	acquamarine diffuser, black structure
	Arik Levy Suspension lamp	DAL0027L80	14 256	17 820	brown diffuser, black structure
		DAL0027L12	14 256	17 820	green/amber diffuser, black structure
		DAL0027L90	14 256	17 820	3 colours: "A" brown "B" green/amber "C" acquamarine
	IP 20 LED DIM 3xMAX 6,8W 36° PAR (GU10)  Dimmable Materials: blown glass, aluminum				





SUSPENSION LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 STELLAR NEBULA 16 BIG Suspension lamp IP 20 LED 3000K, 9W, 594lm, CRI=90 Dimmable (Push) Materials: blown glass with PVD treatment, aluminum	0152000A	10 349	12 936	blown glass with dichroic treatment PVD
 STELLAR NEBULA 22 BIG Suspension lamp IP 20 LED 3000K, 11W, 486lm, CRI=90 Dimmable (Push) Materials: blown glass with PVD treatment, aluminum	0152010A	11 510	14 388	blown glass with dichroic treatment PVD
 STELLAR NEBULA 30 BIG Suspension lamp IP 20 LED 3000K, 20W, 1890lm CRI=90 Dimmable (Push) Materials: blown glass with PVD treatment, aluminum	0152020A	16 738	20 923	blown glass with dichroic treatment PVD
 STELLAR NEBULA 40 BIG Suspension lamp IP 20 LED 3000K, 28W, 2536lm, CRI=90 Dimmable (Push) Materials: blown glass with PVD treatment, aluminum	0152030A	21 595	26 994	blown glass with dichroic treatment PVD
 STELLAR NEBULA CLUSTER CIRCULAR BIG Suspension lamp IP20 LED 3000K, 55W, 3331lm, CRI=90 Dimmable (Push) Materials: blown glass with PVD treatment, aluminum	0152420APP	48 154	60 193	transparent diffuser with dichroic PVD treatment
 STELLAR NEBULA CLUSTER LINEAR BIG Suspension lamp IP20 LED 3000K, 55W, 3331lm, CRI=90 Dimmable (Push) Materials: blown glass with PVD treatment, aluminum	0152520APP	48 154	60 193	transparent diffuser with dichroic PVD treatment






SUSPENSION LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 TALO (90, 120, 150) LED SUSPENSION Neil Poulton Suspension lamp IP 20 Talo 90: LED 3000K, 32W, 3840lm, CRI=80 Not dimmable and dimmable (Push) Talo 120: LED 3000K, 51W, 6020lm, CRI=80 Not dimmable and dimmable (Push) Talo 150: LED 3000K, 60W, 7206lm, CRI=80 Not dimmable and dimmable (Push) Materials: aluminum, methacrylate, polycarbonate	1921010A	9 504	11 880	TALO 90 LED: not dimmable, white
	1921020A	9 504	11 880	TALO 90 LED: not dimmable, silver
	1921080A	9 504	11 880	TALO 90 LED: not dimmable, black matt
	1922010A	11 246	14 058	TALO 90 LED: dimmable, white
	1922020A	11 246	14 058	TALO 90 LED: dimmable, silver
	1922080A	11 246	14 058	TALO 90 LED: dimmable, black matt
	1923010A	11 194	13 993	TALO 120 LED: not dimmable, white
	1923020A	11 194	13 993	TALO 120 LED: not dimmable, silver
	1923080A	11 194	13 993	TALO 120 LED: not dimmable, black matt
	1924010A	13 253	16 566	TALO 120 LED: dimmable, white
	1924020A	13 253	16 566	TALO 120 LED: dimmable, silver
	1924080A	13 253	16 566	TALO 120 LED: dimmable, black matt
	1925010A	12 725	15 906	TALO 150 LED: not dimmable, white
	1925020A	12 725	15 906	TALO 150 LED: not dimmable, silver
	1925080A	12 725	15 906	TALO 150 LED: not dimmable, black matt
	1926010A	14 573	18 216	TALO 150 LED: dimmable, white
	1926020A	14 573	18 216	TALO 150 LED: dimmable, silver
	1926080A	14 573	18 216	TALO 150 LED: dimmable, black matt
 TATSUNO-OTOSHIGO Issey Miyake + Reality Lab IN-EI suspension lamp IP 20 LED 3000K, 28W, 2259lm, CRI=90 Dimmable (Push) Materials: recycled PET, methacrylate, aluminum	1696010A	17 160	21 450	white
 TOLOMEO DUE BRACCI SUSPENSION aluminium Michele De Lucchi, Giancarlo Fassina Suspension lamp IP 20 LED 2xMAX 12W (E27)  Materials: aluminum	A036400	7 022	8 778	aluminium
 TOLOMEO DECENTRATA SUSPENSION aluminium diffuser Michele De Lucchi, Giancarlo Fassina Suspension lamp IP 20 LED 1xMAX 12W (E27)  Dimmable Materials: aluminum	0629000A	5 650	7 063	aluminium structure
	0371050A	1 267	1 584	diffuser aluminium
				Complete lamp consists of 2 items.
 TOLOMEO DECENTRATA SUSPENSION parchment paper/ silk diffuser Michele De Lucchi, Giancarlo Fassina Suspension lamp IP 20 ø 240: LED DIM 1xMAX 12W (E27)  ø 320, 360: LED DIM 1x21W (E27)  Dimmable Materials: parchment paper or silk satin, aluminum	0629000A	5 650	7 063	aluminium structure
	0372050A	1 584	1 980	parchment paper diffuser ø 240 mm
	0780010A	1 848	2 310	parchment paper diffuser ø 320 mm
	0780020A	1 954	2 443	parchment paper diffuser ø 360 mm
	0781050A	1 637	2 046	silk diffuser ø 240 mm
	0781010A	2 006	2 508	silk diffuser ø 320 mm
	0781020A	2 534	3 168	silk diffuser ø 360 mm
				Complete lamp consists of 2 items.



SUSPENSION LAMPS

 TOLOMEO BASCULANTE SUSPENSION 2 ARMS Michele De Lucchi, Giancarlo Fassina Suspension lamp IP 20 ø 240: LED DIM 2xMAX 17W (E27) ✕ ø 320: LED DIM 2xMAX 21W (E27) ✕ 360, 420: LED DIM 2xMAX 21W (E27) ✕ Dimmable Materials: parchment paper or silk satin, aluminum	0630010A	7 181	8 976	aluminium structure
	0372050A	1 584	1 980	parchment paper diffuser ø 240 mm
	0780010A	1 848	2 310	parchment paper diffuser ø 320 mm
	0780020A	1 954	2 443	parchment paper diffuser ø 360 mm
	0780030A	2 059	2 574	parchment paper diffuser ø 420 mm
	0781050A	1 637	2 046	silk diffuser ø 240 mm
	0781010A	2 006	2 508	silk diffuser ø 320 mm
	0781020A	2 534	3 168	silk diffuser ø 360 mm
	0781030A	2 693	3 366	silk diffuser ø 420 mm
				Complete lamp consists of 3 items.
 TOLOMEO MEGA SUSPENSION Michele De Lucchi, Giancarlo Fassina Suspension lamp IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmable Materials: textile fabric or silk satin or parchment paper, aluminum	0782010A	3 379	4 224	aluminium structure
	0782030A	4 594	5 743	structure black
	0780030A	2 059	2 574	parchment paper diffuser ø 420 mm
	0781030A	2 693	3 366	silk diffuser ø 420 mm
	0780060A	2 429	3 036	parchment paper diffuser ø 520 mm
	0781060A	2 746	3 433	satin diffuser ø 520 mm
	0772030A	2 851	3 564	black satin diffuser ø 420 mm
	0772040A	3 062	3 828	black satin diffuser ø 520 mm
 UNTERLINDEN Herzog & de Meuron Suspension lamp IP 20 LED 2700K, 7,5W, 398lm, CRI=90 LED 3000K, 7,5W, 349lm, CRI=90 Materials: brass or aluminum	1936W10A	5 438	6 798	2700K, antique brass
	1936010A	5 438	6 798	3000K, antique brass
	1935W10A	5 069	6 336	2700K, antique aluminium
	1935010A	5 069	6 336	3000K, antique aluminium
				Complete lamp consists of 2 items.
 UNTELINDEN CHANDELIER FREE Herzog & de Meuron Suspension lamp IP20 LED 2700K, 34W, 1760lm, CRI=90 LED 3000K, 34W, 1838lm, CRI=90 Materials: aluminum or brass, steel, technopolymer	1093W10A	25 080	31 350	2700K, antique aluminum
	1093010A	25 080	31 350	3000K, antique aluminum
	1094W10A	29 726	37 158	2700K, antique brass
	1094010A	29 726	37 158	3000K, antique brass
				Complete lamp consists of 2 items.
 UNTELINDEN CHANDELIER RING Herzog & de Meuron Suspension lamp IP20 LED 2700K, 34W, 1760lm, CRI=90 LED 3000K, 34W, 1838lm, CRI=90 Materials: aluminum or brass, steel, technopolymer	1091W10A	31 363	39 204	2700K, antique aluminum
	1091010A	31 363	39 204	3000K, antique aluminum
	1092W10A	35 798	44 748	2700K, antique brass
	1092010A	35 798	44 748	3000K, antique brass
				Complete lamp consists of 2 items.


SUSPENSION LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 UNTERLINDEN 175 SUSPENSION Herzog & de Meuron Suspension lamp IP20 LED 2700K, 15W, 1272lm, CRI=90 LED 3000K, 15W, 1325lm, CRI=90 Materials: aluminum, steel, technopolymer	1090W10A	7 392	9 240	2700K, antique aluminum
	1090010A	7 392	9 240	3000K, antique aluminum
	1099W10A	7 392	9 240	2700K, antique brass
	1099010A	7 392	9 240	3000K, antique brass
				NEW
 VITRUVIO SUSPENSION Atelier Oi Suspension lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmable Materials: aluminum, blown glass, steel	1263010A	13 939	17 424	brass structure, transparent glass diffuser
	1263030A	13 939	17 424	black structure, smoked glass diffuser
 YANZI SUSPENSION Neri&Hu Suspension lamp IP 20 LED 3000K, 10W, 640lm, CRI=90 Dimmable (Push) Materials: steel, blown glass, zamac	1103010A	17 213	21 516	ext. diff. transparent, int. diff. white, brushed brass body, black structure
 YANZI 1 SUSPENSION Neri&Hu Suspension lamp IP 20 LED 3000K, 26W, 2122lm, CRI=90 Dimmable (Push) Materials: steel, aluminum, blown glass, zamac	1104010A	19 061	23 826	white diffuser, brushed brass body, black structure
 YANZI SC1 SUSPENSION Neri&Hu Suspension lamp IP 20 LED 3000K, 26W, 2122lm, CRI=90 Dimmable (Push) Materials: steel, aluminum, blown glass, zamac	1106010A	18 638	23 298	white diffuser, brushed brass body, black structure
 ZEPHYR EXAGONAL Carlo Colombo Suspension lamp IP 20 LED 3000K, 55W, 4093lm, CRI=90 Dimmable (Push) LED 3000K, 55W, 4093lm, CRI=90 Dimmable (Push & APP) Materials: glass, aluminum	1781030A	54 595	68 244	glossy black
	1781030APP	54 595	68 244	glossy black, Artemide APP
	1781040A	54 595	68 244	bronze
	1781040APP	54 595	68 244	bronze, Artemide APP
				NEW





SUSPENSION LAMPS

	ZEPHYR LINEAR	1782030A	54 595	68 244	glossy black
	Carlo Colombo Suspension lamp	1782030APP	54 595	68 244	glossy black, Artemide APP
	IP 20 LED 3000K, 55W, 4093lm, CRI=90 Dimmable (Push)	1782040A	54 595	68 244	bronze
	LED 3000K, 55W, 4093lm, CRI=90 Dimmable (Push & APP)	1782040APP	54 595	68 244	bronze, Artemide APP
	Materials: glass, aluminum				NEW
	ZEPHYR CHANDELIER	1783030A	143 774	179 718	glossy black
	Carlo Colombo Suspension lamp	1783040A	143 774	179 718	bronze
	IP 20 LED 3000K, 170W, 12735lm, CRI=90	1784030A	6 125	7 656	rose ceiling black
	LED Dimmable (Push)	1784030APP	7 234	9 043	rose ceiling black, Artemide APP
	LED Dimmable (Push & APP)				NEW
	Materials: glass, aluminum				





WALL OR CEILING LAMPS

	A.24 WALL 300	BK01001	4 089	5 111	2700K, white
	Carlotta de Bevilacqua Wall lamp	BK01004	4 089	5 111	2700K, black
	IP 20 LED 2700K, 23W, 1919lm, CRI=90 Dimmable (Push - DALI)	BK01015	4 487	5 609	2700K, silver
	LED 2700K, 23W, 1610lm, CRI=90 Dimmable (Push - DALI)	BK01018	4 487	5 609	2700K, brass
	LED 3000K, 23W, 2036lm, CRI=90 Dimmable (Push - DALI)	BK01020	4 487	5 609	2700K, bronze
	LED 3000K, 23W, 1709lm, CRI=90 Dimmable (Push - DALI)	BK02001	4 089	5 111	3000K, white
	Materials: aluminium, methacrylate	BK02004	4 089	5 111	3000K, black
		BK02015	4 487	5 609	3000K, silver
		BK02018	4 487	5 609	3000K, brass
		BK02020	4 487	5 609	3000K, bronze
	A.24 WALL 600	BK11001	5 540	6 925	2700K, white
	Carlotta de Bevilacqua Wall lamp	BK11004	5 540	6 925	2700K, black
	IP 20 LED 2700K, 30W, 2601lm, CRI=90 Dimmable (Push - DALI)	BK11015	6 000	7 500	2700K, silver
	LED 2700K, 30W, 2182lm, CRI=90 Dimmable (Push - DALI)	BK11018	6 000	7 500	2700K, brass
	LED 2700K, 30W, 2759lm, CRI=90 Dimmable (Push - DALI)	BK11020	6 000	7 500	2700K, bronze
	LED 3000K, 30W, 2315lm, CRI=90 Dimmable (Push - DALI)	BK12001	5 540	6 925	3000K, white
	Materials: aluminium, methacrylate	BK12004	5 540	6 925	3000K, black
		BK12015	6 000	7 500	3000K, silver
		BK12018	6 000	7 500	3000K, brass
		BK12020	6 000	7 500	3000K, bronze

WALL OR CEILING LAMPS






	A.24 WALL 900 Carlotta de Bevilacqua Wall lamp	BK21001	7 257	9 071	2700K, white	
		BK21004	7 257	9 071	2700K, black	
		BK21015	7 646	9 558	2700K, silver	
		BK21018	7 646	9 558	2700K, brass	
		BK21020	7 646	9 558	2700K, bronze	
		BK22001	7 257	9 071	3000K, white	
		BK22004	7 257	9 071	3000K, black	
		BK22015	7 646	9 558	3000K, silver	
		BK22018	7 646	9 558	3000K, brass	
		BK22020	7 646	9 558	3000K, bronze	
	AEDE WALL Pio & Tito Toso Wall lamp	0041020A	3 274	4 093	glossy white	
	IP 20 LED 2700K, 20W, 1281lm, CRI=90 Dimmable (Push)					
	Materials: aluminum					
		ALPHABET OF LIGHT LINEAR 120 WALL/CEILING BIG Wall or ceiling lamp	1304000A	11 194	13 993	white, Push/DALI
			1304000APP	11 194	13 993	white, Push & Artemide APP
		IP 20 LED 3000K, 26W, 3484lm, CRI=90 Dimmable (Push/DALI)				
		LED 3000K, 26W, 3484lm, CRI=90 Dimmable (Push & APP)				
		Materials: methacrylate, aluminum				
		ALPHABET OF LIGHT LINEAR 180 WALL/CEILING BIG Wall or ceiling lamp	1305000A	13 253	16 566	white, Push/DALI
			1305000APP	13 253	16 566	white, Push & Artemide APP
		IP 20 LED 3000K, 39W, 5226lm, CRI=90 Dimmable (Push/DALI)				
	LED 3000K, 39W, 5226lm, CRI=90 Dimmable (Push & APP)					
	Materials: methacrylate, aluminum					
		ALPHABET OF LIGHT LINEAR 240 WALL/CEILING BIG Wall or ceiling lamp	1308000A	15 312	19 140	white, Push/DALI
			1308000APP	15 312	19 140	white, Push & Artemide APP
		IP 20 LED 3000K, 52W, 6968lm, CRI=90 Dimmable (Push/DALI)				
LED 3000K, 52W, 6968lm, CRI=90 Dimmable (Push & APP)						
Materials: methacrylate, aluminum						

WALL OR CEILING LAMPS







	ALPHABET OF LIGHT CIRCULAR Ø90 WALL/CEILING BIG Wall or ceiling lamp IP 20 LED 3000K, 44W, 5783lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 44W, 5783lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1306000A	20 486	25 608	white, Push/DALI
		1306000APP	20 486	25 608	white, Push & Artemide APP
	ALPHABET OF LIGHT CIRCULAR Ø155 WALL/CEILING BIG Wall or ceiling lamp IP 20 LED 3000K, 78W, 10280lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 78W, 10280lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1307000A	31 997	39 996	white, Push/DALI
		1307000APP	31 997	39 996	white, Push & Artemide APP
	ALPHABET OF LIGHT CIRCULAR Ø350 WALL/CEILING BIG Wall or ceiling lamp IP 20 LED 3000K, 141W, 20953lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 141W, 20953lm, CRI=90 Dimmable (Push & APP) Materials: methacrylate, aluminum	1214000A	78 355	97 944	white, Push/DALI
		1214000APP	78 355	97 944	white, Push & Artemide APP
	ALPHABET OF LIGHT LINEAR 120 SEMI-RECESSED BIG Semi-recessed fixture IP 20 LED 3000K, 23W, 3484lm, CRI=90 Dimmable (Push/DALI) con driver APP (Push & APP) Materials: methacrylate, aluminum	1425000A	9 610	12 013	white
		DV1035	1 267	1 584	driver CC 110-240V 350-1200mA PUSH/DALI/1-10
		DV1035APP	1 742	2 178	driver CC 110-240V 350-1200mA APP EXT
					The APP driver excluded the operation by means of DALI and vice versa
	ALPHABET OF LIGHT LINEAR 180 SEMI-RECESSED BIG Semi-recessed fixture IP 20 LED 3000K, 35W, 5226lm, CRI=90 Dimmable (Push/DALI) with driver APP (Push & APP) Materials: methacrylate, aluminum	1426000A	11 510	14 388	white
		DV1035	1 267	1 584	driver CC 110-240V 350-1200mA PUSH/DALI/1-10
		DV1035APP	1 742	2 178	driver CC 110-240V 350-1200mA APP EXT
					The APP driver excluded the operation by means of DALI and vice versa






NEW






WALL OR CEILING LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 ALPHABET OF LIGHT LINEAR 240 SEMI-RECESSED BIG Semi-recessed fixture IP 20 LED 3000K, 48W, 6968lm, CRI=90 Dimmable (Push/DALI) with driver APP (Push & APP) Materials: methacrylate, aluminum	1427000A	13 570	16 963	white
	DV1034	1 373	1 716	driver CC 110-240V 1050-2100mA PUSH/DALI/1-10
	DV1034APP	1 742	2 178	driver CC 110-240V 1050-2100mA APP EXT
				The APP driver excluded the operation by means of DALI and vice versa
 ALPHABET OF LIGHT CIRCULAR Ø90 SEMI-RECESSED BIG Semi-recessed fixture IP 20 LED 3000K, 40W, 5783lm, CRI=90 Dimmable (Push/DALI) with driver APP (Push & APP) Materials: methacrylate, aluminum	1428000A	18 691	23 364	white
	DV1034	1 373	1 716	driver CC 110-240V 1050-2100mA PUSH/DALI/1-10
	DV1034APP	1 742	2 178	driver CC 110-240V 1050-2100mA APP EXT
				The APP driver excluded the operation by means of DALI and vice versa
 ALPHABET OF LIGHT CIRCULAR Ø155 SEMI-RECESSED BIG Semi-recessed fixture IP 20 LED 3000K, 70W, 10280lm, CRI=90 Dimmable (Push/DALI) with driver APP (Push & APP) Materials: methacrylate, aluminum	1429000A	28 723	35 904	white
	DV1036	2 693	3 366	driver CC 110-240V 2x350-1200mA PUSH/DALI/1-10
	DV1036APP	3 221	4 026	driver CC 110-240V 2x1200mA APP EXT
				The APP driver excluded the operation by means of DALI and vice versa
 ALPHABET OF LIGHT CIRCULAR Ø350 SEMI-RECESSED BIG Semi-recessed fixture IP 20 LED 3000K, 141W, 20953lm, CRI=90 Dimmable (Push/DALI) with driver APP (Push & APP) Materials: methacrylate, aluminum	1215000A	70 013	87 516	white
	DV1109	9 134	11 418	driver CC 110-240V 2x350-10500mA PUSH/DALI/1-10
	DV1109APP	8 606	10 758	driver CC 110-240V 2x1050mA APP EXT
				The APP driver excluded the operation by means of DALI and vice versa NEW
 ALPHABET OF LIGHT SQUARE 120 WALL/CEILING BIG Wall or ceiling lamp IP 20 LED 3000K, 100W, 9488lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 100W, 9488lm, CRI=90 Dimmable (APP) Materials: methacrylate, aluminum	1430210A	44 352	55 440	white, Push/DALI
	1430210APP	44 352	55 440	white, Artemide APP
				electronic power supply included II The APP driver excluded the operation by means of DALI and vice versa
 ALPHABET OF LIGHT SQUARE 180 WALL/CEILING BIG Wall or ceiling lamp IP 20 LED 3000K, 145W, 14020lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 145W, 14020lm, CRI=90 Dimmable (APP) Materials: methacrylate, aluminum	1430220A	54 965	68 706	white, Push/DALI
	1430220APP	54 965	68 706	white, Artemide APP
				electronic power supply included II The APP driver excluded the operation by means of DALI and vice versa




WALL OR CEILING LAMPS





	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 ALPHABET OF LIGHT RECTANGULAR WALL-CEILING BIG Wall or ceiling lamp IP 20 LED 3000K, 120W, 11754lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 125W, 11754lm, CRI=90 Dimmable (APP) Materials: methacrylate, aluminum	1430230A	49 579	61 974	white, Push/DALI
	1430230APP	49 579	61 974	white, Artemide APP
				electronic power supply included II The APP driver excluded the operation by means of DALI and vice versa
 ALPHABET OF LIGHT SQUARE 120 SEMI-RECESSED BIG Wall or ceiling lamp IP 20 LED 3000K, 90W, 9488lm, CRI=90 Dimmable (Push/DALI) Materials: methacrylate, aluminum	1430110A	45 619	57 024	white, Push/DALI
	2277010A	5 174	6 468	Dali / Push remote power unit box
	2277010APP	6 758	8 448	APP remote power unit box (220-240VAC)
				electronic power supply included II The APP driver excluded the operation by means of DALI and vice versa
 ALPHABET OF LIGHT SQUARE 180 SEMI-RECESSED BIG Semi-recessed fixture IP 20 LED 3000K, 138W, 14020lm, CRI=90 Dimmable (Push/DALI) Materials: methacrylate, aluminum	1430120A	54 965	68 706	white, Push/DALI
	2271010A	6 706	8 383	Dali / Push remote power unit box
	2271010APP	8 131	10 164	APP remote power unit box (220-240VAC)
				electronic power supply included II The APP driver excluded the operation by means of DALI and vice versa
 ALPHABET OF LIGHT RECTANGULAR SEMI-RECESSED BIG Semi-recessed fixture IP 20 LED 3000K, 114W, 11754lm, CRI=90 Dimmable (Push/DALI) Materials: methacrylate, aluminum	1430130A	51 058	63 823	white, Push/DALI
	2277010A	5 174	6 468	Dali / Push remote power unit box
	2277010APP	6 758	8 448	APP remote power unit box (220-240VAC)
				electronic power supply included II The APP driver excluded the operation by means of DALI and vice versa
 ALTROVE LED WALL/CEILING Carlotta de Bevilacqua Wall or ceiling lamp IP 20 LED 3000K, 82W, 3248lm, CRI=90 + LED 56W, 508lm (RGB) Dimmable (Push & APP) Materials: methacrylate, aluminum	1352150APP	45 830	57 288	Push & Artemide APP
 ALTROVE 600 LED WALL/CEILING Carlotta de Bevilacqua Wall or ceiling lamp IP 20 LED 3000K, 76W, 3822lm, CRI=90 Dimmable (Push) Materials: methacrylate, aluminum	1538110A	18 955	23 694	

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
WALL OR CEILING LAMPS				
 ARRIVAL 70 CEILING Ludovica+Roberto Palomba Ceiling lamp IP 20 LED Strip LED 3000K, 26W, 809lm, CRI=90 Dimmable (Push & APP) Materials: aluminum, silicone, steel	1554010APP	14 309	17 886	gold, Push & Artemide APP
	1554030APP	14 309	17 886	black matt, Push & Artemide APP
 ARRIVAL 130 CEILING Ludovica+Roberto Palomba Ceiling lamp IP 20 LED Strip LED 3000K, 48W, 1618lm, CRI=90 Dimmable (Push & APP) Materials: aluminum, silicone, steel	1555010APP	18 586	23 233	gold, Push & Artemide APP
	1555030APP	18 586	23 233	black matt, Push & Artemide APP
 CABILDO LED WALL Eric Solé Wall lamp IP 20 LED 2700K, 28W, 1996lm, CRI=90 Dimmable (Push) LED 3000K, 28W, 2137lm, CRI=90 Dimmable (Push) Materials: aluminum	1181W10A	6 125	7 656	2700K, white
	1181010A	6 125	7 656	3000K, white
 CADMO LED WALL Karim Rashid Wall lamp IP 20 LED DIM 2xMAX 10W (GU10)  Dimmable Materials: ABS	1373010A	5 597	6 996	black/white inside
	1373020A	5 069	6 336	white
 CALIPSO WALL/CEILING Neil Poulton Wall or ceiling lamp IP 20 LED 2700K, 50W, 4038lm, CRI=90 Dimmable (Push & APP) LED 3000K, 50W, 4099lm, CRI=90 Dimmable (Push & APP) Materials: technopolymer	0210W10APP	12 778	15 973	2700K white, Push & Artemide APP
	0210010APP	12 778	15 973	3000K white, Push & Artemide APP
 CALIPSO LINEAR 120 STAND-ALONE CEILING Neil Poulton Ceiling lamp IP 20 LED 3000K, 43W, 2985lm, CRI=90 Dimmable (APP) Materials: technopolymer	0220010APP	12 514	15 643	white, Artemide APP





	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
WALL OR CEILING LAMPS				
 CALIPSO LINEAR 180 STAND-ALONE CEILING Neil Poulton Ceiling lamp IP 20 LED 3000K, 63W, 4477lm, CRI=90 Dimmable (APP) Materials: technopolymer	0221010APP	16 526	20 658	white, Artemide APP
 CALIPSO LINEAR SYSTEM CEILING Neil Poulton Ceiling system IP 20 Module 588mm: LED 3000K, 22W, 1492lm, CRI=90 Dimmable (Push/DALI) Module 1210mm: LED 3000K, 43W, 2985lm, CRI=90 Dimmable (Push/DALI) Module APP 1210mm: LED 3000K, 43W, 2985lm, CRI=90 Dimmable (APP) Module 1785mm: LED 3000K, 63W, 4477lm, CRI=90 Dimmable (Push/DALI) Module APP 1785mm: LED 3000K, 63W, 4477lm, CRI=90 Dimmable (APP) Materials: technopolymer	2010010A	7 920	9 900	module 588mm, white, Push/DALI
	2011010A	11 299	14 124	module 1210mm, white, Push/DALI
	2011010APP	12 778	15 973	module 1210mm, white, Artemide APP
	2012010A	15 418	19 273	module 1785mm, white, Push/DALI
	2012010APP	16 790	20 988	module 1785mm, white, Artemide APP
	2026010A	845	1 056	end cap kit (2pcs)
	2027010A	845	1 056	joint 90° kit (left+right) to connect 90° modules
	2025010A	211	264	intermediate joint kit to connect in line modules
				The system, in APP operation, consists of a single APP Master module; subsequent modules, completing the system, must be DALI.
 CHOOSE WALL IP 23 Matteo Thun Wall lamp IP 23 LED DIM 1xMAX 6W (E14) ⚡ Dimmable Materials: polycarbonate, parchment paper	1142020A	1 742	2 178	parchment paper diffuser, without switch
	1142110A	1 742	2 178	white diffuser, without switch
 DECOMPOSE' LIGHT CEILING Atelier Oi Ceiling system IP 20 LED 1xMAX 8W (E27) ⚡ Materials: aluminum	DOI4600B02	4 488	5 610	gold
	DOI4600B03	4 488	5 610	orange
	DOI4600B16	4 488	5 610	red
	DOI4600B80	4 488	5 610	smoked
 DEMETRA FARETTO with switch Naoto Fukasawa Wall lamp IP 20 LED 2700K, 9W, 360lm, CRI=90 Dimmer LED 3000K, 9W, 385lm, CRI=90 Dimmer Materials: aluminum	1730W10A	3 590	4 488	2700K, with switch, anthracite grey
	1730010A	3 590	4 488	3000K, with switch, anthracite grey
	1730W20A	3 590	4 488	2700K, with switch, white
	1730020A	3 590	4 488	3000K, with switch, white
	1730W50A	3 590	4 488	2700K, with switch, opaque black
	1730050A	3 590	4 488	3000K, with switch, opaque black

WALL OR CEILING LAMPS




	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 DEMETRA FARETTO without switch Naoto Fukasawa Wall lamp IP 20 LED 2700K, 8W, 360lm, CRI=90 LED 3000K, 8W, 385lm, CRI=90 Materials: aluminum	1731W10A	3 274	4 093	2700K, without switch, anthracite grey
	1731010A	3 274	4 093	3000K, without switch, anthracite grey
	1731W20A	3 274	4 093	2700K, without switch, white
	1731020A	3 274	4 093	3000K, without switch, white
	1731W50A	3 274	4 093	2700K, without switch, opaque black
	1731050A	3 274	4 093	3000K, without switch, opaque black
 DEMETRA WALL Naoto Fukasawa Wall lamp IP 20 LED 2700K, 8W, 360lm, CRI=90 Dimmer LED 3000K, 8W, 385lm, CRI=90 Dimmer Materials: aluminum, technopolymer, steel	1734W10A	4 330	5 413	body lamp 2700K anthracite grey
	1734010A	4 330	5 413	body lamp 3000K anthracite grey
	1734W20A	4 330	5 413	body lamp 2700K white
	1734020A	4 330	5 413	body lamp 3000K white
	1734W50A	4 330	5 413	body lamp 2700K opaque black
	1734050A	4 330	5 413	body lamp 3000K opaque black
	1735010A	4 752	5 940	body 3000K w/presence detector, anthracite grey
	1735020A	4 752	5 940	body 3000K w/presence detector, white
	1735050A	4 752	5 940	body 3000K w/presence detector, opaque black
	1742010A	1 003	1 254	wall support anthracite grey
	1742020A	1 003	1 254	wall support white
	1742050A	1 003	1 254	wall support opaque black
 DEMETRA PROFESSIONAL WALL Naoto Fukasawa Wall lamp IP 20 LED 3000K, 12W, 960lm, CRI=90 Dimmer Materials: aluminum, technopolymer, steel				Complete lamp consists of 2 items.
	1739010A	5 597	6 996	body lamp, anthracite grey
	1739020A	5 597	6 996	body lamp, white
	1739050A	5 597	6 996	body lamp, opaque black
	1740010A	6 230	7 788	body w/presence detector, anthracite grey
	1740020A	6 230	7 788	body w/presence detector, white
	1740050A	6 230	7 788	body w/presence detector, opaque black
	1742010A	1 003	1 254	wall support anthracite grey
	1742020A	1 003	1 254	wall support white
	1742050A	1 003	1 254	wall support opaque black
				Complete lamp consists of 2 items.
 DEMETRA MICRO WALL Naoto Fukasawa Wall lamp IP 20 LED 2700K, 6W, 241lm, CRI=90 Dimmer LED 3000K, 6W, 257lm, CRI=90 Dimmer Materials: aluminum, technopolymer	1748W10A	3 379	4 224	2700K, anthracite grey
	1748010A	3 379	4 224	3000K, anthracite grey
	1748W20A	3 379	4 224	2700K, white
	1748020A	3 379	4 224	3000K, white
	1748W50A	3 379	4 224	2700K, opaque black
	1748050A	3 379	4 224	3000K, opaque black
 DIOSCURI 14 WALL/CEILING Michele De Lucchi Wall or ceiling lamp IP44 LED DIM 1xMAX 6W (E14) ✕ Dimmable Materials: blown glass, polycarbonate	1039110A	1 848	2 310	white

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
WALL OR CEILING LAMPS				
 DIOSCURI 25 WALL/CEILING Michele De Lucchi Wall or ceiling lamp IP 65 LED DIM 1xMAX 12W (E27)  Dimmable Materials: blown glass, polycarbonate	0112010A	3 274	4 093	white
 DIOSCURI 35 WALL/CEILING Michele De Lucchi Wall or ceiling lamp IP 65 LED DIM 1xMAX 21W (E27)  Dimmable Materials: blown glass, polycarbonate	0116010A	4 277	5 346	white
 DIOSCURI 42 WALL/CEILING Michele De Lucchi Wall or ceiling lamp IP 65 LED DIM 1xMAX 21W (E27)  Dimmable Materials: blown glass, polycarbonate	0117010A	5 438	6 798	white
 DISCOVERY WALL Ernesto Gismondi Wall lamp IP 20 LED 3000K, 40W, 2857lm, CRI=90 Dimmable (Push) Materials: technopolymer, aluminum	1998010A	20011	25 014	transparent diffuser, satinised aluminium body lamp
	1998030A	20011	25 014	transparent diffuser, black body lamp
	1998060A	20011	25 014	transparent diffuser, body lamp bronze
				NEW
 DREISPITZ VERTICAL 90 Herzog & de Meuron Wall or ceiling lamp IP 20 LED 3000K, 30W, 3206/3586lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1861000A	13 939	17 424	silver
	1861010A	13 939	17 424	green
	1861030A	13 939	17 424	black
				NEW
 DREISPITZ VERTICAL 120 Herzog & de Meuron Wall or ceiling lamp IP 20 LED 3000K, 40W, 4408/4931lm, CRI=90 Dimmable (DALI) Materials: technopolymer, aluminum	1862000A	16 157	20 196	silver
	1862010A	16 157	20 196	green
	1862030A	16 157	20 196	black
				NEW




WALL OR CEILING LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 DROPLET LED CEILING Ross Lovegrove Ceiling lamp IP 20 LED 2700K, 3x29W, 3031lm, CRI=90 Dimmable (Push) LED 3000K, 3x29W, 3241lm, CRI=90 Dimmable (Push) Materials: aluminum, steel	1474W10A	35 112	43 890	2700K, polished chrome brilliant
	1474110A	35 112	43 890	3000K, polished chrome brilliant
 DROPLET MINI LED WALL/CEILING Ross Lovegrove Wall or ceiling lamp IP 20 LED 2700K, 29W, 1168lm, CRI=90 Dimmable (Push) LED 3000K, 29W, 1249lm, CRI=90 Dimmable (Push) Materials: aluminum, steel	1471W10A	13 939	17 424	2700K, polished chrome brilliant
	1471110A	13 939	17 424	3000K, polished chrome brilliant
 EDGE 21 WALL/CEILING Alessandro Mendini Wall or ceiling lamp IP 65 LED DIM 1xMAX 9,5W (E27)  Dimmable Materials: technopolymer	1292010A	2 693	3 366	white
 EDGE 30 WALL/CEILING Alessandro Mendini Wall or ceiling lamp IP 65 LED DIM 1xMAX 12W (E27)  Dimmable Materials: technopolymer	1293010A	3 010	3 763	white
 EMPATIA 16 WALL/CEILING Carlotta de Bevilacqua, Paola di Arianello Wall or ceiling lamp IP 20 LED 3000K, 11W, 567lm, CRI=90 Materials: blown glass, methacrylate, aluminum	1814010A	8 078	10 098	transparent smoked diffuser, white structure
 EMPATIA 26 WALL/CEILING Carlotta de Bevilacqua, Paola di Arianello Wall or ceiling lamp IP 20 LED 3000K, 16W, 710lm, CRI=90 Dimmable (Push) Materials: blown glass, methacrylate, aluminum	1818010A	10 877	13 596	transparent smoked diffuser, white structure







WALL OR CEILING LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 EMPATIA 36 WALL/CEILING Carlotta de Bevilacqua, Paola di Arianello Wall or ceiling lamp IP 20 LED 3000K, 24W, 1273lm, CRI=90 Dimmable (Push) Materials: blown glass, methacrylate, aluminum	1822010A	14 256	17 820	transparent smoked diffuser, white structure
 FEBE WALL/CEILING Ernesto Gismondi, Daniele Moiola Wall or ceiling lamp IP 20 LED 2700K, 30W, 2182lm, CRI=90 Dimmable (Push) LED 3000K, 30W, 2260lm, CRI=90 Dimmable (Push) Materials: methacrylate, polycarbonate	0241W00A	9 662	12 078	2700K, white
	0241300A	9 662	12 078	3000K, white
	0241W20A	9 662	12 078	2700K, dove grey
	0241320A	9 662	12 078	3000K, dove grey
 FLEXIA WALL Mario Cucinella Wall lamp IP 20 LED 3000K, 65W, 6475lm, CRI=90 Dimmable (Push/APP - Push/Dali) Materials: PMMA, aluminum, polyester	CC60000	27 886	34 858	green
	CC60300	27 886	34 858	light blue
	CC60400	27 886	34 858	orange
	CC90000	5 469	6 837	Power unit box Push/1-10/DALI
	CC90000APP	5 469	6 837	power unit box Artemide APP
 GOPLE CEILING BIG Ceiling lamp IP 20 LED 1xMAX 20W (E27) ⚡ Materials: aluminum, white blown glass with nuances or blown glass with PVD treatment	1413010A	10 877	13 596	structure and diffuser silver PVD
	1413020A	9 398	11 748	silver structure and nuanced white diffuser
	1413040A	10 877	13 596	silver structure and copper diffuser PVD
	1413050A	10 877	13 596	silver structure and blue sapphire diffuser PVD
	1413060A	10 877	13 596	silver structure and bronze diffuser PVD
	1413220A	9 187	11 484	white structure and nuanced white diffuser
	1413340A	10 613	13 266	black structure and copper diffuser PVD
	1413350A	10 613	13 266	black structure and blue sapphire diffuser PVD
	1413360A	10 613	13 266	black structure and bronze diffuser PVD
 GOPLE MINI CEILING BIG Ceiling lamp IP 20 LED 1xMAX 6W (E14) ⚡ Materials: aluminum, white blown glass with nuances or blown glass with PVD treatment	1414010A	6 283	7 854	structure and diffuser silver PVD
	1414020A	5 650	7 063	silver structure and nuanced white diffuser
	1414040A	6 283	7 854	silver structure and copper diffuser PVD
	1414050A	6 283	7 854	silver structure and blue sapphire diffuser PVD
	1414060A	6 283	7 854	silver structure and bronze diffuser PVD
	1414220A	5 544	6 930	white structure and nuanced white diffuser
	1414340A	6 072	7 590	black structure and copper diffuser PVD
	1414350A	6 072	7 590	black structure and blue sapphire diffuser PVD
	1414360A	6 072	7 590	black structure and bronze diffuser PVD
 HSIANG Mimmo Paladino Wall lamp IP 20 LED 41W, green, red, yellow and blue emotional light Materials: aluminum, steel, polycarbonate	0201030A	43 454	54 318	black


WALL OR CEILING LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 ILIO 36 CEILING Ernesto Gismondi Ceiling lamp IP 20 LED 2700K, 14W, 1366lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 14W, 1443lm, CRI=90 Dimmable (Push/DALI) LED 2700K, 14W, 1366lm, CRI=90 Dimmable (APP) LED 3000K, 14W, 1443lm, CRI=90 Dimmable (APP) Materials: aluminum, technopolymer	1756W10A	6 178	7 723	2700K, rubin red, Push/DALI
	1756010A	6 178	7 723	3000K, rubin red, Push/DALI
	1756W10APP	7 762	9 703	2700K, rubin red, Push & Artemide APP
	1756010APP	7 762	9 703	3000K, rubin red, Push & Artemide APP
	1756W20A	6 178	7 723	2700K, glossy white, Push/DALI
	1756020A	6 178	7 723	3000K, glossy white, Push/DALI
	1756W20APP	7 762	9 703	2700K, glossy white, Push & Artemide APP
	1756020APP	7 762	9 703	3000K, glossy white, Push & Artemide APP
	1756W30A	6 178	7 723	2700K, glossy black, Push/DALI
	1756030A	6 178	7 723	3000K, glossy black, Push/DALI
	1756W30APP	7 762	9 703	2700K, glossy black, Push & Artemide APP
	1756030APP	7 762	9 703	3000K, glossy black, Push & Artemide APP
				NEW
 ILIO 45 CEILING Ernesto Gismondi Ceiling lamp IP 20 LED 2700K, 14W, 1366lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 14W, 1443lm, CRI=90 Dimmable (Push/DALI) LED 2700K, 14W, 1366lm, CRI=90 Dimmable (APP) LED 3000K, 14W, 1443lm, CRI=90 Dimmable (APP) Materials: aluminum, technopolymer	1757W10A	6 283	7 854	2700K, rubin red, Push/DALI
	1757010A	6 283	7 854	3000K, rubin red, Push/DALI
	1757W10APP	7 867	9 834	2700K, rubin red, Push & Artemide APP
	1757010APP	7 867	9 834	3000K, rubin red, Push & Artemide APP
	1757W20A	6 283	7 854	2700K, glossy white, Push/DALI
	1757020A	6 283	7 854	3000K, glossy white, Push/DALI
	1757W20APP	7 867	9 834	2700K, glossy white, Push & Artemide APP
	1757020APP	7 867	9 834	3000K, glossy white, Push & Artemide APP
	1757W30A	6 283	7 854	2700K, glossy black, Push/DALI
	1757030A	6 283	7 854	3000K, glossy black, Push/DALI
	1757W30APP	7 867	9 834	2700K, glossy black, Push & Artemide APP
	1757030APP	7 867	9 834	3000K, glossy black, Push & Artemide APP
				NEW
 ILIO WALL Ernesto Gismondi Wall lamp IP 20 LED 2700K, 19W, 1641lm, CRI=90 Dimmable (Push/DALI) LED 3000K, 19W, 1740lm, CRI=90 Dimmable (Push/DALI) Materials: aluminum, technopolymer	1755W10A	6 283	7 854	2700K, rubin red, Push/DALI
	1755010A	6 283	7 854	3000K, rubin red, Push/DALI
	1755W20A	6 283	7 854	2700K, glossy white, Push/DALI
	1755020A	6 283	7 854	3000K, glossy white, Push/DALI
	1755W30A	6 283	7 854	2700K, glossy black, Push/DALI
	1755030A	6 283	7 854	3000K, glossy black, Push/DALI
				NEW
 ISLET Mikko Laakkonen Wall lamp IP 20 LED 3000K, 16W, 1344lm, CRI=90 Dimmable (Push) Materials: aluminum, technopolymer	1627020A	4 118	5 148	white
 IXA WALL Foster + Partners Wall lamp IP20 LED 3000K, 9W, 465lm, CRI=90 Dimmer Materials: aluminum, steel, technopolymer	1113010A	5 069	6 336	anthracite
	1113020A	5 069	6 336	white/grey
	1113030A	5 069	6 336	blue
	1113040A	5 069	6 336	yellow
	1113000A	4 910	6 138	red




WALL OR CEILING LAMPS



		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 IXA WALL PLUG Foster + Partners Wall lamp IP20 LED 3000K, 9W, 465lm, CRI=90 Dimmer Materials: aluminum, steel, technopolymer		1113050A	5 227	6 534	anthracite
		1113060A	5 227	6 534	white/grey
		1113070A	5 227	6 534	blue
		1113080A	5 227	6 534	yellow
		1113090A	5 174	6 468	red
 IXA WALL L Foster + Partners Wall lamp IP20 LED 3000K, 9W, 465lm, CRI=90 Dimmer Materials: aluminum, steel, technopolymer		1114010A	9 768	12 210	anthracite
		1114020A	9 768	12 210	white/grey
		1114030A	9 768	12 210	blue
		1114040A	9 768	12 210	yellow
		1114000A	9 504	11 880	red
 IXA WALL L PLUG Foster + Partners Wall lamp IP20 LED 3000K, 9W, 465lm, CRI=90 Dimmer Materials: aluminum, steel, technopolymer		1114050A	9 979	12 474	anthracite
		1114060A	9 979	12 474	white/grey
		1114070A	9 979	12 474	blue
		1114080A	9 979	12 474	yellow
		1114090A	9 821	12 276	red
 ITKA 20 WALL/CEILING Naoto Fukasawa Wall or ceiling lamp IP 65 LED 1xMAX 5W (Gx53)  Materials: blown glass, steel		DX0060M10	3 274	4 093	white
 ITKA 35 WALL/CEILING Naoto Fukasawa Wall or ceiling lamp IP 65 LED 3xMAX 6W (E14)  Materials: blown glass, steel		DX0060I10	4 594	5 743	white
 ITKA 50 WALL/CEILING Naoto Fukasawa Wall or ceiling lamp IP 65 LED 3xMAX 12W (E27)  Materials: blown glass, steel		DX0060E10	7 656	9 570	white

WALL OR CEILING LAMPS





	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 LA LINEA 2,5mt BIG Wall, ceiling or floor lamp IP 65 LED 3000K, 13,2W/mt, 960lm/mt, CRI=95, 24 VDC Dimmable Materials: silicone	T4601010	17 688	22 110	white
	DV1075	2 508	3 135	driver 0-10V, ON-OFF - IP65
	DV1075APP	3 432	4 290	driver Push & APP - IP20
	DV1076	3 168	3 960	driver DALI, ON-OFF - IP65
	A4681010	5 676	7 095	power kit 96W DALI, 0-10V, Push - IP20
	A4681010APP	7 458	9 323	power kit 96W Push & APP - IP20
	A4681210	3 828	4 785	power kit 96W ND - IP20
	T4681010APP	10 560	13 200	power kit 96W Push & APP - IP65
	T4601110	22 506	28 133	La Linea 2,5mt + 2 kit recessed trimless
	T4601210	23 034	28 793	La Linea 2,5mt + 2 kit recessed trim
	T4601310	23 364	29 205	La Linea 2,5mt + 2 kit SMD (driver ON/OFF and fixing element)
 LA LINEA 5mt BIG Wall, ceiling or floor lamp IP 65 LED 3000K, 13,2W/mt, 960lm/mt, CRI=95, 24 VDC Dimmable Materials: silicone	T4600010	32 472	40 590	white
	DV1075	2 508	3 135	driver 0-10V, ON-OFF - IP65
	DV1075APP	3 432	4 290	driver Push & APP - IP20
	DV1033	858	1 073	driver ON-OFF - IP20
	DV1076	3 168	3 960	driver DALI, ON-OFF - IP65
	A4681010	5 676	7 095	power kit 96W DALI, 0-10V, Push - IP20
	A4681010APP	7 458	9 323	power kit 96W Push & APP - IP20
	A4681210	3 828	4 785	power kit 96W ND - IP20
	T4681010APP	10 560	13 200	power kit 96W Push & APP - IP65
	T4600310	36 960	46 200	La Linea 5mt + 2 kit recessed trimless
 LA LINEA 25 5mt BIG Wall, ceiling or floor lamp IP 65 LED 3000K, 12,5W/mt, 950lm/mt, CRI=90, 48 VDC Dimmable Materials: silicone	T4620010	13 398	16 748	white
	DV1105	4 092	5 115	driver 0-10V - IP65
	DV1105APP	5 016	6 270	driver Push & APP - IP20
	DV1106	4 356	5 445	driver DALI - IP65
 LA LINEA 25 10mt BIG Wall, ceiling or floor lamp IP 65 LED 3000K, 12,5W/mt, 950lm/mt, CRI=90, 48 VDC Dimmable Materials: silicone	T4621010	25 080	31 350	white
	DV1105	4 092	5 115	driver 0-10V - IP65
	DV1105APP	5 016	6 270	driver Push & APP - IP20
	DV1106	4 356	5 445	driver DALI - IP65
 LA LINEA 25 20mt BIG Wall, ceiling or floor lamp IP 65 LED 3000K, 12,5W/mt, 950lm/mt, CRI=90, 48 VDC Dimmable Materials: silicone	T4622010	46 992	58 740	white
	DV1107	4 356	5 445	driver 0-10V - IP65
	DV1107APP	5 346	6 683	driver Push & APP - IP20
	DV1108	4 422	5 528	driver DALI - IP65
				From the Artemide.com website it is possible to download a template to create compositions such as "Earth" and "Tree"


WALL OR CEILING LAMPS

	LA PETITE WALL	1752020A	3 326	4 158	white
	Andrea Quaglio, Manuela Simonelli Wall lamp	1752030A	3 326	4 158	black
	IP 20 LED DIM 1xMAX 6W (E14) ✕ Dimmable Materials: polycarbonate, aluminum, methacrylate				
	LED NET CIRCLE CEILING	1594050APP	20 909	26 136	glossy white - Artemide APP
	Michele De Lucchi, Alberto Nason Ceiling lamp IP 20 LED 3000K, 43W, 2502lm, CRI=80 Dimmable (Push & APP) Materials: aluminum, methacrylate				
	LED NET LINE 125 CEILING	1596050APP	21 648	27 060	glossy white - Artemide APP
	Michele De Lucchi, Alberto Nason Ceiling lamp IP 20 LED 3000K, 45W, 2530lm, CRI=80 Dimmable (Push & APP) Materials: aluminum, methacrylate				
	LOGICO WALL	0391030A	6 653	8 316	silk diffuser, grey structure
	Michele De Lucchi, Gerhard Reichert Wall lamp	0391010A	6 653	8 316	fumé diffuser, grey structure
	IP 20 LED DIM 2xMAX 12W (E27) ✕ Dimmable Materials: blown glass, steel				
	LOGICO MINI WALL	0395030A	4 013	5 016	silk diffuser, grey structure
	Michele De Lucchi, Gerhard Reichert Wall lamp IP 20 LED DIM 1xMAX 12W (E27) ✕ Dimmable Materials: blown glass, steel				
	LOGICO MICRO WALL	0846030A	3 221	4 026	silk diffuser, grey structure
	Michele De Lucchi, Gerhard Reichert Wall lamp IP 20 LED DIM 1xMAX 6W (E14) ✕ Dimmable Materials: blown glass, steel				





		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
WALL OR CEILING LAMPS					
 325  400	LOGICO CEILING Michele De Lucchi, Gerhard Reichert Ceiling lamp IP 20 LED DIM 1xMAX 12W (E27)  Dimmable Materials: blown glass, aluminum	0452020A	10 032	12 540	glass with silk effect diffuser
		0452010A	10 032	12 540	diffusore fumé
 350  660	LOGICO CEILING 3x120° Michele De Lucchi, Gerhard Reichert Ceiling lamp IP 20 LED DIM 3xMAX 12W (E27)  Dimmable LED DIM 3x1MAX 12W (E27)  Dimmable Materials: blown glass, aluminum	0458020A	27 878	34 848	glass with silk effect diffuser
		0458010A	27 878	34 848	fumé diffuser
 230  280	LOGICO MINI CEILING Michele De Lucchi, Gerhard Reichert Ceiling lamp IP 20 LED DIM 1xMAX 12W (E27)  Dimmable Materials: blown glass, aluminum	0692020A	5 755	7 194	glass with silk effect diffuser
 230  450	LOGICO MINI CEILING 3x120° Michele De Lucchi, Gerhard Reichert Ceiling lamp IP 20 LED DIM 3xMAX 12W (E27)  Dimmable Materials: blown glass, aluminum	0693020A	16 421	20 526	glass with silk effect diffuser
 190  180	LOGICO MICRO CEILING Michele De Lucchi, Gerhard Reichert Ceiling lamp IP 20 LED DIM 1xMAX 6W (E14)  Dimmable Materials: blown glass, aluminum	0644020A	4 330	5 413	glass with silk effect diffuser
 210  330	LOGICO MICRO CEILING 3x120° Michele De Lucchi, Gerhard Reichert Ceiling lamp IP 20 LED DIM 3xMAX 6W (E14)  Dimmable Materials: blown glass, aluminum	0645020A	10 982	13 728	glass with silk effect diffuser

WALL OR CEILING LAMPS




	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 MELAMPO WALL Adrien Gardère Wall lamp IP 20 LED DIM 1xMAX 6W (E14)  Dimmable Materials: technopolymer, silk satin, aluminum	0720010A	3 062	3 828	structure and diffuser grey
	0720020A	3 062	3 828	structure bronze, diffuser neutral
	0721010A	3 274	4 093	structure and diffuser grey, with switch
	0721020A	3 274	4 093	structure bronze, diffuser neutral, with switch
 MELETE Pio & Tito Toso Wall lamp IP 20 LED DIM 1x11W (R7s)  Dimmable Materials: aluminum	1634010A	2 798	3 498	white
 MELETE LED Pio & Tito Toso Wall lamp IP 20 LED 2700K, 27W, 2047lm, CRI=90 Dimmable (Push) LED 3000K, 27W, 2191lm, CRI=90 Dimmable (Push) Materials: aluminum	1633W10A	3 590	4 488	2700K, white
	1633010A	3 590	4 488	3000K, white
 MERCURY LED CEILING Ross Lovegrove Ceiling lamp IP 20 LED 2700K, 2x29W, 2893lm, CRI=90 Dimmable (Push) LED 3000K, 2x29W, 3094lm, CRI=90 Dimmable (Push) Materials: aluminum, ABS, steel	1366W10A	37 963	47 454	2700K, polished chrome brilliant
	1366110A	37 963	47 454	3000K, polished chrome brilliant
 MERCURY MINI LED CEILING Ross Lovegrove Ceiling lamp IP 20 LED 2700K, 29W, 1447lm, CRI=90 Dimmable (Push) LED 3000K, 29W, 1547lm, CRI=90 Dimmable (Push) Materials: aluminum, ABS, steel	1476W10A	18 110	22 638	2700K, polished chrome brilliant
	1476110A	18 110	22 638	3000K, polished chrome brilliant
 MESMERI Eric Solé Wall lamp IP 20 LED DIM 1x11W (R7s)  Dimmable Materials: aluminum	0916010A	3 221	4 026	white




		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
WALL OR CEILING LAMPS					
79  231 82  340	MESMERI LED Eric Solé Wall lamp IP 20 LED 2700K, 28W, 2450lm, CRI=90 Dimmable (Push) LED 3000K, 28W, 2622lm, CRI=90 Dimmable (Push) Materials: aluminum	0918W10A	4 277	5 346	2700K, white
		0918010A	4 277	5 346	3000K, white
		0918W20A	5 544	6 930	2700K, polished chrome brilliant
		0918020A	5 544	6 930	3000K, polished chrome brilliant
138  Ø65 Ø150	METEORITE 15 WALL/CEILING Pio & Tito Toso Wall or ceiling lamp IP 44 LED DIM 1xMAX 6W (E14) ✕ Dimmable Materials: blown glass, technopolymer	1704110A	2 534	3 168	white
307  Ø120 Ø350	METEORITE 35 WALL/CEILING Pio & Tito Toso Wall or ceiling lamp IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmable Materials: blown glass, technopolymer	1701010A	4 646	5 808	white
430  Ø140 Ø480	METEORITE 48 CEILING Pio & Tito Toso Ceiling lamp IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmable Materials: blown glass, technopolymer	1712010A	8 501	10 626	white
 Ø250 325	MICONOS WALL Ernesto Gismondi Wall lamp IP 20 LED DIM 1xMAX 12W (E27) ✕ Dimmable Materials: blown glass, steel	A020100	6 072	7 590	crystal diffuser, polished chrome structure
		A020110	6 072	7 590	crystal diffuser, brass satinised structure
 480 Ø300	MICONOS CEILING Ernesto Gismondi Ceiling lamp IP 20 LED DIM 1xMAX 14W (E27) ✕ Dimmable Materials: blown glass, steel	A022800	6 389	7 986	crystal diffuser, polished chrome structure
		A022810	6 389	7 986	crystal diffuser, brass satinised structure



WALL OR CEILING LAMPS



	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 MICROSURF Neil Poulton Wall lamp IP 20 LED 3000K, 20W, 2116lm, CRI=92 Materials: aluminum	1646010A	3 749	4 686	white
 nh WALL Neri&Hu Wall lamp IP 20 LED 1xMAX 5W (E14)  Materials: blown glass, brass, aluminium	1277010A	3 643	4 554	white diffuser, brushed brass body, black wall support
 NH 14 CEILING Neri&Hu Ceiling lamp IP 20 LED DIM 1xMAX 5W (E14)  Dimmable Materials: blown glass, steel	1284010A	4 805	6 006	white diffuser
 NH 22 CEILING Neri&Hu Ceiling lamp IP 20 LED DIM 1xMAX 15W (E27)  Dimmable Materials: blown glass, steel	1285010A	5 702	7 128	white diffuser
 NH 35 CEILING Neri&Hu Ceiling lamp IP 20 LED DIM 1xMAX 20W (E27)  Dimmable Materials: blown glass, steel	1286010A	6 653	8 316	white diffuser
 NUR MINI CEILING Ernesto Gismondi Ceiling lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmable Materials: aluminum, methacrylate	A244200	5 861	7 326	anthracite grey
	A244250	4 910	6 138	aluminium grey

WALL OR CEILING LAMPS




	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 NUR MINI LED CEILING Ernesto Gismondi Ceiling lamp IP 20 LED 2700K, 30W, 1287lm, CRI=90 Dimmable (Push) Materials: aluminum, methacrylate	A246500	7 973	9 966	anthracite grey
	A246510	7 181	8 976	aluminium grey
 NUR MINI GLOSS CEILING Ernesto Gismondi Ceiling lamp IP 20 LED DIM 1xMAX 21W (E27)  Dimmable Materials: aluminum, methacrylate	A245500	5 280	6 600	gloss white
	A245510	6 283	7 854	gloss black
 NUR MINI GLOSS LED CEILING Ernesto Gismondi Ceiling lamp IP 20 LED 2700K, 30W, 1287lm, CRI=90 Dimmable (Push) Materials: aluminum, methacrylate	A246600	7 498	9 373	gloss white
	A246610	8 501	10 626	gloss black
 PIPE LED WALL/CEILING Herzog & de Meuron Wall or ceiling lamp IP 20 LED 2700K, 27W, 1763lm, CRI=90 Dimmable (Push) Materials: polycarbonate, steel, silicone	0671W10A	12 936	16 170	white translucent
 PIPE LED WALL/CEILING WHITE INTEGRALIS Herzog & de Meuron Wall or ceiling lamp IP 20 LED Integralis: 5000K, 27W, 2143lm, CRI=90 Dimmable (Push) Materials: polycarbonate, steel, silicone	0671010IN0A	12 936	16 170	white translucent
 PIRCE WALL Giuseppe Maurizio Scutellà Wall lamp IP 20 LED DIM 1x11W (R7s)  Dimmable Materials: aluminum	1240010A	4 910	6 138	white

		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
WALL OR CEILING LAMPS					
	PIRCE MICRO LED WALL Giuseppe Maurizio Scutellà Wall lamp IP 20 LED 2700K, 27W, 2586lm, CRI=90 Dimmable (Push) LED 3000K, 27W, 2768lm, CRI=90 Dimmable (Push) Materials: aluminum	1248W10A	4 541	5 676	2700K, white
		1248010A	4 541	5 676	3000K, white
		1248020A	4 541	5 676	3000K, gold
	PIRCE CEILING Giuseppe Maurizio Scutellà Ceiling lamp IP 20 LED DIM 1x11W (R7s)  Dimmable Materials: aluminum	1242010A	10 982	13 728	white
	PIRCE LED CEILING Giuseppe Maurizio Scutellà Ceiling lamp IP 20 LED 2700K, 44W, 3097lm, CRI=90 Dimmable (Push) LED 3000K, 44W, 3313lm, CRI=90 Dimmable (Push) Materials: aluminum	1253W10A	15 523	19 404	2700K, white
		1253110A	15 523	19 404	3000K, white
		1253120A	15 523	19 404	3000K, gold
	PIRCE MINI CEILING Giuseppe Maurizio Scutellà Ceiling lamp IP 20 LED DIM 1x11W (R7s)  Dimmable Materials: aluminum	1247010A	8 026	10 033	white
	PIRCE MINI LED CEILING Giuseppe Maurizio Scutellà Ceiling lamp IP 20 LED 2700K, 44W, 3097lm, CRI=90 Dimmable (Push) LED 3000K, 44W, 3313lm, CRI=90 Dimmable (Push) Materials: aluminum	1255W10A	12 672	15 840	2700K, white
		1255110A	12 672	15 840	3000K, white
		1255120A	12 672	15 840	3000K, gold
	REA 12 Neil Poulton Wall lamp IP 20 LED 3000K, 8W, 731lm, CRI=82 Materials: aluminum	1614010A	2 746	3 433	white

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
WALL OR CEILING LAMPS				
 REA 17 Neil Poulton Wall lamp IP 20 LED 3000K, 20W, 2193lm, CRI=92 Materials: aluminum	1615010A	3 749	4 686	white
 SKYDRO LED Ross Lovegrove Ceiling lamp IP 20 LED 2700K, 29W, 1554lm, CRI=90 Dimmable (Push) LED 3000K, 29W, 1662lm, CRI=90 Dimmable (Push) Materials: aluminum, ABS, steel	1245W10A	45 461	56 826	2700K, wired module
	1245110A	45 461	56 826	3000K, wired module
	1234010A	35 904	44 880	unwired module
	1235010A	3 432	4 290	kit for assembling more modules (template)
	1246010A	792	990	kit connection cables
 STELLAR NEBULA CEILING BIG Ceiling lamp IP20 LED 3000K, 20W, 1890lm, CRI=90 Dimmable (Push) Materials: blown glass with PVD treatment, aluminum	0152120A	18 005	22 506	transparent diffuser with dichroic PVD treatment
 SURF WALL Neil Poulton Wall lamp IP 20 LED 3000K, 40W, 3638lm, CRI=90 LED 3000K, 40W, 3638lm, CRI=90 Dimmable (DALI) LED 4000K, 40W, 3893lm, CRI=90 LED 4000K, 40W, 3893lm, CRI=90 Dimmable (DALI) LED 1x11W (R7s) ✕ Materials: aluminum	M060120	5 602	7 003	3000K, white
	M060121	6 062	7 578	3000K, white, DALI
	M060220	5 602	7 003	4000K, white
	M060221	6 062	7 578	4000K, white, DALI
	M060955	2 443	3 053	white
				electronic power supply included
 TALO WALL Neil Poulton Wall lamp IP 20 LED DIM 1x11W (R7s) ✕ Dimmable Materials: aluminum, glass	0613010A	3 432	4 290	white

		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
WALL OR CEILING LAMPS					
 42 100 210	TALO LED WALL Neil Poulton Wall lamp IP 20 LED 2700K, 20W, 1674lm, CRI=90 Dimmable (Push) LED 3000K, 20W, 1991lm, CRI=90 Dimmable (Push) Materials: aluminum, methacrylate, polycarbonate	0615W10A	4 382	5 478	2700K, white
		0615010A	4 382	5 478	3000K, white
		0615W30A	4 805	6 006	2700K, polished chrome brilliant
		0615030A	4 858	6 073	3000K, polished chrome brilliant
		0615W20A	4 382	5 478	2700K, silver
		0615020A	4 382	5 478	3000K, silver
		0615W80A	4 382	5 478	2700K, black matt
		0615080A	4 382	5 478	3000K, black matt
 100 40 600	TALO 60 LED WALL Neil Poulton Wall lamp IP 20 LED 3000K, 25W, 3071lm, CRI=80 Not dimmable and dimmable (Push) Materials: aluminum, methacrylate, polycarbonate	1913040A	7 603	9 504	not dimmable: opaque white
		1913050A	9 610	12 013	not dimmable: polished chrome brilliant
		1913080A	7 603	9 504	not dimmable: opaque black
		1914040A	9 082	11 353	dimmable: opaque white
		1914050A	11 088	13 860	dimmable: polished chrome brilliant
		1914080A	9 082	11 353	dimmable: opaque black
 100 40 905 / 1205 / 1505	TALO (90, 120, 150) LED WALL Neil Poulton Wall lamp IP 20 Talo 90: LED 3000K, 32W, 3840lm, CRI=80 Not dimmable and dimmable (Push) Talo 120: LED 3000K, 51W, 6020lm, CRI=80 Not dimmable and dimmable (Push) Talo 150: LED 3000K, 60W, 7206lm, CRI=80 Not dimmable and dimmable (Push) Materials: aluminum, methacrylate, polycarbonate	1915010A	9 504	11 880	TALO 90 LED: not dimmable, white
		1915020A	9 504	11 880	TALO 90 LED: not dimmable, silver
		1915080A	9 504	11 880	TALO 90 LED: non dimmerabile, nero opaco
		1916010A	11 246	14 058	TALO 90 LED: dimmable, white
		1916020A	11 246	14 058	TALO 90 LED: dimmable, silver
		1916080A	11 246	14 058	TALO 90 LED: dimmerabile, nero opaco
		1917010A	11 194	13 993	TALO 120 LED: not dimmable, white
		1917020A	11 194	13 993	TALO 120 LED: not dimmable, silver
		1917080A	11 194	13 993	TALO 120 LED: non dimmerabile, nero opaco
		1918010A	13 094	16 368	TALO 120 LED: dimmable, white
		1918020A	13 094	16 368	TALO 120 LED: dimmable, silver
		1918080A	13 094	16 368	TALO 120 LED: dimmerabile, nero opaco
		1919010A	12 725	15 906	TALO 150 LED: not dimmable, white
		1919020A	12 725	15 906	TALO 150 LED: not dimmable, silver
		1919080A	12 725	15 906	TALO 150 LED: non dimmerabile, nero opaco
		1920010A	14 573	18 216	TALO 150 LED: dimmable, white
		1920020A	14 573	18 216	TALO 150 LED: dimmable, silver
		1920080A	14 573	18 216	TALO 150 LED: dimmerabile, nero opaco
 70 ø140	TETI Vico Magistretti Wall or ceiling lamp IP 20 LED DIM 1xMAX 12W (E27) ✕ Dimmable Materials: polycarbonate	A048100	792	990	transparent
		A048110	792	990	transparent orange
		A048120	792	990	white
		A048150	792	990	anthracite grey
		A048170	792	990	orange
 min 830 / max 1670 min 1030 / max 1670	TOLOMEIO BRACCIO Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED 1xMAX 12W (E27) ✕ Materials: aluminum	A029050	4 805	6 006	body lamp and wall support: aluminium



WALL OR CEILING LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 min 830 / max 1670 min 1030 / max 1670	TOLOMEO BRACCIO LED			
	A0460W50	6 758	8 448	2700K, body lamp and wall support: aluminium
	A046050	6 758	8 448	3000K, body lamp and wall support: aluminium
 min 670 / max 1310 min 810 / max 1260	TOLOMEO WALL			
	A001000	2 693	3 366	body lamp aluminium
	A004420	2 693	3 366	body lamp white
	A004430	2 693	3 366	body lamp black
	A025150	739	924	wall support aluminium
				Complete lamp consists of 2 items.
 min 670 / max 1310 min 810 / max 1260	TOLOMEO LED WALL			
	A0048W00	3 854	4 818	2700K: body lamp aluminium
	A004800	3 854	4 818	3000K: body lamp aluminium
	A004800IN2	4 330	5 413	Integralis: body lamp
	A025150	739	924	wall support aluminium
				Complete lamp consists of 2 items.
 750 800 1117	TOLOMEO BASCULANTE WALL			
	0947010A	3 696	4 620	body lamp with parchment diffuser ø mm. 180
	0947020A	3 696	4 620	body lamp with silk diffuser ø mm. 180
	A025150	739	924	wall support aluminium
				Complete lamp consists of 2 items.
 min 570 / max 1110 min 710 / max 1060	TOLOMEO MINI WALL			
	A005910	2 640	3 300	body lamp aluminium
	A005920	2 640	3 300	body lamp white
	A005940	2 640	3 300	body lamp black
	A025150	739	924	wall support aluminium
				Complete lamp consists of 2 items.
 min 570 / max 1110 min 710 / max 1060	TOLOMEO MINI LED WALL			
	A0056W00	3 854	4 818	2700K, body lamp aluminium
	A005600	3 854	4 818	3000K, body lamp aluminium
	A025150	739	924	wall support aluminium
				Complete lamp consists of 2 items.

WALL OR CEILING LAMPS

		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	Artemide
WALL OR CEILING LAMPS					
 min 410 / max 740 min 490 / max 730	TOLOMEO MICRO WALL Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED 1xMAX 6W (E14)  Materials: aluminum, steel	A010900	2 482	3 103	body lamp only: aluminium
		A010910	2 482	3 103	body lamp only: anodized red
		A010930	2 482	3 103	body lamp only: black
		A010950	2 482	3 103	body lamp only: anodized bluee
		A010960	2 482	3 103	body lamp only: anodized orange
		0010920A	2 429	3 036	body lamp only: polished white
		A025150	739	924	wall support aluminium
					Complete lamp consists of 2 items.
 min 410 / max 740 min 490 / max 730	TOLOMEO MICRO LED WALL Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED 2700K, 7W, 620lm, CRI=90 Dimmer LED 3000K, 7W, 648lm, CRI=90 Dimmer Materials: aluminum, steel	A0103W00	3 379	4 224	2700K, body lamp only: aluminium
		A010300	3 379	4 224	3000K, body lamp only: aluminium
		A025150	739	924	wall support aluminium
					Complete lamp consists of 2 items.
 250 230	TOLOMEO FARETTO Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED 1xMAX 12W (E27)  Materials: aluminum	A025450	2 112	2 640	without switch: aluminium
		A029250	2 323	2 904	with switch ON-OFF: aluminium
 250 230	TOLOMEO FARETTO LED Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED 2700K, 6W, 642lm, CRI=90, without switch LED 3000K, 6W, 671lm, CRI=90, without switch LED 2700K, 8W, 737lm, CRI=90 LED 3000K, 8W, 761lm, CRI=90 Materials: aluminum	A0446W50	3 326	4 158	2700K, without switch, aluminium
		A044650	3 326	4 158	3000K, without switch, aluminium
		A0447W50	3 854	4 818	2700K, with dimmable switch, aluminium
		A044750	3 854	4 818	3000K, with dimmable switch, aluminium
 200	TOLOMEO MICRO FARETTO Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED 1xMAX 6W (E14)  Materials: aluminum	A010750	2 006	2 508	without switch, aluminium
		A044050	2 429	3 036	with incorporated switch, aluminium




WALL OR CEILING LAMPS

		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 200	TOLOME0 MICRO FARETTO LED Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED 2700K, 6W, 620lm, CRI=90, without switch LED 3000K, 6W, 648lm, CRI=90, without switch LED 2700K, 7W, 620lm, CRI=90 LED 3000K, 7W, 648lm, CRI=90 Materials: aluminum	A0435W00	3 168	3 960	2700K, without switch, aluminium
		A043500	3 168	3 960	3000K, without switch, aluminium
		A0436W00	3 696	4 620	2700K, with dimmable switch, aluminium
		A043600	3 696	4 620	3000K, with dimmable switch, aluminium
 180 326 97 ø180 278	TOLOME0 DIFFUSORE 18 WALL Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED DIM 1xMAX 8W (E27) ✕ Dimmable Materials: silk satin or parchment paper, aluminum	1183010A	2 851	3 564	aluminium structure
		0780040A	1 162	1 453	parchment paper diffuser ø 180 mm
		0781040A	1 478	1 848	silk diffuser ø 180 mm
					Complete lamp consists of 2 items.
 240 352 127 ø240 368	TOLOME0 DIFFUSORE 24 WALL Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED DIM 1xMAX 17W (E27) ✕ Dimmable Materials: silk satin or parchment paper, aluminum	1184010A	2 851	3 564	aluminium structure
		0372050A	1 584	1 980	parchment paper diffuser ø 240 mm
		0781050A	1 637	2 046	silk diffuser ø 240 mm
					Complete lamp consists of 2 items.
 320 406 167 ø320 488	TOLOME0 DIFFUSORE 32 WALL Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED DIM 1xMAX 21W (E27) ✕ Dimmable Materials: silk satin or parchment paper, aluminum	1186010A	2 904	3 630	aluminium structure
		0780010A	1 848	2 310	parchment paper diffuser ø 320 mm
		0781010A	2 006	2 508	silk diffuser ø 320 mm
					Complete lamp consists of 2 items.
 230 180	TOLOME0 PINZA Michele De Lucchi, Giancarlo Fassina Lamp with clip IP 20 LED 1xMX 12W (E27) ✕ Materials: aluminum, steel	A005800	2 112	2 640	with incorporated switch, aluminium
 230 180	TOLOME0 PINZA LED Michele De Lucchi, Giancarlo Fassina Lamp with clip IP 20 LED 2700K, 8W, 737lm, CRI=90 LED 3000K, 8W, 761lm, CRI=90 Materials: aluminum, steel	A0448W50	3 274	4 093	2700K, with dimmable switch, aluminium
		A044850	3 274	4 093	3000K, with dimmable switch, aluminium





WALL OR CEILING LAMPS

 160 200	TOLOMEO MICRO PINZA Michele De Lucchi, Giancarlo Fassina Lamp with clip IP 20 LED 1xMAX 6W (E14) ✕ Materials: aluminum, steel	A010800	1 954	2 443	aluminium
		A010810	2 006	2 508	red
		A010850	2 006	2 508	blue
		A010860	2 006	2 508	orange
 160 200	TOLOMEO MICRO PINZA LED Michele De Lucchi, Giancarlo Fassina Lamp with clip IP 20 LED 2700K, 9W, 461lm, CRI=90 LED 3000K, 9W, 461lm, CRI=90 Materials: aluminum, steel	A0438W00	3 062	3 828	2700K, aluminium
		A043800	3 062	3 828	3000K, aluminium
 1100 970 / 1000 / 1020	TOLOMEO MEGA WALL Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 Ø 320: LED / LED DIM* 1xMAX 21W (E27) ✕ Ø 360, 420: LED / LED DIM* 1xMAX 21W (E27) ✕ Materials: textile fabric or silk satin or parchment paper, aluminum, steel	0564010A	4 382	5 478	body lamp with switch ON-OFF: aluminium
		0564030A	4 382	5 478	body lamp with switch ON-OFF: black
		0778010A	4 858	6 073	body lamp with dimmer: aluminium *
		0778030A	4 858	6 073	body lamp with dimmer: black *
		0780010A	1 848	2 310	parchment paper diffuser ø 320 mm
		0780020A	1 954	2 443	parchment paper diffuser ø 360 mm
		0780030A	2 059	2 574	parchment paper diffuser ø 420 mm
		0781010A	2 006	2 508	silk diffuser ø 320 mm
		0781020A	2 534	3 168	silk diffuser ø 360 mm
		0781030A	2 693	3 366	silk diffuser ø 420 mm
		0772010A	2 006	2 508	black satin diffuser ø 320 mm
		0772020A	2 587	3 234	black satin diffuser ø 360 mm
		0772030A	2 851	3 564	black satin diffuser ø 420 mm
		0563050A	1 003	1 254	wall support aluminium
					Complete lamp consists of 3 items.
 1100 970 / 1000 / 1020	TOLOMEO MEGA LED WALL Michele De Lucchi, Giancarlo Fassina Wall lamp IP 20 LED 2700K*, 31W, CRI=90 Dimmer LED 3000K**, 31W, CRI=90 Dimmer Materials: textile fabric or silk satin or parchment paper, aluminum, steel	0762W10A	7 286	9 108	2700K, body lamp with dimmer on cable: aluminium
		0762010A	7 286	9 108	3000K, body lamp with dimmer on cable: aluminium
		0762W30A	7 286	9 108	2700K, body lamp with dimmer on cable: black
		0762030A	7 286	9 108	3000K, body lamp with dimmer on cable: black
		0761W10A	6 389	7 986	2700K, body lamp with microswitch dimmer: aluminium
		0761010A	6 389	7 986	3000K, body lamp with microswitch dimmer: aluminium
		0761W30A	6 389	7 986	2700K, body lamp with microswitch dimmer: black
		0761030A	6 389	7 986	3000K, body lamp with microswitch dimmer: black
		0780010A	1 848	2 310	parchment paper diffuser ø 320 mm, 1868lm*/1999lm**
		0780020A	1 954	2 443	parchment paper diffuser ø 360 mm, 1871lm*/2002lm**
		0780030A	2 059	2 574	parchment paper diffuser ø 420 mm, 1884lm*/2016lm**
		0781010A	2 006	2 508	silk diffuser ø 320 mm, 1770lm*/1894lm**
		0781020A	2 534	3 168	silk diffuser ø 360 mm, 1786lm*/1912lm**
		0781030A	2 693	3 366	silk diffuser ø 420 mm, 1789lm*/1914lm**
		0772010A	2 006	2 508	black satin diffuser ø 320 mm, 1579lm* / 1690lm**
		0772020A	2 587	3 234	black satin diffuser ø 360 mm, 1571lm*/1681lm**
		0772030A	2 851	3 564	black satin diffuser ø 420 mm, 1582lm*/1693lm**
		0563050A	1 003	1 254	wall support aluminium
					Complete lamp consists of 3 items.






WALL OR CEILING LAMPS

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 TWO FLAGS WALL Ernesto Gismondi, Neil Poulton Wall lamp IP20 LED 3000K, 21W, 1688lm, CRI=90 Materials: aluminum, borosilicate glass	DEG8100A10L	4 382	5 478	white
	DEG8100A09L	4 382	5 478	black
				double emission
 UNTERLINDEN WALL Herzog & de Meuron Wall lamp IP20 LED 2700K, 8W, 398lm, CRI=90 LED 3000K, 8W, 416lm, CRI=90 Materials: aluminum or brass, steel, technopolymer	1097W10A	8 342	10 428	2700K, antique aluminum
	1097010A	8 342	10 428	3000K, antique aluminum
	1098W10A	9 082	11 353	2700K, antique brass
	1098010A	9 082	11 353	3000K, antique brass
 VINE LIGHT SPOT BIG Wall lamp IP20 LED 3000K, 8W, 602lm, CRI=90 Dimmer Materials: aluminum, zamac, technopolymer	1566030A	5 650	7 063	black
 VINE LIGHT WALL BIG Wall lamp IP20 LED 3000K, 8W, 602lm, CRI=90 Dimmer Materials: aluminum, zamac, technopolymer	1567030A	5 914	7 393	black
 VINE LIGHT WALL L BIG Wall lamp IP20 LED 3000K, 35W, 2639lm, CRI=90 Dimmer Materials: aluminum, zamac, technopolymer	1569030APP	15 629	19 536	black, Artemide APP








ARTEMIDE OUTDOOR

 ALPHABET OF LIGHT OUTDOOR BIG Outdoor fixture IP 65 LED 3000K, 68W, 2200lm, CRI=90 Materials: aluminum, optical silicone	T089030	34 716	43 395	black
 ANTARKTIKOS white light Carlotta de Bevilacqua Outdoor fixture IP 65 LED 3000K, 3W, 14lm, CRI=80 electronic ballast supplied separately Materials: aluminum	T4520030	3 102	3 878	white light, grey/white RAL 9002
	NL19035	398	498	driver LED 9,8W 700mA undimmable
	DV3003	990	1 238	driver LED 14W 700mA IP67 undimmable
	DV1003	858	1 073	driver LED 900mA 11-25W dimmable DALI/PUSH
	DV1042	2 046	2 558	driver LED 55W 350-1000mA dimmable DALI IP67
 ANTARKTIKOS RGB Carlotta de Bevilacqua Outdoor fixture IP 65 LED 3000K, 3W, 15lm electronic ballast supplied separately Materials: aluminum	T4521030	3 564	4 455	RGB light, grey/white RAL 9002
	DV1055	1 188	1 485	driver LED 25W 12Vdc x max 5 devices in series
	DV1056	1 386	1 733	driver LED 40W 12Vdc x max 8 devices in series
	DV1057	1 386	1 733	driver LED 96W 12Vdc x max 12 devices in series
	DV1043	2 244	2 805	driver LED 150W 12Vdc x max 30 devices in series
	DV1059	1 848	2 310	driver DMX (1 device)
	DV1052	1 848	2 310	driver DALI (1 device)
 CALUMET 8 WALL Ernesto Gismondi Wall fixture IP 65 one emission: LED 3000K, 4W, 184lm, CRI=80 with electronic ballast double emission: LED 3000K, 7,5W, 369lm, CRI=80 with electronic ballast Materials: aluminum, tempered glass, methacrylate	T41911NW00	6 468	8 085	One emission, grey/white RAL 9002
	T41911NW10	6 468	8 085	One emission, anthracite grey
	T41922NW00	8 316	10 395	Double emission, grey/white RAL 9002
	T41922NW10	8 316	10 395	Double emission, anthracite grey
 CALUMET 13 WALL Ernesto Gismondi Wall fixture IP 65 one emission: LED 3000K, 7,5W, 653lm, CRI=80 with electronic ballast double emission: LED 3000K, 15W, 1306lm, CRI=80 with electronic ballast Materials: aluminum, tempered glass, methacrylate	T41941NW00	8 976	11 220	One emission, grey/white RAL 9002
	T41941NW10	8 976	11 220	One emission, anthracite grey
	T41952NW00	11 352	14 190	Double emission, grey/white RAL 9002
	T41952NW10	11 352	14 190	Double emission, anthracite grey






ARTEMIDE OUTDOOR

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 CALUMET 8 CEILING Ernesto Gismondi Ceiling fixture IP 65 LED 3000K, 4W, 189lm, CRI=80 with electronic ballast Materials: aluminum, tempered glass, methacrylate	T41931LW00	6 072	7 590	grey/white RAL 9002
	T41931LW10	6 072	7 590	anthracite grey
 CALUMET 13 CEILING Ernesto Gismondi Ceiling fixture IP 65 LED 3000K, 7,5W, 554lm, CRI=80 with electronic ballast Materials: aluminum, tempered glass, methacrylate	T41961LW00	8 250	10 313	grey/white RAL 9002
	T41961LW10	8 250	10 313	anthracite grey
 CEFISO 14 Alessandro Pedretti (Studio Rota & P.) Floor/wall/cornice fixture IP 65 spot optic 9°: LED 3000K, 23W, 1950lm, CRI=80 with electronic ballast flood optic 37°: LED 3000K, 23W, 1654lm, CRI=80 with electronic ballast wall washer optic 10°x37°: LED 3000K, 23W, 1596lm, CRI=80 with electronic ballast Materials: aluminum, tempered glass, methacrylate	T418010W00	7 062	8 828	spot optic 5,4°, grey/white RAL 9002
	T418010W10	7 062	8 828	spot optic 5,4°, anthracite grey
	T418039W00	7 062	8 828	flood optic 40°, grey/white RAL 9002
	T418039W10	7 062	8 828	flood optic 40°, anthracite grey
	T4180ELW00	7 062	8 828	wall washer optic 6°x34°, grey/white RAL 9002
	T4180ELW10	7 062	8 828	wall washer optic 6°x34°, anthracite grey
 CEFISO 20 Alessandro Pedretti (Studio Rota & P.) Floor/wall/cornice fixture IP 65 spot optic 9°: LED 3000K, 38W, 3558lm, CRI=80 with electronic ballast flood optic 37°: LED 3000K, 38W, 3019lm, CRI=80 with electronic ballast wall washer optic 10°x37°: LED 3000K, 38W, 2912lm, CRI=80 with electronic ballast Materials: aluminum, tempered glass, methacrylate	T418110W00	11 286	14 108	spot optic 5,4°, grey/white RAL 9002
	T418110W10	11 286	14 108	spot optic 5,4°, anthracite grey
	T418139W00	11 286	14 108	flood optic 40°, grey/white RAL 9002
	T418139W10	11 286	14 108	flood optic 40°, anthracite grey
	T4181ELW00	11 286	14 108	wall washer optic 6°x34°, grey/white RAL 9002
	T4181ELW10	11 286	14 108	wall washer optic 6°x34°, anthracite grey
 CEFISO POLE Alessandro Pedretti (Studio Rota & P.) Lighting body and pole support IP 65 LED 3000K, 41W, 3110lm, CRI=80 with electronic ballast Materials: aluminum, tempered glass, methacrylate, zinked iron	T418200W10	14 388	17 985	head pole, anthracite grey
	T418200W00	14 388	17 985	head pole, grey/white RAL 9002
				glass thickness 8mm - pole not supplied



ARTEMIDE OUTDOOR

		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
ARTEMIDE OUTDOOR					
	CHILONE WALL	T082400	7 854	9 818	grey/white RAL 9002
	Ernesto Gismondi Wall fixture	T082410	7 854	9 818	rust
	IP 65 LED 3000K, 14W, 865lm, CRI=80 with electronic ballast	T082420	7 854	9 818	anthracite grey
	Materials: aluminum, polycarbonate				
	CHILONE FLOOR 45	T082200	8 712	10 890	grey/white RAL 9002
	Ernesto Gismondi Outdoor floor lamp	T082210	8 712	10 890	rust
	IP 65 LED 3000K, 8W, 350lm, CRI=80 with electronic ballast	T082220	8 712	10 890	anthracite grey
	Materials: aluminum, polycarbonate				
	CHILONE FLOOR 90	T082100	9 306	11 633	grey/white RAL 9002
	Ernesto Gismondi Outdoor floor lamp	T082110	9 306	11 633	rust
	IP 65 LED 3000K, 8W, 350lm, CRI=80 with electronic ballast	T082120	9 306	11 633	anthracite grey
	Materials: aluminum, polycarbonate				
	CHILONE POLE 250	T082000	14 586	18 233	grey/white RAL 9002
	Ernesto Gismondi Outdoor floor lamp	T082010	14 586	18 233	rust
	IP 65 LED 3000K, 14W, 628lm, CRI=80 with electronic ballast	T082020	14 586	18 233	anthracite grey
	Materials: aluminum, polycarbonate				
	CHILONE UP FLOOR	T082300	8 250	10 313	grey/white RAL 9002
	Ernesto Gismondi Outdoor floor lamp	T082310	8 250	10 313	rust
	IP 65 LED 3000K, 14W, 865lm, CRI=80 with electronic ballast	T082320	8 250	10 313	anthracite grey
	Materials: aluminum, polycarbonate				
	CICLOPE WALL	T081200	9 306	11 633	grey/white RAL 9002
	Alessandro Pedretti Wall fixture	T081210	9 306	11 633	rust
	IP 65 LED 3000K, 6,5W, 383lm, CRI=90 with electronic ballast	T081220	9 306	11 633	anthracite grey
	Materials: composite technopolymer, polycarbonate, steel, aluminum				
	CICLOPE RECESSED	T081500	6 006	7 508	grey/white RAL 9002
	Alessandro Pedretti Recessed fixture	T081510	6 006	7 508	rust
	IP 65 LED 3000K, 6,5W, 383lm, CRI=90 with electronic ballast	T081520	6 006	7 508	anthracite grey
	Materials: composite technopolymer, polycarbonate, steel, aluminum	T081600	858	1 073	recessing box



ARTEMIDE OUTDOOR

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 CICLOPE FLOOR 50 Alessandro Pedretti Outdoor floor lamp IP 65 one emission: LED 3000K, 6,5W, 383lm, CRI=90 with electronic ballast dual emission: LED 3000K, 13W, 765lm, CRI=90 with electronic ballast Materials: composite technopolymer, polycarbonate, steel, aluminum	T081000	9 570	11 963	One emission, grey/white RAL 9002
	T081010	9 570	11 963	One emission, rust
	T081020	9 570	11 963	One emission, anthracite grey
	T081300	11 748	14 685	Dual emission, grey/white RAL 9002
	T081310	11 748	14 685	Dual emission, rust
	T081320	11 748	14 685	Dual emission, anthracite grey
 CICLOPE FLOOR 90 Alessandro Pedretti Outdoor floor lamp IP 65 Monolaterale: LED 3000K, 6,5W, 383lm, CRI=90 with electronic ballast dual emission: LED 3000K, 13W, 765lm, CRI=90 with electronic ballast Materials: composite technopolymer, polycarbonate, steel, aluminum	T081100	10 362	12 953	One emission, grey/white RAL 9002
	T081110	10 362	12 953	One emission, rust
	T081120	10 362	12 953	One emission, anthracite grey
	T081400	12 738	15 923	Dual emission, grey/white RAL 9002
	T081410	12 738	15 923	Dual emission, rust
	T081420	12 738	15 923	Dual emission, anthracite grey
 COHERENCE 2°, 5°, 10° Carlotta de Bevilacqua Outdoor spot fixture IP 65 LED 3000K, 9,5W, CRI=95 with electronic ballast Materials: aluminum	T060030	12 936	16 170	black, spot optic 2°, 24lm, 18000cd
	T060130	12 936	16 170	black, spot optic 5°, 90lm, 14500cd
	T060230	12 936	16 170	black, spot optic 10°, 160lm, 7000cd
 CUNEO WALL/FLOOR Klaus Begasse Outdoor floor/ceiling fixture IP 65 LED 3000K, 15W, 1022lm, CRI=80 with electronic ballast Materials: aluminum, methacrylate	T082700	6 930	8 663	grey/white RAL 9002
	T082710	6 930	8 663	rust
	T082720	6 930	8 663	anthracite grey
 CUNEO MINI WALL/FLOOR Klaus Begasse Outdoor floor/ceiling fixture IP 65 LED 3000K, 11W, 805lm, CRI=90 with electronic ballast Materials: aluminum, methacrylate	T082800	4 224	5 280	grey/white RAL 9002
	T082810	4 224	5 280	rust
	T082820	4 224	5 280	anthracite grey






ARTEMIDE OUTDOOR

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva		
ARTEMIDE OUTDOOR					
 	EFFETTO 14 SQUARE 1 large beam	T42021LW00	4 818	6 023	grey/white RAL 9002
	Ernesto Gismondi Outdoor wall fixture	T42021LW10	4 818	6 023	rust
		T42021LW20	4 818	6 023	anthracite grey
	IP 65 LED 3000K, 4,6W, 54lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate				
 	EFFETTO 14 SQUARE 1 narrow beam	T42021NW00	4 818	6 023	grey/white RAL 9002
	Ernesto Gismondi Outdoor wall fixture	T42021NW10	4 818	6 023	rust
		T42021NW20	4 818	6 023	anthracite grey
	IP 65 LED 3000K, 4,6W, 19lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate				
 	EFFETTO 14 SQUARE 2 large beams	T42012LW00	5 874	7 343	grey/white RAL 9002
	Ernesto Gismondi Outdoor wall fixture	T42012LW10	5 874	7 343	rust
		T42012LW20	5 874	7 343	anthracite grey
	IP 65 LED 3000K, 7W, 109lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate				
 	EFFETTO 14 SQUARE 2 narrow beams	T42012NW00	5 874	7 343	grey/white RAL 9002
	Ernesto Gismondi Outdoor wall fixture	T42012NW10	5 874	7 343	rust
		T42012NW20	5 874	7 343	anthracite grey
	IP 65 LED 3000K, 7W, 38lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate				
 	EFFETTO 14 SQUARE 1 large beam + 1 narrow beam	T4201NLW00	5 874	7 343	grey/white RAL 9002
	Ernesto Gismondi Outdoor wall fixture	T4201NLW10	5 874	7 343	rust
		T4201NLW20	5 874	7 343	anthracite grey
	IP 65 LED 3000K, 7W, 73lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate				
 	EFFETTO 14 SQUARE 4 large beams	T42004LW00	7 656	9 570	grey/white RAL 9002
	Ernesto Gismondi Outdoor wall fixture	T42004LW10	7 656	9 570	rust
		T42004LW20	7 656	9 570	anthracite grey
	IP 65 LED 3000K, 11W, 218lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate				


ARTEMIDE OUTDOOR

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 EFFETTO 14 SQUARE 4 narrow beams Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 11W, 76lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate	T42004NW00	7 722	9 653	grey/white RAL 9002
	T42004NW10	7 722	9 653	rust
	T42004NW20	7 722	9 653	anthracite grey
 EFFETTO ROUND 1 large beam Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 4,6W, 54lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate	T42121LW00	4 818	6 023	grey/white RAL 9002
	T42121LW10	4 818	6 023	rust
	T42121LW20	4 818	6 023	anthracite grey
 EFFETTO ROUND 1 narrow beam Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 4,6W, 23lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate	T42121NW00	4 818	6 023	grey/white RAL 9002
	T42121NW10	4 818	6 023	rust
	T42121NW20	4 818	6 023	anthracite grey
 EFFETTO ROUND 2 large beams Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 7W, 100lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate	T42112LW00	5 874	7 343	grey/white RAL 9002
	T42112LW10	5 874	7 343	rust
	T42112LW20	5 874	7 343	anthracite grey
 EFFETTO ROUND 2 narrow beams Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 7W, 49lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate	T42112NW00	5 874	7 343	grey/white RAL 9002
	T42112NW10	5 874	7 343	rust
	T42112NW20	5 874	7 343	anthracite grey
 EFFETTO ROUND 1 large beam + 1 narrow beam Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 7W, 73lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate	T4211NLW00	5 874	7 343	grey/white RAL 9002
	T4211NLW10	5 874	7 343	rust
	T4211NLW20	5 874	7 343	anthracite grey


ARTEMIDE OUTDOOR

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 EFFETTO ROUND 4 large beams Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 11W, 205lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate	T42104LW00	7 656	9 570	grey/white RAL 9002
	T42104LW10	7 656	9 570	rust
	T42104LW20	7 656	9 570	anthracite grey
 EFFETTO ROUND 4 narrow beams Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 11W, 102lm, CRI=80 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate	T42104NW00	7 722	9 653	grey/white RAL 9002
	T42104NW10	7 722	9 653	rust
	T42104NW20	7 722	9 653	anthracite grey
 GOPLÉ OUTDOOR BIG Floor/suspension fixture IP 44 LED 1x MAX 21W (E27)  Materials: polyethylene diffuser	T040020	7 326	9 158	body lamp
	T040120	924	1 155	accessory: suspension kit
				Complete lamp consists of 3 items.
 GOPLÉ OUTDOOR BOLLARD BIG Floor/suspension fixture IP 44 LED 1x MAX 21W (E27)  Materials: polyethylene diffuser	T040020	7 326	9 158	body lamp
	T040220	1 716	2 145	stem h 88
	T040320	2 508	3 135	stem h 563
	T040420	2 904	3 630	stem h 1038
	T040520	2 046	2 558	stem base
	T040620	1 452	1 815	spike
				Complete lamp consists of 3 items.
 GRANITO 30 LED Ernesto Gismondi Outdoor floor lamp IP 65 LED 3000K, 11W, 46lm, CRI=80 with electronic ballast Materials: steel cor-ten, glass	T083200	12 144	15 180	rust cor-ten
				NEW
 GRANITO 60 LED Ernesto Gismondi Outdoor floor lamp IP 65 LED 3000K, 11W, 40lm, CRI=80 with electronic ballast Materials: steel cor-ten, glass	T083300	13 068	16 335	rust cor-ten
				NEW





ARTEMIDE OUTDOOR

	KNOP 45 BOLLARD	T050010	10 032	12 540	brushed grey
	BIG Outdoor floor lamp IP 65 LED 3000K, 11W, 760lm, CRI=90 with electronic ballast Materials: aluminum, technopolymer				
	KNOP 90 BOLLARD	T050110	11 418	14 273	brushed grey
	BIG Outdoor floor lamp IP 65 LED 3000K, 11W, 760lm, CRI=90 with electronic ballast Materials: aluminum, technopolymer				
	KNOP 225 BOLLARD	T050210	15 906	19 883	brushed grey
	BIG Outdoor floor lamp IP 65 LED 3000K, 15W, 1020lm, CRI=90 with electronic ballast Materials: aluminum, technopolymer				
	KNOP WALL/CEILING	T050310	9 438	11 798	brushed grey
	BIG Outdoor wall/ceiling fixture IP 65 LED 3000K, 11W, 709lm, CRI=90 with electronic ballast Materials: aluminum, technopolymer				
	LA LINEA 2,5mt	T4601010	17 688	22 110	white
	BIG	DV1075	2 508	3 135	driver 0-10V, ON-OFF - IP65
		DV1076	3 168	3 960	driver DALI, ON-OFF - IP65
	IP 65	A4681210	3 828	4 785	power kit 96W ND - IP65
	LED 3000K, 13,2W/mt, 960lm/mt, CRI=95, 24 VDC Dimmable	T4681010APP	10 560	13 200	power kit 96W Push & APP - IP65
	Materials: silicone				
	LA LINEA 5mt	T4600010	32 472	40 590	white
	BIG	DV1075	2 508	3 135	driver 0-10V, ON-OFF - IP65
	Outdoor floor lamp	DV1076	3 168	3 960	driver DALI, ON-OFF - IP65
	IP 65	A4681210	3 828	4 785	power kit 96W ND - IP65
	LED 3000K, 13,2W/mt, 960lm/mt, CRI=95, 24 VDC Dimmable	T4681010APP	10 560	13 200	power kit 96W Push & APP - IP65
	Materials: silicone				






ARTEMIDE OUTDOOR




	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 LA LINEA 25 5mt BIG Outdoor wall/ceiling/floor fixture IP 65 LED 3000K, 12,5W/mt, 950lm/mt, CRI=90, 48 VDC Dimmable Materials: silicone	T4620010	13 398	16 748	white
	DV1105	4 092	5 115	driver 0-10V - IP65
	DV1106	4 356	5 445	driver DALI - IP65
 LA LINEA 25 10mt BIG Outdoor wall/ceiling/floor fixture IP 65 LED 3000K, 12,5W/mt, 950lm/mt, CRI=90, 48 VDC Dimmable Materials: silicone	T4621010	25 080	31 350	white
	DV1105	4 092	5 115	driver 0-10V - IP65
	DV1106	4 356	5 445	driver DALI - IP65
 LA LINEA 25 20mt BIG Outdoor wall/ceiling/floor fixture IP 65 LED 3000K, 12,5W/mt, 950lm/mt, CRI=90, 48 VDC Dimmable Materials: silicone	T4622010	46 992	58 740	white
	DV1107	4 356	5 445	driver 0-10V - IP65
	DV1108	4 422	5 528	driver DALI - IP65
				From the Artemide.com website it is possible to download a template to create compositions such as "Earth" and "Tree"
 MOLLA Ernesto Gismondi Outdoor wall fixture IP 65 LED 3000K, 12W, 618lm, CRI=90 with electronic ballast Materials: aluminum, composite technopolymer, methacrylate, silkscreened glass	T4190NLW00	6 930	8 663	grey/white RAL 9002
	T4190NLW10	6 930	8 663	anthracite grey





ARTEMIDE OUTDOOR

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 NEEDOO Davide Oppizzi Outdoor floor lamp IP 65 Rotosymmetrical monoemission: LED 3000K, 11W, 337lm, CRI=90 with electronic ballast Asymmetrical monoemission: LED 3000K, 11W, 455lm, CRI=90 with electronic ballast Asymmetrical double emission: LED 3000K, 21W, 910lm, CRI=90 with electronic ballast Double emission (asymmetrical+blade of light): LED 3000K, 13W, 478lm, CRI=80 with electronic ballast Monoemission blade of light: LED 3000K, 4W, 23lm, CRI=80 with electronic ballast Materials: aluminum, steel, polycarbonate	T030000	8 778	10 973	Rotosymmetrical monoemission, rust
	T030010	8 778	10 973	Rotosymmetrical monoemission, green
	T030100	8 778	10 973	Asymmetrical monoemission, rust
	T030110	8 778	10 973	Asymmetrical monoemission, green
	T030200	11 022	13 778	Asymmetrical double emission, rust
	T030210	11 022	13 778	Asymmetrical double emission, green
	T030300	10 560	13 200	Double emission (asymmetrical + blade of light), rust
	T030310	10 560	13 200	Double emission (asymmetrical + blade of light), green
	T030400	9 174	11 468	Monoemission blade of light, rust
	T030410	9 174	11 468	Monoemission blade of light, green
	T031000	6 600	8 250	pole h.90cm, rust
	T031010	6 600	8 250	pole h.90cm, green
	T031100	11 418	14 273	pole h.250cm, rust
	T031110	11 418	14 273	pole h.250cm, green
	T031200	8 910	11 138	pole h.300cm, rust
	T031210	8 910	11 138	pole h.300cm, green
	T031300	7 854	9 818	pole h.330cm for nest, rust
	T031310	7 854	9 818	pole h.330cm for nest, green
	T031800	2 046	2 558	reduction for head installation on commercial pole Ø60mm, rust
	T031810	2 046	2 558	reduction for head installation on commercial pole Ø60mm, green
	T031900	2 244	2 805	reduction for nest installation on commercial pole Ø60mm, rust
	T031910	2 244	2 805	reduction for nest installation on commercial pole Ø60mm, green
	T032000	2 310	2 888	
	T032010	2 310	2 888	
	T031400	12 474	15 593	nest body, rust
	T031410	12 474	15 593	nest body, green
	T031700	2 904	3 630	nesting hatch hole Ø 26
	T031710	2 904	3 630	nesting hatch hole Ø 32
	T031720	2 904	3 630	nesting hatch hole Ø 45
	T031730	2 904	3 630	nesting hatch hole 55X29
	T031740	2 904	3 630	nesting hatch 3 holes Ø 26
	T031750	2 904	3 630	nesting hatch hole 84X93
	T031760	4 620	5 775	nesting hatch for bat
 NIKI Ernesto Gismondi Outdoor wall fixture/soffitto IP 65 LED 1xMAX 12W (E27)  with electronic ballast Materials: steel, prism glass	AH10013	2 970	3 713	LED Retrofit: gloss
	AH10015	2 970	3 713	LED Retrofit: satinised
 NOTTOLA Alexander Bellman Outdoor suspension fixture IP 65 LED 3000K, 20W, 2034lm, CRI=90 Materials: steel, polycarbonate	T070010	20 988	26 235	brass
				the product is supplied with two interchangeable tiges, which allow to obtain two different lengths
 NUDA RECESSED Ernesto Gismondi Outdoor recessed fixture IP 65 LED 3000K, 8W, 316lm, CRI=80 with electronic ballast Materials: aluminum, polycarbonate	T083500	6 072	7 590	grey/white RAL 9002
	T083510	6 072	7 590	rust
	T083520	6 072	7 590	anthracite grey
	T083400	528	660	recessing box





ARTEMIDE OUTDOOR

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 NUDA 50 Ernesto Gismondi Outdoor floor lamp IP 65 one emission: LED 3000K, 8W, 316lm, CRI=80 with electronic ballast dual emission: LED 3000K, 8W, 335lm, CRI=80 with electronic ballast Materials: aluminum, polycarbonate	T083600	7 524	9 405	One emission, grey/white RAL 9002
	T083610	7 524	9 405	One emission, rust
	T083620	7 524	9 405	One emission, anthracite grey
	T083700	7 788	9 735	Dual emission, grey/white RAL 9002
	T083710	7 788	9 735	Dual emission, rust
	T083720	7 788	9 735	Dual emission, anthracite grey
 NUDA 100 Ernesto Gismondi Outdoor floor lamp IP 65 one emission: LED 3000K, 14W, 563lm, CRI=80 with electronic ballast one emission: LED 3000K, 14W, 363lm, CRI=80 with electronic ballast one emission: LED 3000K, 14W, 563lm, CRI=80 with electronic ballast dual emission: LED 3000K, 14W, 596lm, CRI=80 with electronic ballast Materials: aluminum, polycarbonate	T083800	8 052	10 065	One emission, grey/white RAL 9002
	T083810	8 052	10 065	One emission, rust
	T083820	8 052	10 065	One emission, anthracite grey
	T083900	8 382	10 478	Dual emission, grey/white RAL 9002
	T083910	8 382	10 478	Dual emission, rust
	T083920	8 382	10 478	Dual emission, anthracite grey
 "O" Elemental Outdoor floor lamp IP 67 LED 3000K, 43W, 1830lm, CRI=90 Materials: aluminum, silicone	T071030	16 236	20 295	black
 "O" SUSPENSION Elemental Outdoor suspension lamp IP 67 LED 3000K, 43W, 1830lm, CRI=90 Materials: aluminum, silicone	T072030	13 728	17 160	black
 "O" 45 FLOOR/WALL/CEILING Elemental Outdoor floor/wall lamp IP 67 LED 3000K, 19W, 875lm, CRI=90 Materials: aluminum, silicone	T071130	10 362	12 953	black





ARTEMIDE OUTDOOR		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 "O" 45 SUSPENSION Elemental Outdoor suspension lamp IP 67 LED 3000K, 19W, 875lm, CRI=90 Materials: aluminum, silicone		T072130	9 636	12 045	black
 "O" 150 Elemental Outdoor floor lamp IP 67 LED 3000K, 65W, 3126lm, CRI=90 Materials: aluminum, silicone		T071230	44 418	55 523	black
 "O" 150 SUSPENSION Elemental Outdoor suspension lamp IP 67 LED 3000K, 65W, 3126lm, CRI=90 Materials: aluminum, silicone		T072230	33 132	41 415	black
 OBLIQUE BOLLARD 75 Arik Levy Outdoor floor lamp IP 65 LED 3000K, 23W, 1263lm, CRI=90 with electronic ballast Materials: aluminum		T086300	7 194	8 993	anthracite grey
		T086500	792	990	ground picket
 OBLIQUE BOLLARD 45 Arik Levy Outdoor floor lamp IP 65 LED 3000K, 20W, 1088lm, CRI=90 with electronic ballast Materials: aluminum		T086200	6 402	8 003	anthracite grey
		T086500	792	990	ground picket
 OBLIQUE WALL/FLOOR/POLE Arik Levy Wall/floor/pole fixture IP 65 LED 3000K, 23W, 1263lm, CRI=90 with electronic ballast Materials: aluminum		T086000	5 016	6 270	anthracite grey
		T086020	5 016	6 270	white
		T086400	9 042	11 303	pole H. 3mt.
		T086500	792	990	ground picket
 PIROSCAFO Ernesto Gismondi Outdoor floor lamp IP 65 LED 3000K, 14W, 1143lm, CRI=90 with electronic ballast Materials: aluminum, tempered glass		T081900	6 336	7 920	grey
		T081910	6 336	7 920	rust
		T081920	6 336	7 920	green

		Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	Artemide OUTDOOR
ARTEMIDE OUTDOOR					
	REEDS IP 67	T087400	10 164	12 705	Single, anthracite grey
	Klaus Begasse Outdoor floor lamp	T087700	22 374	27 968	Triple, anthracite grey
	IP 67 Single: LED 3000K, 7W, 105lm, CRI=80 with electronic ballast Triple: LED 3000K, 22W, 314lm, CRI=80 with electronic ballast Materials: methacrylate, polycarbonate				
	REEDS IP 68	T087500	9 306	11 633	Single, anthracite grey
	Klaus Begasse Outdoor floor lamp	T087800	23 430	29 288	Triple, anthracite grey
	IP 68	T409996	1 056	1 320	driver LED 25W 24Vdc (see the online catalogue for more info)
	Single:	T409998	1 518	1 898	driver LED 60W 24Vdc (see the online catalogue for more info)
	Triple:	T409999	1 980	2 475	driver LED 90W 24Vdc (see the online catalogue for more info)
	LED 3000K, 7W, 105lm, CRI=80 Driver 24Vdc SELV supplied separately LED 3000K, 23W, 314lm, CRI=80 Driver 24Vdc SELV supplied separately Materials: methacrylate, polycarbonate				
	SE ES FLOOR	T070410	23 760	29 700	mirrored
	Carolina Gismondi dB, Daniele Moioli Outdoor floor lamp IP 67 LED 3000K, 35W, 1138lm, CRI=90 Dimmable (Push & APP) Materials: steel, aluminum, optical silicone				
	SE ES FLOOR 180	T070510	26 400	33 000	mirrored
	Carolina Gismondi dB, Daniele Moioli Outdoor floor lamp IP 67 LED 3000K, 35W, 1138lm, CRI=90 Dimmable (Push & APP) Materials: steel, aluminum, optical silicone				
	SE ES SUSPENSION	T070310	24 420	30 525	mirrored
	Carolina Gismondi dB, Daniele Moioli Outdoor floor lamp IP 67 LED 3000K, 35W, 1138lm, CRI=90 Dimmable (Push & APP) Materials: steel, aluminum, optical silicone				
LED Not replaceable integrated LED source		💡 Included source		🚫 Excluded source	




ARTEMIDE OUTDOOR

	SLICING SUSPENSION 21	T250310	13 134	16 418	
	BIG Outdoor floor lamp IP 65 LED 3000K, 14W, 418lm, CRI=90 Materials: aluminum, steel				
	SLICING SUSPENSION 42	T250410	20 130	25 163	
	BIG Outdoor suspension fixture IP 65 LED 3000K, 28W, 2149lm, CRI=90 Materials: aluminum, steel				
	SLICING SUSPENSION 63	T250510	24 618	30 773	
	BIG Outdoor suspension fixture IP 65 LED 3000K, 28W, 2149lm, CRI=90 Materials: aluminum, steel				
	SLICING WALL/CEILING	T250610	7 326	9 158	
	BIG Outdoor wall fixture IP 65 LED 3000K, 14W, 207lm, CRI=90 Materials: aluminum, steel				
	SLICING BOLLARD	T250110	24 618	30 773	
	BIG Outdoor wall fixture IP 65 LED 3000K, 20W, 580lm, CRI=90 Materials: aluminum, steel				
	SLICING STEM	T250210	15 840	19 800	
	BIG Outdoor wall fixture IP 65 LED 3000K, 20W, 521lm, CRI=90 Materials: aluminum, steel				
	TETRAGONO WALL	T417100W00	7 722	9 653	anthracite grey
	Ernesto Gismondi Wall fixture IP 65 LED 3000K, 15W, 481lm, CRI=90 with electronic ballast Materials: aluminum, polycarbonate				






ARTEMIDE OUTDOOR


	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
	TETRAGONO 45 FLOOR	T417200W00	8 514	10 643
	Ernesto Gismondi Outdoor floor lamp IP 65 LED 3000K, 15W, 481lm, CRI=90 with electronic ballast Materials: aluminum, polycarbonate			anthracite grey base flange included
	TETRAGONO 90 FLOOR	T417300W00	7 260	9 075
	Ernesto Gismondi Outdoor floor lamp IP 65 LED 3000K, 15W, 481lm, CRI=90 with electronic ballast Materials: aluminum, polycarbonate			anthracite grey base flange included
	TOLOMEO PARALUME OUTDOOR FLOOR	T076150	8 778	10 973
	Michele De Lucchi, Giancarlo Fassina Outdoor floor lamp IP 44 LED 3000K, 20W, 1673 lm/1022 lm/858 lm, CRI=90 Materials: aluminum, steel	T076300	6 996	8 745
		T077330	4 224	5 280
		T077340	4 224	5 280
		T077350	4 224	5 280
				body lamp aluminium base+stem spun fabric white diffuser Ø 520mm weaved fabric dove grey diffuser Ø 520mm weaved fabric black diffuser Ø 520mm Complete lamp consists of 3 items.
	TOLOMEO PARALUME OUTDOOR SUSPENSION	T076050	5 874	7 343
	Michele De Lucchi, Giancarlo Fassina Outdoor suspension fixture IP 65 LED 3000K, 20W, 1673 lm/1022 lm/858 lm, CRI=90 Materials: aluminum, steel	T077330	4 224	5 280
		T077340	4 224	5 280
		T077350	4 224	5 280
				body lamp spun fabric white diffuser Ø 520mm weaved fabric dove grey diffuser Ø 520mm weaved fabric black diffuser Ø 520mm Complete lamp consists of 2 items.
	TOLOMEO PARALUME OUTDOOR HOOK	T076550	5 874	7 343
	Michele De Lucchi, Giancarlo Fassina Outdoor hook fixture IP 44 LED 3000K, 20W, 1673lm/1022lm/858lm, CRI=90 Materials: aluminum, steel	T077330	4 224	5 280
		T077340	4 224	5 280
		T077350	4 224	5 280
				hook structure spun fabric white diffuser Ø 520mm weaved fabric dove grey diffuser Ø 520mm weaved fabric black diffuser Ø 520mm Complete lamp consists of 2 items.
	TOLOMEO LAMPIONE OUTDOOR FLOOR	T078150	8 778	10 973
	Michele De Lucchi, Giancarlo Fassina Outdoor floor lamp IP 44 LED 3000K, 20W, 2034lm, CRI=90 Materials: aluminum, steel	T076300	6 996	8 745
				body lamp base+stem Complete lamp consists of 2 items.
	TOLOMEO LAMPIONE OUTDOOR SUSPENSION	T078050	5 874	7 343
	Michele De Lucchi, Giancarlo Fassina Outdoor suspension fixture IP 65 LED 3000K, 20W, 2034lm, CRI=90 Materials: aluminum, steel			aluminum

ARTEMIDE OUTDOOR

 TOLOMEO LAMPIONE OUTDOOR HOOK Michele De Lucchi, Giancarlo Fassina Outdoor hook fixture IP 44 LED 3000K, 20W, 2034lm, CRI=90 Materials: aluminum, steel	T078550	874	7 343	aluminum
 TOLOMEO XXL LED OUTDOOR Michele De Lucchi, Giancarlo Fassina Outdoor floor lamp IP 65 LED 3000K, 55W, 5052lm, CRI=80 Materials: aluminum, technopolymer, concrete, steel inox	1532150A	126390	157 988	LED: body lamp with base
	1535150A	114642	143 303	LED: body lamp with fixed earth support
 UNTERLINDEN OUTDOOR SUSPENSION Herzog & de Meuron Outdoor suspension fixture IP 65 LED 3000K, 15W, 1325lm, CRI=90 Materials: aluminum, technopolymer, steel	T0790010	8 712	10 890	aluminum
				NEW
 UNTERLINDEN OUTDOOR WALL Herzog & de Meuron Outdoor wall fixture IP 65 LED 3000K, 15W, 1325lm, CRI=90 Materials: aluminum, technopolymer, steel	T0791010	10 164	12 705	aluminum
				NEW
 UNTERLINDEN OUTDOOR BOLLARD Herzog & de Meuron Outdoor floor lamp IP 65 LED 3000K, 9W, 860lm, CRI=90 Materials: aluminum, technopolymer, steel	T0792010	7 194	8 993	aluminum
				NEW
 WALKING WALL SYMMETRIC EMISSION - functional light Carlotta de Bevilacqua Outdoor wall fixture IP 65 LED 3000K, 10W, 328lm, CRI=90 Materials: aluminum, glass	T4503SM020	4 950	6 188	grey/white RAL 9002
	T4503SM050	4 950	6 188	blue

ARTEMIDE OUTDOOR

	Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
 WALKING WALL ASYMMETRIC EMISSION - functional light Carlotta de Bevilacqua Outdoor wall fixture IP 65 LED 3000K, 10W, 443lm, CRI=90 Materials: aluminum, glass	T4503AS020	5 412	6 765	grey/white RAL 9002
	T4503AS030	5 412	6 765	black
	T4503AS040	5 412	6 765	red
	T4503AS050	5 412	6 765	blue
	T4503AS060	5 412	6 765	yellow
 WALKING WALL RED - light signs Carlotta de Bevilacqua Outdoor wall fixture IP 65 LED 3000K, 4W, red light Materials: aluminum, glass	T4503LR020	5 412	6 765	grey/white RAL 9002
	T4503LR030	5 412	6 765	black
	T4503LR040	5 412	6 765	red
	T4503LR050	5 412	6 765	blue
	T4503LR060	5 412	6 765	yellow
 WALKING WALL GREEN - light signs Carlotta de Bevilacqua Outdoor wall fixture IP 65 LED 3000K, 4W, green light Materials: aluminum, glass	T4503LG020	5 412	6 765	grey/white RAL 9002
	T4503LG030	5 412	6 765	black
	T4503LG040	5 412	6 765	red
	T4503LG050	5 412	6 765	blue
	T4503LG060	5 412	6 765	yellow
 WALKING WALL BLUE - light signs Carlotta de Bevilacqua Outdoor wall fixture IP 65 LED 3000K, 4W, blue light Materials: aluminum, glass	T4503LB020	5 412	6 765	grey/white RAL 9002
	T4503LB030	5 412	6 765	black
	T4503LB040	5 412	6 765	red
	T4503LB050	5 412	6 765	blue
	T4503LB060	5 412	6 765	yellow
 WALKING WALL WHITE - light signs Carlotta de Bevilacqua Outdoor wall fixture IP 65 LED 3000K, 4W, white light, CRI=80 Materials: aluminum, glass	T4503LW020	5 412	6 765	grey/white RAL 9002
	T4503LW030	5 412	6 765	black
	T4503LW040	5 412	6 765	red
	T4503LW050	5 412	6 765	blue
	T4503LW060	5 412	6 765	giallo

ARTEMIDE OUTDOOR

WALKING POLE 600

Carlotta de Bevilacqua
Pole outdoor fixture

IP 65

symmetric emission:
LED 3000K, 10W, 328lm, CRI=90

asymmetric emission:
LED 3000K, 10W, 443lm, CRI=90

red light emission:
LED 3000K, 4W, red light


green light emission:
LED 3000K, 4W, green light

blue light emission:
LED 3000K, 4W, blue light

white light emission:
LED 3000K, 4W, white light, CRI=80

Materials: aluminum, glass

Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
T4501SM020	4 488	5 610	head pole symmetric emission: grey/white RAL 9002
T4501SM030	4 488	5 610	head pole symmetric emission: black
T4501SM040	4 488	5 610	head pole symmetric emission: red
T4501SM050	4 488	5 610	head pole symmetric emission: blue
T4501SM060	4 488	5 610	head pole symmetric emission: yellow
T4501AS020	4 488	5 610	head pole asymmetric emission: grey/white RAL 9002
T4501AS030	4 488	5 610	head pole asymmetric emission: black
T4501AS040	4 488	5 610	head pole asymmetric emission: red
T4501AS050	4 488	5 610	head pole asymmetric emission: blue
T4501AS060	4 488	5 610	head pole asymmetric emission: yellow
T4501LR020	4 818	6 023	head pole/red light: grey/white RAL 9002
T4501LR030	4 818	6 023	head pole/red light: black
T4501LR040	4 818	6 023	head pole/red light: red
T4501LR050	4 818	6 023	head pole/red light: blue
T4501LR060	4 818	6 023	head pole/red light: yellow
T4501LG020	4 818	6 023	head pole/green light: grey/white RAL 9002
T4501LG030	4 818	6 023	head pole/green light: black
T4501LG040	4 818	6 023	head pole/green light: red
T4501LG050	4 818	6 023	head pole/green light: blue
T4501LG060	4 818	6 023	head pole/green light: yellow
T4501LB020	4 818	6 023	head pole/blue light: grey/white RAL 9002
T4501LB030	4 818	6 023	head pole/blue light: black
T4501LB040	4 818	6 023	head pole/blue light: red
T4501LB050	4 818	6 023	head pole/blue light: blue
T4501LB060	4 818	6 023	head pole/blue light: yellow
T4501LW020	4 818	6 023	head pole/white light: grey/white RAL 9002
T4501LW030	4 818	6 023	head pole/white light: black
T4501LW040	4 818	6 023	head pole/white light: red
T4501LW050	4 818	6 023	head pole/white light: blue
T4501LW060	4 818	6 023	head pole/white light: yellow
T4505A30	4 686	5 858	A: pole H.60cm x 1 head
T4505B30	6 006	7 508	B: pole H.60cm x 2x90° heads
T4505C30	6 006	7 508	C: pole H.60cm x 2x180° heads
T4505D30	6 138	7 673	D: pole H.60cm x 3x270° heads

ARTEMIDE OUTDOOR

WALKING POLE 900

Carlotta de Bevilacqua
Pole outdoor fixture

IP 65

symmetric emission:
LED 3000K, 10W, 328lm, CRI=90

asymmetric emission:
LED 3000K, 10W, 443lm, CRI=90

red light emission:
LED 3000K, 4W, red light


green light emission:
LED 3000K, 4W, green light

blue light emission:
LED 3000K, 4W, blue light

white light emission:
LED 3000K, 4W, white light, CRI=80

Materials: aluminum, glass

Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
T4501SM020	4 488	5 610	head pole symmetric emission: grey/white RAL 9002
T4501SM030	4 488	5 610	head pole symmetric emission: black
T4501SM040	4 488	5 610	head pole symmetric emission: red
T4501SM050	4 488	5 610	head pole symmetric emission: blue
T4501SM060	4 488	5 610	head pole symmetric emission: yellow
T4501AS020	4 488	5 610	head pole asymmetric emission: grey/white RAL 9002
T4501AS030	4 488	5 610	head pole asymmetric emission: black
T4501AS040	4 488	5 610	head pole asymmetric emission: red
T4501AS050	4 488	5 610	head pole asymmetric emission: blue
T4501AS060	4 488	5 610	head pole asymmetric emission: yellow
T4501LR020	4 818	6 023	head pole/red light: grey/white RAL 9002
T4501LR030	4 818	6 023	head pole/red light: black
T4501LR040	4 818	6 023	head pole/red light: red
T4501LR050	4 818	6 023	head pole/red light: blue
T4501LR060	4 818	6 023	head pole/red light: yellow
T4501LG020	4 818	6 023	head pole/green light: grey/white RAL 9002
T4501LG030	4 818	6 023	head pole/green light: black
T4501LG040	4 818	6 023	head pole/green light: red
T4501LG050	4 818	6 023	head pole/green light: blue
T4501LG060	4 818	6 023	head pole/green light: yellow
T4501LB020	4 818	6 023	head pole/blue light: grey/white RAL 9002
T4501LB030	4 818	6 023	head pole/blue light: black
T4501LB040	4 818	6 023	head pole/blue light: red
T4501LB050	4 818	6 023	head pole/blue light: blue
T4501LB060	4 818	6 023	head pole/blue light: yellow
T4501LW020	4 818	6 023	head pole/white light: grey/white RAL 9002
T4501LW030	4 818	6 023	head pole/white light: black
T4501LW040	4 818	6 023	head pole/white light: red
T4501LW050	4 818	6 023	head pole/white light: blue
T4501LW060	4 818	6 023	head pole/white light: yellow
T4506A30	5 874	7 343	A: pole H.90cm x 1 head
T4506B30	6 402	8 003	B: pole H.90cm x 2x90° heads
T4506C30	6 402	8 003	C: pole H.90cm x 2x180° heads
T4506D30	6 402	8 003	D: pole H.90cm x 3x180° heads
T4506E30	6 402	8 003	E: pole H.90cm +60cm x 2x90° heads
T4506F30	6 402	8 003	F: pole H.60cm +90cm x 2x90° heads
T4506G30	6 402	8 003	G: pole H.90cm + 60cm x 2x180° heads
T4506H30	6 666	8 333	H: pole H.60cm + 90cm x 3x180° heads

ARTEMIDE OUTDOOR

WALKING POLE 2500

Carlotta de Bevilacqua
Pole outdoor fixture

IP 65

symmetric emission:
LED 3000K, 10W, 328lm, CRI=90

asymmetric emission:
LED 3000K, 10W, 443lm, CRI=90

red light emission:
LED 3000K, 4W, red light

green light emission:
LED 3000K, 4W, green light

blue light emission:
LED 3000K, 4W, blue light

white light emission:
LED 3000K, 4W, white light, CRI=80

Materials: aluminum, glass

Code	Veil Pris NOK eks mva	Veil Pris NOK inkl mva	
T4501SM020	4 488	5 610	head pole symmetric emission: grey/white RAL 9002
T4501SM030	4 488	5 610	head pole symmetric emission: black
T4501SM040	4 488	5 610	head pole symmetric emission: red
T4501SM050	4 488	5 610	head pole symmetric emission: blue
T4501SM060	4 488	5 610	head pole symmetric emission: yellow
T4501AS020	4 488	5 610	head pole asymmetric emission: grey/white RAL 9002
T4501AS030	4 488	5 610	head pole asymmetric emission: black
T4501AS040	4 488	5 610	head pole asymmetric emission: red
T4501AS050	4 488	5 610	head pole asymmetric emission: blue
T4501AS060	4 488	5 610	head pole asymmetric emission: yellow
T4501LR020	4 818	6 023	head pole/red light: grey/white RAL 9002
T4501LR030	4 818	6 023	head pole/red light: black
T4501LR040	4 818	6 023	head pole/red light: red
T4501LR050	4 818	6 023	head pole/red light: blue
T4501LR060	4 818	6 023	head pole/red light: yellow
T4501LG020	4 818	6 023	head pole/green light: grey/white RAL 9002
T4501LG030	4 818	6 023	head pole/green light: black
T4501LG040	4 818	6 023	head pole/green light: red
T4501LG050	4 818	6 023	head pole/green light: blue
T4501LG060	4 818	6 023	head pole/green light: yellow
T4501LB020	4 818	6 023	head pole/blue light: grey/white RAL 9002
T4501LB030	4 818	6 023	head pole/blue light: black
T4501LB040	4 818	6 023	head pole/blue light: red
T4501LB050	4 818	6 023	head pole/blue light: blue
T4501LB060	4 818	6 023	head pole/blue light: yellow
T4501LW020	4 818	6 023	head pole/white light: grey/white RAL 9002
T4501LW030	4 818	6 023	head pole/white light: black
T4501LW040	4 818	6 023	head pole/white light: red
T4501LW050	4 818	6 023	head pole/white light: blue
T4501LW060	4 818	6 023	head pole/white light: yellow
T4507A30	8 316	10 395	A: pole H.250cm x 1 head
T4507B30	8 976	11 220	B: pole H.250cm x 2x90° heads
T4507C30	8 976	11 220	C: pole H.250cm x 2x180° heads
T4507D30	8 976	11 220	D: pole H.250cm x 3x180° heads
T4507E30	8 976	11 220	E: pole H.250cm + 210cm x 2x90° heads
T4507F30	8 976	11 220	F: pole H.210cm + 250cm x 2x90° heads
T4507G30	8 976	11 220	G: pole H.250cm + 210cm x 2x180° heads
T4507H30	9 108	11 385	H: pole H.210cm + 250cm x 3x180° heads



Lighting Solutions

NORLUX AS

Borgeskogen 32

3160 Stokke

Norway

Tel. +47 33 30 10 80

post@norlux.com

www.norlux.com



Artemide[®]

www.artemide.com



UNIE N° 50 9001
cert. n. 9105A RT M

