


**PRODUCT DATA SHEET**Michelle Floodlight 2300lm 840 20W BK IP65 PIR 2m cable
Art.no: 101123-PIR-2*Lighting Solutions*

Michelle Floodlight 2300lm 840 20W BK IP65 PIR 2m cable



20W floodlight with PIR sensor. Use remote control to change sensor function. Choose different levels of duration time, detection sensibility, and dusk / down function.

ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	Sensor (PIR)
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK08
IP (system)	IP65
Outdoor	Yes
Operating temperature (°C)	-20 - 45

**PRODUCT DATA SHEET**

Michelle Floodlight 2300lm 840 20W BK IP65 PIR 2m cable

Art.no: 101123-PIR-2

*Lighting Solutions*

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	110
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	4000
Color Code	840
Socket / Cap-Base	N/A
Lens (Diffuser)	Clear
Lifetime (h)	L80B50: 35 000

DRIVER	
Max load pr circuit - B10	25
Max load pr circuit - B16	40
Max load pr circuit - C10	40
Max load pr circuit - C16	64
Leakage current (mA)	0.5
Inrush current I _{max} (A)	6.7

DIMENSIONS	
Length (product) (mm)	107.0
Width (product) (mm)	34.0
Height (product) (mm)	150.0
Weight (product) (kg)	0.35

MATERIALS AND SURFACES	
Color	Black

INSTALLATION AND CONNECTION	
Areas of use	Outdoor
Mounting	Wall
Connection (system)	Cable 2m

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A++ - A



PRODUCT DATA SHEET

Michelle Floodlight 2300lm 840 20W BK IP65 PIR 2m cable

Art.no: 101123-PIR-2



Lighting Solutions

LIGHT DISTRIBUTION

