


**PRODUCT DATA SHEET**

Zoom 1750lm 927 6-60° 20W 3-circuit BK DALI

Art.no: 101141-660-2-ddd

*Lighting Solutions*

Zoom 1750lm 927 6-60° 20W 3-circuit BK DALI



The unique zoom patent makes it possible to vary the beam angle between 6 and 60 degrees making this model highly versatile. The Zoom is available in both black and white versions and is made from robust die-cast aluminum.

ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	DALI2
Voltage (system) [V]	230V 50Hz
Power (system) (W)	20

TECHNICAL DATA	
IP (system)	IP20
Outdoor	Yes

PHOTOMETRIC DATA	
CRI / Ra (>=)	90

**PRODUCT DATA SHEET**

Zoom 1750lm 927 6-60° 20W 3-circuit BK DALI

Art.no: 101141-660-2-ddd

*Lighting Solutions*

PHOTOMETRIC DATA	
CCT (Color Temperature) (K)	2700
Color Code	927
Lightsource Type	LED (built in)
Socket / Cap-Base	N/A
Lens (Diffuser)	Clear
Lifetime (h)	L80B10: 100 000
MacAdam (SDCM)	3
Manufacturer (light source)	Citizen
Forward Voltage LED (max tp=25) (V)	40.0
Driftspenning LED (min tp=65) (V)	35.0

DRIVER	
Manufacturer (driver)	HEP
Protection Class (driver)	2
Flicker metric (Pst LM) <	1.0
Stroboscopic effect metric (SVM) <	0.4
Dimming (driver)	DALI2
Dimming Minimum Level (%)	1.0
Dimming output type	Amplitude Modulation
IP (driver)	IP20
Flicker-free	Yes
Constant current or voltage (CC or CV)	CC
CC (driver) [mA]	120 - 600
CC (forward voltage driver) (V)	15.0 - 42.0
Output Current Tolerance (%)	5.0
Current Ripple (%)	5.0
Max load pr circuit - B10	26
Max load pr circuit - B16	42
Max load pr circuit - C10	45
Max load pr circuit - C16	71
Max load pr circuit - C20	89
Inrush current time (µs)	80.0
Inrush current I _{max} (A)	35.0

**PRODUCT DATA SHEET**

Zoom 1750lm 927 6-60° 20W 3-circuit BK DALI

Art.no: 101141-660-2-ddd

*Lighting Solutions*

DIMENSIONS	
Length (product) (mm)	158.0
Weight (product) (kg)	1.0
Diameter (product) (mm)	85.0

MATERIALS AND SURFACES	
Color	Black
RAL Code	RAL9005
Housing Material	Aluminium

INSTALLATION AND CONNECTION	
Areas of use	Museum, Shop, Showroom
Mounting	Track
Connection (system)	Track 3-Circuit+dim

ENERGY AND CERTIFICATIONS	
CE mark	Yes