


**PRODUCT DATA SHEET**

Flare Ambient 927 1320lm 115° 13W Evo BK DALI

Art.no: 101480-115-2-ddd

*Lighting Solutions*

## Flare Ambient 927 1320lm 115° 13W Evo BK DALI



Flare Ambient is a variant that fits our Evo 48W Track system. With its 13W and high lumen output this is a perfect fit for cabins, hotels, housing and restaurants.

ELECTRICAL DATA	
Dimming (system)	DALI
Voltage (system) [V]	48VDC

TECHNICAL DATA	
IP (system)	IP20
Outdoor	No

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	101
CRI / Ra (>=)	90
CCT (Color Temperature) (K)	2700

**PRODUCT DATA SHEET**

Flare Ambient 927 1320lm 115° 13W Evo BK DALI

Art.no: 101480-115-2-ddd

*Lighting Solutions*

PHOTOMETRIC DATA	
Color Code	927
Socket / Cap-Base	N/A
Manufacturer (light source)	Bridgelux

DRIVER	
Manufacturer (driver)	HEP
Standby power $P_{sb}$ (W) <	0.5
Max Output Voltage (V)	48
Dimming Minimum Level (%)	5.0
Dimming output type	Amplitude Modulation
Expected Lifetime (driver) (h)	50000
Constant current or voltage (CC or CV)	CC
CC (driver) [mA]	350 - 700
CC (forward voltage driver) (V)	6.0 - 40.0
Output Current Tolerance (%)	5.0
Current Ripple (%)	5.0

DIMENSIONS	
Length (product) (mm)	565.0
Width (product) (mm)	22.0
Height (product) (mm)	25.0

MATERIALS AND SURFACES	
Color	Black

INSTALLATION AND CONNECTION	
Areas of use	Cottage, Hotel, Residence, Restaurant
Mounting	Track
Connection (system)	Track EVO 48V

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A++ - A



**PRODUCT DATA SHEET**

Flare Ambient 927 1320lm 115° 13W Evo BK DALI

Art.no: 101480-115-2-ddd



*Lighting Solutions*

**LIGHT DISTRIBUTION**

