



**PRODUCT DATA SHEET**

Leila R 2600lm 930 Opal 23W cut out Ø240-270 w/o driver WH  
Art.no: 102230-01-3



*Lighting Solutions*



## Leila R 2600lm 930 Opal 23W cut out Ø240-270 w/o driver WH



Leila R with cut out Ø240-270mm. Developed to change from halogen to downlight with latest LED technology. High Efficiency, easy installation. Delivered without driver. See accessories for correct driver-

ELECTRICAL DATA	
Protection Class (system)	2
Dimming (system)	Depending on Driver
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IP (system)	IP20
Outdoor	No

**PRODUCT DATA SHEET**

Leila R 2600lm 930 Opal 23W cut out Ø240-270 w/o driver WH  
Art.no: 102230-01-3



*Lighting Solutions*

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	84
CRI / Ra (>=)	90
CCT (Color Temperature) (K)	3000
Color Code	930
Lightsource Type	LED (built in)
Lens (Diffuser)	Opal
Lifetime (h)	L80B10: 100 000
MacAdam (SDCM)	3

DIMENSIONS	
Diameter (product) (mm)	290.0

MATERIALS AND SURFACES	
Color	White
Housing Material	Aluminium

INSTALLATION AND CONNECTION	
Areas of use	Generally, Office, Shop
Mounting	Recessed, Ceiling
Connection (system)	Depending on driver

ENERGY AND CERTIFICATIONS	
CE mark	Yes



**PRODUCT DATA SHEET**

Leila R 2600lm 930 Opal 23W cut out Ø240-270 w/o driver WH  
Art.no: 102230-01-3



*Lighting Solutions*

**LIGHT DISTRIBUTION**

