

**PRODUCT DATA SHEET**

Riva G2 650lm 930 Frosted 7,2W 24Vdc GR 525 mm

Art.no: 102601-00-1

*Lighting Solutions*

Riva G2 650lm 930 Frosted 7,2W 24Vdc GR 525 mm



The Riva LED Bar is a very slim LED linear light fixture concept designed for use in applications needing narrow width. It is ideal for use on the front side of display shelves in store furniture. The design is focused on high durability / long life time and easy mounting. Max 5 m Riva in line.

ELECTRICAL DATA	
Protection Class (system)	2
Dimming (system)	None
Voltage (system) [V]	24VDC
Lightsource Max. Power (W) if Socket	7.2

TECHNICAL DATA	
IK (system)	IK08
IP (system)	IP44
Outdoor	No
Operating temperature (°C)	-20 - 40

**PRODUCT DATA SHEET**

Riva G2 650lm 930 Frosted 7,2W 24Vdc GR 525 mm

Art.no: 102601-00-1

*Lighting Solutions*

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	90
CRI / Ra (>=)	90
CCT (Color Temperature) (K)	3000
Color Code	930
Lightsource Type	LED (built in)
Socket / Cap-Base	N/A
Lens (Diffuser)	Frosted
Lifetime (h)	L80B10: 100 000
MacAdam (SDCM)	3
UGR (<=)	26
Manufacturer (light source)	Runlite
Forward Current LED (min-max) (mA)	150 - null
Forward Voltage LED (max tp=25) (V)	3.4
Driftspenning LED (min tp=65) (V)	3.0

DRIVER	
Flicker-free	Yes

DIMENSIONS	
Length (product) (mm)	525.0
Width (product) (mm)	20.0
Height (product) (mm)	14.0
Weight (product) (kg)	0.116

MATERIALS AND SURFACES	
Color	Silver
Corrosion Class	C3
Housing Material	Aluminium 6063
Housing Material %	76.0
Diffuser Material	Polycarbonate
Diffuser Material%	12.0
Recycled Plastic %	93.0
Recycled Aluminium %	95.0
Material 2%	8.5

**PRODUCT DATA SHEET**

Riva G2 650lm 930 Frosted 7,2W 24Vdc GR 525 mm

Art.no: 102601-00-1

*Lighting Solutions*

MATERIALS AND SURFACES	
Material 3%	0.12
Material 4%	2.88
Material 5%	0.5

INSTALLATION AND CONNECTION	
Areas of use	Generally, Hotel, Kitchen, Residence
Mounting	Surface, Wall, Ceiling
Connection (system)	Riva 2-pin Connector

ENERGY AND CERTIFICATIONS	
Energy Class EPREL	F
CE mark	Yes
Energy Efficiency Class	A++