


**PRODUCT DATA SHEET**

Cold 5 1050lm 927 30° 5x2W WH w/o driver

Art.no: 1117-30-3

*Lighting Solutions*

130x36mm



Cold 5 1050lm 927 30° 5x2W WH w/o driver



Cold white are delivered with white front ring. See accessories for optional front rings that can be bought separately, and correct choice of driver

| ELECTRICAL DATA | |
|---------------------------|---------------------|
| Protection Class (system) | 3 |
| Dimming (system) | Depending on Driver |
| Voltage (system) [V] | 230V 50Hz |

| TECHNICAL DATA | |
|----------------|------|
| IP (system) | IP20 |
| Outdoor | No |

| PHOTOMETRIC DATA | |
|--------------------------|----|
| Efficacy (system) (lm/W) | 83 |
| CRI / Ra (>=) | 90 |

**PRODUCT DATA SHEET**

Cold 5 1050lm 927 30° 5x2W WH w/o driver

Art.no: 1117-30-3

*Lighting Solutions*

| PHOTOMETRIC DATA | |
|-------------------------------------|-----------------|
| CCT (Color Temperature) (K) | 2700 |
| Color Code | 927 |
| Lightsource Type | LED (built in) |
| Socket / Cap-Base | N/A |
| Lens (Diffuser) | None |
| Lifetime (h) | L80B10: 100 000 |
| MacAdam (SDCM) | 2 |
| UGR (<=) | 13 |
| Manufacturer (light source) | Osram |
| Forward Current LED (min-max) (mA) | 200 - 1800 |
| Forward Voltage LED (max tp=25) (V) | 15.0 |

| DRIVER | |
|-----------------------|-----------|
| Manufacturer (driver) | No driver |

| DIMENSIONS | |
|-----------------------|-------|
| Length (product) (mm) | 137.0 |
| Width (product) (mm) | 44.0 |
| Height (product) (mm) | 52.0 |
| Weight (product) (kg) | 0.32 |

| MATERIALS AND SURFACES | |
|------------------------|--------------------|
| Color | White |
| Housing Material | Aluminium |
| Housing Material % | 89.0 |
| Material 2% | 1.7999999999999998 |
| Material 3% | 0.5 |
| Material 4% | 0.8999999999999999 |
| Material 5% | 1.3 |
| Material 6% | 1.9 |
| Material 7% | 4.6 |

| INSTALLATION AND CONNECTION | |
|-----------------------------|--|
| Areas of use | Bathroom, Cafe, Cottage, Generally, Hotel, Residence, Shop |



PRODUCT DATA SHEET

Cold 5 1050lm 927 30° 5x2W WH w/o driver

Art.no: 1117-30-3



Lighting Solutions

| INSTALLATION AND CONNECTION | |
|-----------------------------|---------------------|
| Mounting | Recessed, Ceiling |
| Connection (system) | Depending on driver |

| ENERGY AND CERTIFICATIONS | |
|---------------------------|------------------|
| CE mark | Yes |
| EPD number | NEPD-14537-15050 |