


**PRODUCT DATA SHEET**

Leila 1600lm 830 Opal 18W WH 18i3 w/o sensor
 Art.no: 15072-S-01-3

*Lighting Solutions*
 190mm


Leila 1600lm 830 Opal 18W WH 18i3 w/o sensor



This bestseller has quickly become an industry standard within recessed general lighting. Leila is designed with opal diffuser and reflector, this ensures high lumen output with no glare.

ELECTRICAL DATA	
Protection Class (system)	2
Dimming (system)	None
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IP (system)	IP20
Outdoor	No

PHOTOMETRIC DATA	
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	3000

**PRODUCT DATA SHEET**

Leila 1600lm 830 Opal 18W WH 18i3 w/o sensor
Art.no: 15072-S-01-3



Lighting Solutions

PHOTOMETRIC DATA	
Color Code	830
Lightsource Type	LED (built in)
Lens (Diffuser)	Opal
Lifetime (h)	L80B10: 100 000
UGR (<=)	22

DRIVER	
Manufacturer (driver)	Osram
CC (driver) [mA]	null - null
CC (forward voltage driver) (V)	null - null

DIMENSIONS	
Width (product) (mm)	202.0
Height (product) (mm)	108.0
Weight (product) (kg)	1.15

MATERIALS AND SURFACES	
Color	White

INSTALLATION AND CONNECTION	
Areas of use	Generally, Office, Shop
Mounting	Recessed, Ceiling
Connection (system)	18i3 Quick connection

ENERGY AND CERTIFICATIONS	
CE mark	Yes
EPD number	NEPD-11059-11007
Energy Efficiency Class	A++ - A



PRODUCT DATA SHEET

Leila 1600lm 830 Opal 18W WH 18i3 w/o sensor

Art.no: 15072-S-01-3



Lighting Solutions

LIGHT DISTRIBUTION

