


**PRODUCT DATA SHEET**

Leila 2340lm 840 Opal 25W WH 18i5 DALI

Art.no: 15073-01-3-ddd

*Lighting Solutions* 190mm

Leila 2340lm 840 Opal 25W WH 18i5 DALI



This bestseller has quickly become an industry standard within recessed general lighting. Leila is designed with opal diffuser and reflector, this ensures high lumen output with no glare.

ELECTRICAL DATA

Protection Class (system)	2
Dimming (system)	DALI
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA

IP (system)	IP20
Outdoor	No

PHOTOMETRIC DATA

CRI / Ra ($\geq$)	80
CCT (Color Temperature) (K)	4000

**PRODUCT DATA SHEET**

Leila 2340lm 840 Opal 25W WH 18i5 DALI

Art.no: 15073-01-3-ddd

*Lighting Solutions*

PHOTOMETRIC DATA	
Color Code	840
Lightsource Type	LED (built in)
Lens (Diffuser)	Opal
Lifetime (h)	L80B10: 100 000
UGR (<=)	22

DRIVER	
CC (driver) [mA]	null - null
CC (forward voltage driver) (V)	null - null

DIMENSIONS	
Width (product) (mm)	202.0
Height (product) (mm)	108.0
Weight (product) (kg)	1.15

MATERIALS AND SURFACES	
Color	White

INSTALLATION AND CONNECTION	
Areas of use	Generally, Office, Shop
Mounting	Recessed, Ceiling
Connection (system)	18i5 Quick connection

ENERGY AND CERTIFICATIONS	
CE mark	Yes
EPD number	NEPD-11059-11007
Energy Efficiency Class	A++ - A



PRODUCT DATA SHEET

Leila 2340lm 840 Opal 25W WH 18i5 DALI

Art.no: 15073-01-3-ddd



Lighting Solutions

LIGHT DISTRIBUTION

