


**PRODUCT DATA SHEET**

Sign Today 4850lm 840 150x60° 40W IP65 BK 1m cable
 Art.no: 2127-2-2

*Lighting Solutions*

Sign Today 4850lm 840 150x60° 40W IP65 BK 1m cable



Sign Today Signage Lighting with LED at a very favorable price. Switching to LED-based signage illumination eliminates the constant work of changing of light bulb. Sign Today comes with a 150x60 degree beam angle. This gives a uniform light of 3.5 meters wide.. The luminaire is manufactured in die cast aluminum. Sign Today has built-in LED driver and comes with 1m cable. 50cm stick or wall bracket must be ordered separately. See accessories for options.

| ELECTRICAL DATA | |
|---------------------------|-----------|
| Protection Class (system) | 1 |
| Dimming (system) | None |
| Voltage (system) [V] | 230V 50Hz |

| TECHNICAL DATA | |
|----------------------------|-----------|
| IK (system) | IK08 |
| IP (system) | IP65 |
| Outdoor | Yes |
| Operating temperature (°C) | -20 - -40 |

**PRODUCT DATA SHEET**

Sign Today 4850lm 840 150x60° 40W IP65 BK 1m cable

Art.no: 2127-2-2

*Lighting Solutions*

| PHOTOMETRIC DATA | |
|-----------------------------|----------------|
| Efficacy (system) (lm/W) | 87 |
| CRI / Ra (>=) | 80 |
| CCT (Color Temperature) (K) | 4000 |
| Color Code | 840 |
| Lightsource Type | LED (built in) |
| Socket / Cap-Base | N/A |
| Lens (Diffuser) | Clear |
| MacAdam (SDCM) | 3 |

| DRIVER | |
|------------------|-------------|
| CC (driver) [mA] | null - null |

| DIMENSIONS | |
|-----------------------|-------|
| Length (product) (mm) | 170.0 |
| Width (product) (mm) | 92.0 |
| Height (product) (mm) | 199.0 |
| Weight (product) (kg) | 1.1 |

| MATERIALS AND SURFACES | |
|------------------------|-----------|
| Color | Black |
| RAL Code | RAL9004 |
| Housing Material | Aluminium |

| INSTALLATION AND CONNECTION | |
|-----------------------------|---------------------|
| Areas of use | Outdoor, Sign |
| Mounting | Surface, Wall, Sign |
| Connection (system) | Cable 1m |

| ENERGY AND CERTIFICATIONS | |
|---------------------------|-----|
| CE mark | Yes |
| Energy Efficiency Class | A+ |



PRODUCT DATA SHEET

Sign Today 4850lm 840 150x60° 40W IP65 BK 1m cable

Art.no: 2127-2-2



Lighting Solutions

LIGHT DISTRIBUTION

