


**PRODUCT DATA SHEET**

Gemma Up&Down 500lm 830 45° 2x6W Dark Grey Phasecut
Art.no: 2390-2-45-7



Lighting Solutions



Gemma Up&Down 500lm 830 45° 2x6W Dark Grey Phasecut



A

ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	Phase-Cut
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK08
IP (system)	IP54
Outdoor	Yes
Operating temperature (°C)	-20 - 50

PHOTOMETRIC DATA	
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	3000

**PRODUCT DATA SHEET**

Gemma Up&Down 500lm 830 45° 2x6W Dark Grey Phasecut

Art.no: 2390-2-45-7

*Lighting Solutions*

PHOTOMETRIC DATA	
Color Code	830
Lightsource Type	LED (built in)
Lens (Diffuser)	Clear

DIMENSIONS	
Length (product) (mm)	106.0
Width (product) (mm)	80.0
Height (product) (mm)	138.0
Weight (product) (kg)	0.58

MATERIALS AND SURFACES	
Color	Dark Grey
RAL Code	RAL7024

INSTALLATION AND CONNECTION	
Areas of use	Cottage, Facade, Outdoor, Residence
Mounting	Surface, Wall
Connection (system)	Terminal

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A



PRODUCT DATA SHEET

Gemma Up&Down 500lm 830 45° 2x6W Dark Grey Phasecut

Art.no: 2390-2-45-7



Lighting Solutions

LIGHT DISTRIBUTION

