



**PRODUCT DATA SHEET**

Lepus 450lm 830 90° 10W D Grey w/white dome Quickconnect
Art.no: 2440-90-7



Lighting Solutions



Lepus 450lm 830 90° 10W D Grey w/white dome Quickconnect



A

Lepus are a wall mounted outdoor with white opal glass. Suited for your house or cottage. Quickconnect for easy installation.

ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	Phase-Cut
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK02
IP (system)	IP54
Outdoor	Yes
Operating temperature (°C)	-20 - 50

**PRODUCT DATA SHEET**

Lepus 450lm 830 90° 10W D Grey w/white dome Quickconnect

Art.no: 2440-90-7

*Lighting Solutions*

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	0
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	3000
Color Code	830
Socket / Cap-Base	N/A
Lens (Diffuser)	Opal

DIMENSIONS	
Length (product) (mm)	175.0
Width (product) (mm)	140.0
Height (product) (mm)	150.0
Weight (product) (kg)	1.17

MATERIALS AND SURFACES	
Color	Dark Grey/Glossy White

INSTALLATION AND CONNECTION	
Areas of use	Cottage, Facade, Outdoor, Residence
Mounting	Surface, Wall
Connection (system)	QuickConnect

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A



PRODUCT DATA SHEET

Lepus 450lm 830 90° 10W D Grey w/white dome Quickconnect

Art.no: 2440-90-7



Lighting Solutions

LIGHT DISTRIBUTION

