


**PRODUCT DATA SHEET**

Chara Round 300lm 830 4W Dark Grey

Art.no: 2495-45-7

*Lighting Solutions*

## Chara Round 300lm 830 4W Dark Grey

**A**

This luminaire has a robust construction and is made from die cast aluminum with a very durable anthracite grey surface. Chara Round is very suitable for use in exterior staircases and facades where you want a discreet but good light.

ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	None
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK06
IP (system)	IP54
Outdoor	Yes
Operating temperature (°C)	-20 - 50

**PRODUCT DATA SHEET**

Chara Round 300lm 830 4W Dark Grey

Art.no: 2495-45-7

*Lighting Solutions*

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	32
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	3000
Color Code	830
Socket / Cap-Base	N/A
Lens (Diffuser)	Clear
Lifetime (h)	L80B50: 50 000
Forward Voltage LED (max tp=25) (V)	10.0
Driftspenning LED (min tp=65) (V)	9.0

DRIVER	
Protection Class (driver)	2
Output Current Tolerance (%)	5.0
Current Ripple (%)	35.0
Leakage current (mA)	0.5
Inrush current I <sub>max</sub> (A)	10.0

DIMENSIONS	
Width (product) (mm)	100.0
Height (product) (mm)	30.0
Weight (product) (kg)	0.21

MATERIALS AND SURFACES	
Color	Dark Grey

INSTALLATION AND CONNECTION	
Areas of use	Cottage, Facade, Generally, Outdoor, Residence
Mounting	Surface, Wall
Connection (system)	Terminal

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A



**PRODUCT DATA SHEET**

Chara Round 300lm 830 4W Dark Grey

Art.no: 2495-45-7



*Lighting Solutions*

**LIGHT DISTRIBUTION**

