


**PRODUCT DATA SHEET**Cold 5 Wallwash 1050lm 927 30° 5x2W BK w/o driver
Art.no: 3104-30-2*Lighting Solutions*

130x37mm



Cold 5 Wallwash 1050lm 927 30° 5x2W BK w/o driver



Wall Wash edition of the popular Cold -series. Cold Wall Wash gives a nice and warm spread of the light. Driver is not included. Please see accessories for recommended drivers.

ELECTRICAL DATA	
Protection Class (system)	3
Dimming (system)	Depending on Driver
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IP (system)	IP43
Outdoor	No

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	77
CRI / Ra (>=)	90

**PRODUCT DATA SHEET**

Cold 5 Wallwash 1050lm 927 30° 5x2W BK w/o driver

Art.no: 3104-30-2

*Lighting Solutions*

PHOTOMETRIC DATA	
CCT (Color Temperature) (K)	2700
Color Code	927
Socket / Cap-Base	N/A
Lens (Diffuser)	None
Lifetime (h)	L80B10: 100 000
Forward Voltage LED (max tp=25) (V)	15.0

DIMENSIONS	
Length (product) (mm)	137.0
Width (product) (mm)	44.0
Height (product) (mm)	60.0
Weight (product) (kg)	0.32

MATERIALS AND SURFACES	
Color	Black

INSTALLATION AND CONNECTION	
Areas of use	Bathroom, Cafe, Cottage, Generally, Hotel, Residence, Shop
Mounting	Recessed, Ceiling
Connection (system)	Depending on driver

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A++ - A



PRODUCT DATA SHEET

Cold 5 Wallwash 1050lm 927 30° 5x2W BK w/o driver

Art.no: 3104-30-2



Lighting Solutions

LIGHT DISTRIBUTION

