


**PRODUCT DATA SHEET**

Cold 5 Wallwash 1050lm 927 30° 5x2W WH w/o driver

Art.no: 3104-30-3

*Lighting Solutions*

130x37mm



Cold 5 Wallwash 1050lm 927 30° 5x2W WH w/o driver



Wall Wash edition of the popular Cold -series. Cold Wall Wash gives a nice and warm spread of the light. Driver is not included. Please see accessories for recommended drivers.

| ELECTRICAL DATA | |
|---------------------------|---------------------|
| Protection Class (system) | 3 |
| Dimming (system) | Depending on Driver |
| Voltage (system) [V] | 230V 50Hz |

| TECHNICAL DATA | |
|----------------|------|
| IP (system) | IP43 |
| Outdoor | No |

| PHOTOMETRIC DATA | |
|--------------------------|----|
| Efficacy (system) (lm/W) | 77 |
| CRI / Ra (>=) | 90 |

**PRODUCT DATA SHEET**

Cold 5 Wallwash 1050lm 927 30° 5x2W WH w/o driver

Art.no: 3104-30-3

*Lighting Solutions*

| PHOTOMETRIC DATA | |
|-------------------------------------|------|
| CCT (Color Temperature) (K) | 2700 |
| Color Code | 927 |
| Socket / Cap-Base | N/A |
| Lens (Diffuser) | None |
| Forward Voltage LED (max tp=25) (V) | 15.0 |

| DIMENSIONS | |
|-----------------------|-------|
| Length (product) (mm) | 137.0 |
| Width (product) (mm) | 44.0 |
| Height (product) (mm) | 60.0 |
| Weight (product) (kg) | 0.32 |

| MATERIALS AND SURFACES | |
|------------------------|-------|
| Color | White |

| INSTALLATION AND CONNECTION | |
|-----------------------------|--|
| Areas of use | Bathroom, Cafe, Cottage, Generally, Hotel, Residence, Shop |
| Mounting | Recessed, Ceiling |
| Connection (system) | Depending on driver |

| ENERGY AND CERTIFICATIONS | |
|---------------------------|---------|
| CE mark | Yes |
| Energy Efficiency Class | A++ - A |



PRODUCT DATA SHEET

Cold 5 Wallwash 1050lm 927 30° 5x2W WH w/o driver

Art.no: 3104-30-3



Lighting Solutions

LIGHT DISTRIBUTION

