


**PRODUCT DATA SHEET**

Apollo plus 2x400lm 927 2x4,6W White Phasecut
Art.no: 3534-3



Lighting Solutions



Apollo plus 2x400lm 927 2x4,6W White Phasecut



ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	Phase-Cut
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK02
IP (system)	IP43
Outdoor	No

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	65
CRI / Ra (>=)	90
CCT (Color Temperature) (K)	2700

**PRODUCT DATA SHEET**

Apollo plus 2x400lm 927 2x4,6W White Phasecut
Art.no: 3534-3



Lighting Solutions

PHOTOMETRIC DATA	
Color Code	927
Lightsource Type	LED (built in)
Socket / Cap-Base	N/A
Lens (Diffuser)	Clear
Manufacturer (light source)	Bridgelux

DRIVER	
Manufacturer (driver)	AcTEC

DIMENSIONS	
Length (product) (mm)	130.0
Width (product) (mm)	102.0
Height (product) (mm)	121.0
Weight (product) (kg)	0.5

MATERIALS AND SURFACES	
Color	White

INSTALLATION AND CONNECTION	
Areas of use	Cottage, Generally, Hotel, Residence
Mounting	Surface, Wall
Connection (system)	Terminal

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A++ - A



PRODUCT DATA SHEET

Apollo plus 2x400lm 927 2x4,6W White Phasecut

Art.no: 3534-3



Lighting Solutions

LIGHT DISTRIBUTION

