

Kepler 2x550lm 927 2x6W WH/GD Phasecut

230V 50Hz IP43

A++ - A

Keppler are a modern luminaire with a unique rhombus design. With up and down light it makes a nice visual light effect

ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	Phase-Cut
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IP (system)	IP43
Outdoor	No

PHOTOMETRIC DATA	
CRI / Ra (>=)	90
CCT (Color Temperature) (K)	2700
Color Code	927

PHOTOMETRIC DATA	
Manufacturer (light source)	Bridgelux

DRIVER	
Manufacturer (driver)	HEP

DIMENSIONS	
Length (product) (mm)	178.0
Width (product) (mm)	102.0
Heigth (product) (mm)	178.0
Weight (product) (kg)	0.8

MATERIALS AND SURFACES	
Color	White/Gold

INSTALLATION AND CONNECTION	
Areas of use	Cottage, Generally, Hotel, Residence
Mounting	Surface, Wall
Connection (system)	Terminal

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A++ - A

LIGHT DISTRIBUTION