




PRODUCT DATA SHEET
Emkit LED 4W 3000K Chrome
Art.no: 548-1011



Lighting Solutions



Emkit LED 4W 3000K Chrome



ELECTRICAL DATA	
Dimming (system)	None
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IP (system)	IP20
Outdoor	No

PHOTOMETRIC DATA	
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	3000
Color Code	830
Lens (Diffuser)	Clear



PRODUCT DATA SHEET
Emkit LED 4W 3000K Chrome
Art.no: 548-1011



Lighting Solutions

DRIVER	
Manufacturer (driver)	TCI
Max Output Voltage (V)	55
Dimming (driver)	DALI
IP (driver)	IP20
Constant current or voltage (CC or CV)	CV+CC
CC (driver) [mA]	250 - 700
Current setting (driver)	DIP-switch
CC (forward voltage driver) (V)	2.0 - 43.0
Output Current Tolerance (%)	5.0
Current Ripple (%)	3.0
Max load pr circuit - B10	31
Max load pr circuit - B16	50
Max load pr circuit - C10	52
Max load pr circuit - C16	85
Inrush current time (μ s)	50.0
Inrush current I _{max} (A)	5.0

DIMENSIONS	
Length (product) (mm)	120.0
Width (product) (mm)	33.0
Height (product) (mm)	85.0
Weight (product) (kg)	0.85

MATERIALS AND SURFACES	
Color	Chrome

INSTALLATION AND CONNECTION	
Areas of use	Residence
Mounting	Wall

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A++ - A



PRODUCT DATA SHEET
Emkit LED 4W 3000K Chrome
Art.no: 548-1011



Lighting Solutions

ALTERNATIVE DRIVERS	
Current Setting Existing Driver	250 - 700