


**PRODUCT DATA SHEET**

Hali Bathroom 550lm 830 6W BK 600mm IP44 Phasecut

Art.no: 6995-01-2

*Lighting Solutions*

Hali Bathroom 550lm 830 6W BK 600mm IP44 Phasecut



Dimmable modern bathroom fixture for mounting over mirror. Available in 600mm and 900mm lengths. Black or white color.

ELECTRICAL DATA	
Protection Class (system)	2
Dimming (system)	Phase-Cut
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK02
IP (system)	IP44
Outdoor	No

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	47

**PRODUCT DATA SHEET**

Hali Bathroom 550lm 830 6W BK 600mm IP44 Phasecut

Art.no: 6995-01-2

*Lighting Solutions*

PHOTOMETRIC DATA	
CRI / Ra (\geq)	80
CCT (Color Temperature) (K)	3000
Color Code	830
Socket / Cap-Base	N/A
Lens (Diffuser)	Opal
Lifetime (h)	L80B10: 100 000
MacAdam (SDCM)	3
UGR (\leq)	19

DRIVER	
Protection Class (driver)	2
CC (driver) [mA]	180 - null
Output Current Tolerance (%)	5.0
Current Ripple (%)	200.0
Max load pr circuit - B10	35
Max load pr circuit - B16	56
Max load pr circuit - C10	74
Max load pr circuit - C16	118
Leakage current (mA)	5.0
Inrush current time (μ s)	300.0
Inrush current I _{max} (A)	5.0

DIMENSIONS	
Length (product) (mm)	600.0
Width (product) (mm)	65.0
Height (product) (mm)	8.0
Weight (product) (kg)	0.34

MATERIALS AND SURFACES	
Color	Black

INSTALLATION AND CONNECTION	
Areas of use	Bathroom, Cottage, Hotel, Residence
Mounting	Surface
Connection (system)	QuickConnect



PRODUCT DATA SHEET

Hali Bathroom 550lm 830 6W BK 600mm IP44 Phasecut
Art.no: 6995-01-2



Lighting Solutions

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A+