


**PRODUCT DATA SHEET**

Zoom Maxi 650-1500lm 927 CRI97 15-60° 30W 3-circuit BK DALI

Art.no: 7071-560-2-ddd

*Lighting Solutions*

Zoom Maxi 650-1500lm 927 CRI97 15-60° 30W 3-circuit BK DALI



The unique zoom patent makes it possible to vary the beam angle between 15 - and 60 degrees making this model highly versatile. The Zoom Maxi is available in both black and white versions and is made from robust die-cast aluminum.

ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	DALI2
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IP (system)	IP20
Outdoor	No

**PRODUCT DATA SHEET**

Zoom Maxi 650-1500lm 927 CRI97 15-60° 30W 3-circuit BK DALI

Art.no: 7071-560-2-ddd

*Lighting Solutions*

PHOTOMETRIC DATA	
CRI / Ra (>=)	97
CCT (Color Temperature) (K)	2700
Color Code	927
Lightsource Type	LED (built in)
Lens (Diffuser)	Clear
MacAdam (SDCM)	3
Manufacturer (light source)	Citizen

DRIVER	
Manufacturer (driver)	TCI
Dimming (driver)	DALI, DALI2, Push
IP (driver)	IP20
Constant current or voltage (CC or CV)	CC
CC (driver) [mA]	300 - 1050
Current setting (driver)	DIP-switch
CC (forward voltage driver) (V)	10.0 - 54.0
Current Ripple (%)	3.0
Max load pr circuit - B10	31
Max load pr circuit - B16	50
Max load pr circuit - C10	52
Max load pr circuit - C16	85
Inrush current time (μ s)	50.0
Inrush current I _{max} (A)	5.0

DIMENSIONS	
Length (product) (mm)	305.0
Width (product) (mm)	76.0

MATERIALS AND SURFACES	
Color	Black

INSTALLATION AND CONNECTION	
Areas of use	Office, Residence, Restaurant, Shop
Mounting	Track, Ceiling
Connection (system)	Track 3-Circuit



PRODUCT DATA SHEET

Zoom Maxi 650-1500lm 927 CRI97 15-60° 30W 3-circuit BK DALI

Art.no: 7071-560-2-ddd



Lighting Solutions

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A++ - A

LIGHT DISTRIBUTION

