


**PRODUCT DATA SHEET**

Antlia C 1858lm 840 Opal 40° 16W IP44 BK Surface

Art.no: 735-40-2

*Lighting Solutions*

Antlia C 1858lm 840 Opal 40° 16W IP44 BK Surface



ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	None
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK04
IP (system)	IP44
Outdoor	No
Operating temperature (°C)	0 - 35

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	116
CRI / Ra (>=)	80

**PRODUCT DATA SHEET**

Antlia C 1858lm 840 Opal 40° 16W IP44 BK Surface
Art.no: 735-40-2



Lighting Solutions

PHOTOMETRIC DATA	
CCT (Color Temperature) (K)	4000
Color Code	840
Lightsource Type	LED (built in)
Socket / Cap-Base	N/A
Lens (Diffuser)	Opal
Lifetime (h)	L80B50: 75 000

DRIVER	
Manufacturer (driver)	Osram

DIMENSIONS	
Width (product) (mm)	200.0
Height (product) (mm)	130.0
Weight (product) (kg)	1.35

MATERIALS AND SURFACES	
Color	Black

INSTALLATION AND CONNECTION	
Areas of use	Hotel, Open access areas, Shop, Showroom
Mounting	Surface, Ceiling
Connection (system)	Terminal

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A++



PRODUCT DATA SHEET

Antlia C 1858lm 840 Opal 40° 16W IP44 BK Surface

Art.no: 735-40-2



Lighting Solutions

LIGHT DISTRIBUTION

