


**PRODUCT DATA SHEET**

Auriga 2990lm 840 40° 28W IP44 WH 2m cable
 Art.no: 738-40-3



Lighting Solutions

176mm



Auriga 2990lm 840 40° 28W IP44 WH 2m cable



This series of IP44 downlights is named Auriga. Auriga is supplied with 2m cable for power connection.

ELECTRICAL DATA	
Protection Class (system)	2
Dimming (system)	None
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK05
IP (system)	IP44
Outdoor	No
Operating temperature (°C)	35 - null

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	107

**PRODUCT DATA SHEET**

Auriga 2990lm 840 40° 28W IP44 WH 2m cable

Art.no: 738-40-3

*Lighting Solutions*

PHOTOMETRIC DATA	
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	4000
Color Code	840
Lightsource Type	LED (built in)
Socket / Cap-Base	N/A
Lens (Diffuser)	Clear
Lifetime (h)	L80B10: 100 000

DIMENSIONS	
Width (product) (mm)	195.0
Height (product) (mm)	140.0

MATERIALS AND SURFACES	
Color	White

INSTALLATION AND CONNECTION	
Areas of use	Bathroom, Generally, Hotel, Office, Residence
Mounting	Recessed

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A+



PRODUCT DATA SHEET

Auriga 2990lm 840 40° 28W IP44 WH 2m cable

Art.no: 738-40-3



Lighting Solutions

LIGHT DISTRIBUTION

