**PRODUCT DATA SHEET**
Galactic C 6400lm TW Prism Ø600 60W WH up/down 2xDALI DT8
Art.no: 9067-01-TW-02-3-ddd

NORLUX®

Lighting Solutions

Ø600mm

55mm
86mm

383mm

Galactic C 6400lm TW Prism Ø600 60W WH up/down 2xDALI DT8

CE ⏚ 230V 50Hz IP40 🏠

Tunable white version with two DALI2 DT8 driver for individual light control of up and downlight

ELECTRICAL DATA	
Protection Class (system)	1
Dimming (system)	DALI2
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IP (system)	IP40
Outdoor	No
Operating temperature (°C)	-20 - 45

PRODUCT DATA SHEET
Galactic C 6400lm TW Prism Ø600 60W WH up/down 2xDALI DT8
Art.no: 9067-01-TW-02-3-ddd

PHOTOMETRIC DATA	
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	2700-6500K
Color Code	827-865
Lightsource Type	LED (built in)
Socket / Cap-Base	N/A
Lens (Diffuser)	Micropris.
Lifetime (h)	L80B10: 100 000
MacAdam (SDCM)	3

DIMENSIONS	
Heigth (product) (mm)	86.0
Diameter (product) (mm)	600.0

MATERIALS AND SURFACES	
Color	White
RAL Code	RAL9016
Housing Material	Aluminium

INSTALLATION AND CONNECTION	
Areas of use	Generally, Hotel, Office
Mounting	Partial-recessed, Surface, Pendant
Connection (system)	Terminal

ENERGY AND CERTIFICATIONS	
CE mark	Yes

PRODUCT DATA SHEET
Galactic C 6400lm TW Prism Ø600 60W WH up/down 2xDALI DT8
Art.no: 9067-01-TW-02-3-ddd

NORLUX®

Lighting Solutions

LIGHT DISTRIBUTION

— C0 / C180   ······· C90 / C270

cd / 1000 lm