



PRODUCT DATA SHEET

NSW M Pro Dual AiColor+People Counting 30W 36° Recessed BK
Art.no: 103240-36-2



Lighting Solutions



NSW M Pro Dual AiColor+People Counting 30W 36° Recessed BK



ELECTRICAL DATA	
Protection Class (system)	2
Dimming (system)	AIoT or APP (Bluetooth connected)
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK06
IP (system)	IP20
Operating temperature (°C)	-10 - 30

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	75

**PRODUCT DATA SHEET**NSW M Pro Dual AiColor+People Counting 30W 36° Recessed BK
Art.no: 103240-36-2*Lighting Solutions*

PHOTOMETRIC DATA	
CRI / Ra (>=)	90
CCT (Color Temperature) (K)	2700-6500
Color Code	RGBW
Lightsource Type	LED (built in)
Lens (Diffuser)	Lens
Lifetime (h)	L80B10: 100 000
MacAdam (SDCM)	3
UGR (<=)	7
Manufacturer (light source)	Ledteen
Forward Voltage LED (max tp=25) (V)	36.0
Driftspenning LED (min tp=65) (V)	36.0

DRIVER	
Manufacturer (driver)	Kinglumi
Flicker-free	Yes

DIMENSIONS	
Width (product) (mm)	118.0
Height (product) (mm)	175.0
Weight (product) (kg)	1.125
Diameter (product) (mm)	118.0

MATERIALS AND SURFACES	
Color	Black
RAL Code	RAL7021
Corrosion Class	C1

INSTALLATION AND CONNECTION	
Areas of use	Shop
Mounting	Recessed
Connection (system)	QuickConnect

ENERGY AND CERTIFICATIONS	
Energy Class EPREL	F



PRODUCT DATA SHEET

NSW M Pro Dual AlColor+People Counting 30W 36° Recessed BK
Art.no: 103240-36-2



Lighting Solutions

ENERGY AND CERTIFICATIONS

CE mark	Yes
---------	-----