






**PRODUCT DATA SHEET**  
Naos 120lm 830 1,5W BK  
Art.no: 2550-45-2



*Lighting Solutions*



## Naos 120lm 830 1,5W BK



Naos is a wall washer that can be mounted directly into the electrical box. Can be used outside and inside. Black tempered glass and quick connection for easy installation.

ELECTRICAL DATA	
Protection Class (system)	2
Dimming (system)	None
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IK (system)	IK06
IP (system)	IP65
Outdoor	Yes
Operating temperature (°C)	-20 - 50



**PRODUCT DATA SHEET**  
Naos 120lm 830 1,5W BK  
Art.no: 2550-45-2



*Lighting Solutions*

PHOTOMETRIC DATA	
Efficacy (system) (lm/W)	47
CRI / Ra (>=)	80
CCT (Color Temperature) (K)	3000
Color Code	830
Socket / Cap-Base	N/A
Lens (Diffuser)	Clear

DRIVER	
Protection Class (driver)	2

DIMENSIONS	
Length (product) (mm)	80.0
Width (product) (mm)	36.0
Height (product) (mm)	80.0
Weight (product) (kg)	0.11

MATERIALS AND SURFACES	
Color	Black

INSTALLATION AND CONNECTION	
Areas of use	Cafe, Cottage, Facade, Garden, Generally, Hotel, Outdoor, Residence
Mounting	Recessed, Wall
Connection (system)	Terminal

ENERGY AND CERTIFICATIONS	
CE mark	Yes
Energy Efficiency Class	A+



**PRODUCT DATA SHEET**  
Naos 120lm 830 1,5W BK  
Art.no: 2550-45-2



*Lighting Solutions*

## LIGHT DISTRIBUTION

