

**FAMILY PRODUCT SHEET**

Lobus BI

Art.no: Lobus-BI

*Lighting Solutions*

## Lobus BI



Lobus is a small and elegant spotlight for use in track lighting systems. This spotlight has very high lumen output per watt and this puts it in the top segment. The Lobus is very flexible, offering numerous adjustment possibilities making it easy to achieve the perfect light design in stores. The Lobus is available with three different reflectors and comes in three different colors.

### VARIANTS

Art.no.	Effect	Lumen out	CCT	Beam angle	Lens	CRI (>)	Dimming	Connection	Color
7008-7-40-3-ddd	30W	3770 lm	2700K	40°	Clear	90	DALI2	Skinne 3-fase+dim	White
7012-7-40-2-ddd	30W	3888 lm	3000K	40°	Clear	90	DALI2	Skinne 3-fase+dim	Black
7012-7-20-3-ddd	30W	3822 lm	3000K	20°	Clear	90	DALI2	Skinne 3-fase+dim	White
7012-7-30-3-ddd	30W	3956 lm	3000K	30°	Clear	90	DALI2	Skinne 3-fase+dim	White
7012-7-60-3-ddd	30W	3748 lm	3000K	60°	Clear	90	DALI2	Skinne 3-fase+dim	White
7012-7-40-3-ddd	30W	3888 lm	3000K	40°	Clear	90	DALI2	Skinne 3-fase+dim	White

**FAMILY PRODUCT SHEET**

Lobus BI

Art.no: Lobus-BI

*Lighting Solutions*

Art.no.	Effect	Lumen out	CCT	Beam angle	Lens	CRI (>)	Dimming	Connection	Color
7012-7-30-2-ddd	30W	3956 lm	3000K	30°	Clear	90	DALI2	Skinne 3-fase+dim	Black
7024-7-40-3	30W		3500K	40°	Clear	90		Skinne 3-fase	White
7012-7-60-2-ddd	30W	3748 lm	3000K	60°	Clear	90	DALI2	Skinne 3-fase+dim	Black
7012-7-20-2-ddd	30W	3822 lm	3000K	20°	Clear	90	DALI2	Skinne 3-fase+dim	Black
7015-7-30-2	30W	3659 lm	Arctic WhiteK	30°	Clear	95		Skinne 3-fase	Black
7015-7-30-3	30W	3659 lm	Arctic WhiteK	30°	Clear	95		Skinne 3-fase	White
7015-7-40-2	30W	3596 lm	Arctic WhiteK	40°	Clear	95		Skinne 3-fase	Black
7015-7-40-3	30W	3596 lm	Arctic WhiteK	40°	Clear	95		Skinne 3-fase	White
7015-7-20-1	30W	3555 lm	Arctic WhiteK	20°	Clear	95		Skinne 3-fase	Grey
7015-7-40-1	30W	3596 lm	Arctic WhiteK	40°	Clear	95		Skinne 3-fase	Grey
7015-7-20-3	30W	3555 lm	Arctic WhiteK	20°	Clear	95		Skinne 3-fase	White
7015-7-20-2	30W	3555 lm	Arctic WhiteK	20°	Clear	95		Skinne 3-fase	Black
7015-7-30-1	30W	3659 lm	Arctic WhiteK	30°	Clear	95		Skinne 3-fase	Grey
7010-7-60-1	30W	4165 lm	3000K	60°	Clear	80		Skinne 3-fase	Grey
7016-7-30-1	30W	2356 lm		30°	Clear	80		Skinne 3-fase	Grey
7016-7-30-3	30W	2356 lm		30°	Clear	80		Skinne 3-fase	White
7016-7-30-2	30W	2356 lm		30°	Clear	80		Skinne 3-fase	Black
7008-7-30-3	30W	3837 lm	2700K	30°	Clear	90		Skinne 3-fase	White
7008-7-30-2	30W	3837 lm	2700K	30°	Clear	90		Skinne 3-fase	Black
7008-7-20-3	30W	3707 lm	2700K	20°	Clear	90		Skinne 3-fase	White
7019-7-60-1	30W	4014 lm	4000K	60°	Clear	90		Skinne 3-fase	Grey
7019-7-30-1	30W	4236 lm	4000K	30°	Clear	90		Skinne 3-fase	Grey
7019-7-20-1	30W	4061 lm	4000K	20°	Clear	90		Skinne 3-fase	Grey
7019-7-40-1	30W	4163 lm	4000K	40°	Clear	90		Skinne 3-fase	Grey
7012-7-30-2	30W	3956 lm	3000K	30°	Clear	90		Skinne 3-fase	Black
7012-7-60-1	30W	3748 lm	3000K	60°	Clear	90		Skinne 3-fase	Grey
7012-7-30-1	30W	3956 lm	3000K	30°	Clear	90		Skinne 3-fase	Grey
7012-7-20-1	30W	3822 lm	3000K	20°	Clear	90		Skinne 3-fase	Grey
7012-7-40-1	30W	3888 lm	3000K	40°	Clear	90		Skinne 3-fase	Grey
7012-7-20-2	30W	3822 lm	3000K	20°	Clear	90		Skinne 3-fase	Black
7012-7-40-3	30W	3888 lm	3000K	40°	Clear	90		Skinne 3-fase	White
7012-7-30-3	30W	3956 lm	3000K	30°	Clear	90		Skinne 3-fase	White
7012-7-20-3	30W	3822 lm	3000K	20°	Clear	90		Skinne 3-fase	White
7012-7-60-2	30W	3748 lm	3000K	60°	Clear	90		Skinne 3-fase	Black

**FAMILY PRODUCT SHEET**

Lobus BI

Art.no: Lobus-BI

*Lighting Solutions*

Art.no.	Effect	Lumen out	CCT	Beam angle	Lens	CRI (>)	Dimming	Connection	Color
7012-7-40-2	30W	3888 lm	3000K	40°	Clear	90		Skinne 3-fase	Black
7012-7-60-3	30W	3748 lm	3000K	60°	Clear	90		Skinne 3-fase	White
7024-7-20-2	30W	3975 lm	3500K	20°	Clear	90		Skinne 3-fase	Black
7019-7-30-3	30W	4236 lm	4000K	30°	Clear	90		Skinne 3-fase	White
7019-7-30-2	30W	4236 lm	4000K	30°	Clear	90		Skinne 3-fase	Black
7010-7-20-1	30W	4248 lm	3000K	20°	Clear	80		Skinne 3-fase	Grey
7019-7-60-3	30W	4014 lm	4000K	60°	Clear	90		Skinne 3-fase	White
7019-7-20-3	30W	4061 lm	4000K	20°	Clear	90		Skinne 3-fase	White
7024-7-30-2	30W	3980 lm	3500K	30°	Clear	90		Skinne 3-fase	Black
7024-7-30-1	30W	4113 lm	3500K	30°	Clear	90		Skinne 3-fase	Grey
7019-7-40-2	30W	4163 lm	4000K	40°	Clear	90		Skinne 3-fase	Black
7024-7-20-3	30W	3975 lm	3500K	20°	Clear	90		Skinne 3-fase	White
7024-7-20-1	30W	3975 lm	3500K	20°	Clear	90		Skinne 3-fase	Grey
7019-7-20-2	30W	4061 lm	4000K	20°	Clear	90		Skinne 3-fase	Black
7024-7-30-3	30W	4113 lm	3500K	30°	Clear	90		Skinne 3-fase	White
7019-7-60-2	30W	4014 lm	4000K	60°	Clear	90		Skinne 3-fase	Black
7019-7-40-3	30W	4163 lm	4000K	40°	Clear	90		Skinne 3-fase	White
7019-7-30-2-ddd	30W	4236 lm	4000K	30°	Clear	90		Skinne 3-fase+dim	Black