


**PRODUCT DATA SHEET**

Transformer 12Vac 0-70W Halogen/0-50W LED max 6 LED Phasecut

Art.no: ULTRA70

*Lighting Solutions*

Transformer 12Vac 0-70W Halogen/0-50W LED max 6 LED Phasecut



Dimmable electronic transformer with 12Vac output (11,5V) for use with halogen lamp (0-70W) or LED lamp (0-50W).
Max 6 LED lamps.

ELECTRICAL DATA	
Protection Class (system)	2
Dimming (system)	Phase-Cut
Voltage (system) [V]	230V 50Hz

TECHNICAL DATA	
IP (system)	IP20
Outdoor	No
Operating temperature (°C)	null - 50
Connection 1	Terminal
Connection 2	Terminal

**PRODUCT DATA SHEET**Transformer 12Vac 0-70W Halogen/0-50W LED max 6 LED Phasecut
Art.no: ULTRA70*Lighting Solutions*

DRIVER	
Manufacturer (driver)	AcTEC
Protection Class (driver)	2
Flicker metric (Pst LM) <	1.0
Stroboscopic effect metric (SVM) <	0.4
Max Output Voltage (V)	12
Dimming (driver)	Phase-Cut
Dimming Minimum Level (%)	1.0
Dimming Phasecut Type	Leading / Trailing edge
IP (driver)	IP20
Expected Lifetime (driver) (h)	50000
Constant current or voltage (CC or CV)	CC
Current setting (driver)	None
CV (driver) [V]	12
Output Current Tolerance (%)	5.0
Max load pr circuit - B10	5
Max load pr circuit - B16	9
Max load pr circuit - C10	12
Max load pr circuit - C16	19
Max load pr circuit - C20	24
Leakage current (mA)	0.7
Inrush current time (μ s)	300.0
Inrush current I _{max} (A)	30.0

DIMENSIONS	
Length (product) (mm)	113.0
Width (product) (mm)	44.0
Height (product) (mm)	28.0
Weight (product) (kg)	0.11

MATERIALS AND SURFACES	
Color	Blue

ENERGY AND CERTIFICATIONS	
CE mark	Yes



PRODUCT DATA SHEET

Transformer 12Vac 0-70W Halogen/0-50W LED max 6 LED Phasecut

Art.no: ULTRA70



Lighting Solutions