



FAMILY PRODUCT SHEET

Rod Midi C

Art.no: Rod-Midi-C



Lighting Solutions



Rod Midi C



Rod Midi C is a powerful and flexible spotlight developed for modern retail, showroom, and project lighting applications. Featuring a sleek cylindrical design and high light output, the luminaire combines aesthetics and performance, making it suitable for both accent and general lighting. Delivering up to 4100 lumens with excellent colour rendering (CRI90), Rod Midi C ensures natural presentation of products, materials, and interior details. Available with multiple beam angles and colour temperatures, the spotlight can easily be adapted to different environments and lighting requirements. It is offered in white, black, or grey finishes and is designed for easy installation in 3-circuit track systems. Selected versions are also available with DALI control for advanced lighting management solutions. Rod Midi C is an ideal choice for retail stores, exhibition areas, galleries, hotels, and restaurants where high lighting quality, flexibility, and an exclusive appearance are essential.

VARIANTS

Art.no.	Effect	Lumen out	CCT	Beam angle	Lens	CRI (>)	Dimming	Connection	Color
102310-20-1	23W	2990 lm	3000K	20	Clear	90	None	Skinne 3-fase	Grey
102310-20-2	23W	2990 lm	3000K	20	Clear	90	None	Skinne 3-fase	Black
102310-20-3	23W	2990 lm	3000K	20	Clear	90	None	Skinne 3-fase	White
102310-30-1	23W	2990 lm	3000K	30	Clear	90	None	Skinne 3-fase	Grey
102310-30-2	23W	2990 lm	3000K	30	Clear	90	None	Skinne 3-fase	Black

**FAMILY PRODUCT SHEET**

Rod Midi C

Art.no: Rod-Midi-C

NORLUX®*Lighting Solutions*

Art.no.	Effect	Lumen out	CCT	Beam angle	Lens	CRI (>)	Dimming	Connection	Color
102310-30-3	23W	2990 lm	3000K	30°	Clear	90	None	Skinne 3-fase	White
102310-40-2	23W	2990 lm	3000K	40°	Clear	90		Skinne 3-fase	Black
102310-40-3	23W	2990 lm	3000K	40°	Clear	90		Skinne 3-fase	White
102310-30-1-ddd	23W	2990 lm	3000K	30°	Clear	90	DALI2	Skinne 3-fase	Grey
102310-30-2-ddd	23W	2990 lm	3000K	30°	Clear	90	DALI2	Skinne 3-fase	Black
102310-30-3-ddd	23W	2990 lm	3000K	30°	Clear	90	DALI2	Skinne 3-fase	White
102311-20-2	23W	2990 lm	2700K	20°	Clear	90	None	Skinne 3-fase	Black
102311-20-3	23W	2990 lm	2700K	20°	Clear	90	None	Skinne 3-fase	White
102311-30-1	23W	2990 lm	2700K	30°	Clear	90	None	Skinne 3-fase	Grey
102311-30-2	23W	2990 lm	2700K	30°	Clear	90	None	Skinne 3-fase	Black
102311-30-3	23W	2990 lm	2700K	30°	Clear	90	None	Skinne 3-fase	White
102312-30-1	23W	2990 lm	3500K	30°	Clear	90	None	Skinne 3-fase	Grey
102312-30-2	23W	2990 lm	3500K	30°	Clear	90	None	Skinne 3-fase	Black
102312-30-3	23W	2990 lm	3500K	30°	Clear	90	None	Skinne 3-fase	White
102313-30-1	23W	2990 lm	4000K	30°	Clear	90	None	Skinne 3-fase	Grey
102313-30-2	23W	2990 lm	4000K	30°	Clear	90	None	Skinne 3-fase	Black
102313-30-3	23W	2990 lm	4000K	30°	Clear	90	None	Skinne 3-fase	White
102314-30-2	23W	2990 lm	3200K	30°	Clear	90	None	Skinne 3-fase	Black
102314-30-3	23W	2990 lm	3200K	30°	Clear	90	None	Skinne 3-fase	White
102534-20-3	23W	2990 lm	Arctic WhiteK	20°	Clear	90	None	Skinne 3-fase	White
102310-60-3	23W	2990 lm	3000K	60°	Clear	90	None	Skinne 3-fase	White
102311-20-1	23W	2990 lm	2700K	20°	Clear	90	None	Skinne 3-fase	Grey
102311-60-2	23W	2990 lm	2700K	60°	Clear	90	None	Skinne 3-fase	Black
102311-40-3	23W	2990 lm	2700K	40°	Clear	90	None	Skinne 3-fase	White
102311-60-1	23W	2990 lm	2700K	60°	Clear	90	None	Skinne 3-fase	Grey
102311-60-3	23W	2990 lm	2700K	60°	Clear	90	None	Skinne 3-fase	White
102310-60-2	23W	2990 lm	3000K	60°	Clear	90	None	Skinne 3-fase	Black
102310-40-1	23W	2990 lm	3000K	40°	Clear	90	None	Skinne 3-fase	Grey
102314-20-2	23W	2990 lm	3200K	20°	Clear	90	None	Skinne 3-fase	Black
102314-20-1	23W	2990 lm	3200K	20°	Clear	90	None	Skinne 3-fase	Grey
102310-60-1	23W	2990 lm	3000K	60°	Clear	90	None	Skinne 3-fase	Grey
102314-30-1	23W	2990 lm	3200K	30°	Clear	90	None	Skinne 3-fase	Grey
102314-40-2	23W	2990 lm	3200K	40°	Clear	90	None	Skinne 3-fase	Black
102314-40-3	23W	2990 lm	3200K	40°	Clear	90	None	Skinne 3-fase	White
102314-40-1	23W	2990 lm	3200K	40°	Clear	90	None	Skinne 3-fase	Grey
102313-20-2	23W	2990 lm	4000K	20°	Clear	90	None	Skinne 3-fase	Black
102313-20-1	23W	2990 lm	4000K	20°	Clear	90	None	Skinne 3-fase	Grey
102313-40-2	23W	2990 lm	4000K	40°	Clear	90	None	Skinne 3-fase	Black
102313-20-3	23W	2990 lm	4000K	20°	Clear	90	None	Skinne 3-fase	White
102313-40-1	23W	2990 lm	4000K	40°	Clear	90	None	Skinne 3-fase	Grey

**FAMILY PRODUCT SHEET**

Rod Midi C

Art.no: Rod-Midi-C

*Lighting Solutions*

Art.no.	Effect	Lumen out	CCT	Beam angle	Lens	CRI (>)	Dimming	Connection	Color
102313-40-3	23W	2990 lm	4000K	40°	Clear	90	None	Skinne 3-fase	White
102313-60-1	23W	2990 lm	4000K	60°	Clear	90	None	Skinne 3-fase	Grey
102313-60-3	23W	2990 lm	4000K	60°	Clear	90	None	Skinne 3-fase	White
102313-60-2	23W	2990 lm	4000K	60°	Clear	90	None	Skinne 3-fase	Black
102314-60-3	23W	2990 lm	3200K	60°	Clear	90	None	Skinne 3-fase	White
102311-40-2	23W	2990 lm	2700K	40°	Clear	90	None	Skinne 3-fase	Black
102311-40-1	23W	2990 lm	2700K	40°	Clear	90	None	Skinne 3-fase	Grey
102314-60-2	23W	2990 lm	3200K	60°	Clear	90	None	Skinne 3-fase	Black
102314-60-1	23W	2990 lm	3200K	60°	Clear	90	None	Skinne 3-fase	Grey
102312-20-2	23W	2990 lm	3500K	20°	Clear	90	None	Skinne 3-fase	Black
102312-40-2	23W	2990 lm	3500K	40°	Clear	90	None	Skinne 3-fase	Black
102312-60-2	23W	2990 lm	3500K	60°	Clear	90	None	Skinne 3-fase	Black
102312-20-3	23W	2990 lm	3500K	20°	Clear	90	None	Skinne 3-fase	White
102312-60-3	23W	2990 lm	3500K	60°	Clear	90	None	Skinne 3-fase	White
102312-40-3	23W	2990 lm	3500K	40°	Clear	90	None	Skinne 3-fase	White